

```
root@lx01:/etc/ssh#  
root@lx01:/etc/ssh# nano sshd_config
```

🖥️ LX01-EXAMBLANC2026 [En fonction] - Oracle VirtualBox
Fichier Machine Écran Entrée Périphériques Aide

```
GNU nano 7.2 sshd_config  
# This is the sshd server system-wide configuration file. See  
# sshd_config(5) for more information.  
# This sshd was compiled with PATH=/usr/local/bin:/usr/bin:/usr/games  
# The strategy used for options in the default sshd_config shipped with  
# OpenSSH is to specify options with their default value where  
# possible, but leave them commented. Uncommented options override the  
# default value.  
Include /etc/ssh/sshd_config.d/*.conf  
  
Port 22  
#AddressFamily any  
#ListenAddress 0.0.0.0  
#ListenAddress ::  
  
#HostKey /etc/ssh/ssh_host_rsa_key  
#HostKey /etc/ssh/ssh_host_ecdsa_key  
#HostKey /etc/ssh/ssh_host_ed25519_key  
  
# Ciphers and keying  
#RekeyLimit default none  
  
# Logging  
#SyslogFacility AUTH  
#LogLevel INFO  
  
# Authentication:  
#LoginGraceTime 2m  
#PermitRootLogin prohibit-password  
#StrictModes yes  
#MaxAuthTries 6  
#MaxSessions 10  
  
#PubkeyAuthentication yes  
  
# Expect .ssh/authorized_keys2 to be disregarded by default in future.  
#AuthorizedKeysFile .ssh/authorized_keys .ssh/authorized_keys2  
  
#AuthorizedPrincipalsFile none  
  
#AuthorizedKeysCommand none  
#AuthorizedKeysCommandUser nobody  
  
[Lecture de 122 lignes]  
Aide Écrire Chercher Couper Exécuter Enlacement Annuler Marquer  
Quitter Line fich. Remplacer Collier Justifier Aller ligne Refaire copier -> Crochet Précédent
```

```
root@lx01:/etc/ssh# nano ssh_config
```

🖥️ LX01-EXAMBLANC2026 [En fonction] - Oracle VirtualBox
Fichier Machine Écran Entrée Périphériques Aide

```
GNU nano 7.2 ssh_config *  
# 2. user-specific file  
# 3. system-wide file  
# Any configuration value is only changed the first time it is set.  
# Thus, host-specific definitions should be at the beginning of the  
# configuration file, and defaults at the end.  
  
# Site-wide defaults for some commonly used options. For a comprehensive  
# list of available options, their meanings and defaults, please see the  
# ssh_config(5) man page.  
  
Include /etc/ssh/ssh_config.d/*.conf  
  
Host *  
# ForwardAgent no  
# ForwardX11 no  
# ForwardX11Trusted yes  
# PasswordAuthentication yes  
# HostbasedAuthentication no  
# GSSAPIAuthentication no  
# GSSAPIDelegatedCredentials no  
# GSSAPIKeyExchange no  
# GSSAPITrustDNS no  
# BatchMode no  
# CheckHostIP yes  
# AddressFamily any  
# ConnectTimeout 0  
# StrictHostKeyChecking ask  
# IdentityFile ~/.ssh/id_rsa  
# IdentityFile ~/.ssh/id_dsa  
# IdentityFile ~/.ssh/id_ecdsa  
# IdentityFile ~/.ssh/id_ed25519  
Port 22  
# Ciphers aes128-ctr,aes192-ctr,aes256-ctr,aes128-cbc,3des-cbc  
# MACs hmac-md5,hmac-sha1,umac-64@openssh.com  
# EscapeChar ~  
# Tunnel no  
# TunnelDevice any:any  
# PermitLocalCommand no  
# VisualHostKey no  
# ProxyCommand ssh -q -W %h:%p gateway.example.com  
# RekeyLimit 16 1h  
# UserKnownHostsFile ~/.ssh/known_hosts.d/%h  
# SendEnv LANG LC_*  
# HashKnownHosts yes  
# GSSAPIAuthentication yes  
  
Aide Écrire Chercher Couper Exécuter Enlacement Annuler Marquer  
Quitter Line fich. Remplacer Collier Justifier Aller ligne Refaire copier -> Crochet Précédent
```

```
root@lx01:/etc/ssh# nano sshd_config
```

```
GNU nano 7.2 sshd_config
# This is the sshd server system-wide configuration file. See
# sshd_config(5) for more information.

# This sshd was compiled with PATH=/usr/local/bin:/usr/bin:/usr/games

# The strategy used for options in the default sshd_config shipped with
# OpenSSH is to specify options with their default value where
# possible, but leave them commented. Uncommented options override the
# default value.

Include /etc/ssh/sshd_config.d/*.conf

Port 2023
#AddressFamily any
#ListenAddress 0.0.0.0
#ListenAddress ::

#HostKey /etc/ssh/ssh_host_rsa_key
#HostKey /etc/ssh/ssh_host_ecdsa_key
#HostKey /etc/ssh/ssh_host_ed25519_key

# Ciphers and keying
#RekeyLimit default none

# Logging
#SyslogFacility AUTH
#LogLevel INFO

# Authentication:

#LoginGraceTime 2m
#PermitRootLogin prohibit-password
#StrictModes yes
#MaxAuthTries 6
#MaxSessions 10

#PubkeyAuthentication yes

# Expect .ssh/authorized_keys2 to be disregarded by default in future.
#AuthorizedKeysFile .ssh/authorized_keys .ssh/authorized_keys2

#AuthorizedPrincipalsFile none

#AuthorizedKeysCommand none
#AuthorizedKeysCommandUser nobody

C Aide      C Écrire
X Quitter  X Line fich.  X Chercher
          X Remplacer  X Couper
          X Coller      X Exécuter
          X Justifier  X Emplacement
          X Aller ligne  X Annuler
          X Refaire     X Marquer
          X Copier      X -> Crochet
          X Retrouver   X Précédent
          X Suivant
```

```
GNU nano 7.2 sshd_config
# This is the sshd server system-wide configuration file. See
# sshd_config(5) for more information.

# This sshd was compiled with PATH=/usr/local/bin:/usr/bin:/usr/games

# The strategy used for options in the default sshd_config shipped with
# OpenSSH is to specifu options with their default value where
# possible, but leave them commented. Uncommented options override the
# default value.

Include /etc/ssh/sshd_config.d/*.conf

Port 2023
#AddressFamily any
#ListenAddress 0.0.0.0
#ListenAddress ::

#HostKey /etc/ssh/ssh_host_rsa_key
#HostKey /etc/ssh/ssh_host_ecdsa_key
#HostKey /etc/ssh/ssh_host_ed25519_key

# Ciphers and keying
#RekeyLimit default none

# Logging
#SyslogFacility AUTH
#LogLevel INFO

# Authentication:

#LoginGraceTime 2m
#PermitRootLogin yes
#StrictModes yes
#MaxAuthTries 6
#MaxSessions 10

#PubkeyAuthentication yes

# Expect .ssh/authorized_keys2 to be disregarded by default in future.
#AuthorizedKeysFile .ssh/authorized_keys .ssh/authorized_keys2

#AuthorizedPrincipalsFile none

#AuthorizedKeysCommand none
#AuthorizedKeysCommandUser nobody

root@lx01:/etc/ssh#
```

```

root@lx01:~#
root@lx01:~# systemctl restart sshd.service
root@lx01:~# systemctl restart ssh.service
root@lx01:~# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:2d:bb:49 brd ff:ff:ff:ff:ff:ff
    inet 192.168.240.251/24 brd 192.168.240.255 scope global enp0s3
        valid_lft forever preferred_lft forever
    inet6 fe80::a00:27ff:fe2d:bb49/64 scope link
        valid_lft forever preferred_lft forever
root@lx01:~#

```

SRV-AD-EXAMBLANC-2026 [En fonction] - Oracle VirtualBox

Fichier Machine Écran Entrée Périphériques Aide

Administrateur: Invite de commandes - ssh root@192.168.240.251 -p 2023

```

C:\Users\Administrateur>gpupdate /force
Mise à jour de la stratégie...

La mise à jour de la stratégie d'ordinateur s'est terminée sans erreur.
La mise à jour de la stratégie utilisateur s'est terminée sans erreur.

C:\Users\Administrateur>gpupdate /force
Mise à jour de la stratégie...

La mise à jour de la stratégie d'ordinateur s'est terminée sans erreur.
La mise à jour de la stratégie utilisateur s'est terminée sans erreur.

C:\Users\Administrateur>ssh root@192.168.240.251 -p 2023
The authenticity of host '[192.168.240.251]:2023 ([192.168.240.251]:2023)' can't be established.
ED25519 key fingerprint is SHA256:ATG2P57wUxBNAvDU5X2y2sOb44jFX3WhG2BjhZXE+H8.
This host key is known by the following other names/addresses:
  C:\Users\Administrateur/.ssh/known_hosts:1: 192.168.240.252
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[192.168.240.251]:2023' (ED25519) to the list of known hosts.
root@192.168.240.251's password:
Linux lx01 6.1.0-34-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.135-1 (2025-04-25) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Sat May  2 14:51:30 2026
root@lx01:~#

```

