In [2]:
```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
%matplotlib inline
import seaborn as sns
```

In [4]:
```
df = pd.read_csv('C:\Aabid Study\LEARNING DATA SCIENCE\Projects\Python_Diwali_Sa
df.shape
```

```
<>:1: SyntaxWarning: invalid escape sequence '\A'
<>:1: SyntaxWarning: invalid escape sequence '\A'
C:\Users\aabid\AppData\Local\Temp\ipykernel_11052\3297667907.py:1: SyntaxWarning:
invalid escape sequence '\A'
  df = pd.read_csv('C:\Aabid Study\LEARNING DATA SCIENCE\Projects\Python_Diwali_S
ales_Analysis\Diwali Sales Data.csv',encoding='unicode_escape')
```

Out[4]:
```
(11251, 15)
```

In [5]:
```
df.head()
```

Out[5]:

	User_ID	Cust_name	Product_ID	Gender	Age Group	Age	Marital_Status	Stat
0	1002903	Sanskriti	P00125942	F	26-35	28	0	Maharashtı
1	1000732	Kartik	P00110942	F	26-35	35	1	Andhra Prades
2	1001990	Bindu	P00118542	F	26-35	35	1	Uttar Prades
3	1001425	Sudevi	P00237842	M	0-17	16	0	Karnatak
4	1000588	Joni	P00057942	M	26-35	28	1	Gujara

In [7]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 11251 entries, 0 to 11250
Data columns (total 15 columns):
 #   Column            Non-Null Count  Dtype  
---  ------            --------------  -----  
 0   User_ID           11251 non-null  int64  
 1   Cust_name         11251 non-null  object 
 2   Product_ID        11251 non-null  object 
 3   Gender            11251 non-null  object 
 4   Age Group         11251 non-null  object 
 5   Age               11251 non-null  int64  
 6   Marital_Status    11251 non-null  int64  
 7   State             11251 non-null  object 
 8   Zone              11251 non-null  object 
 9   Occupation        11251 non-null  object 
 10  Product_Category  11251 non-null  object 
 11  Orders            11251 non-null  int64  
 12  Amount            11239 non-null  float64
 13  Status            0 non-null      float64
 14  unnamed1          0 non-null      float64
dtypes: float64(3), int64(4), object(8)
memory usage: 1.3+ MB
```

In [8]:
```
df.drop(['Status','unnamed1'],axis=1,inplace=True)
```

In [9]:
```
pd.isnull(df).sum()
```

Out[9]:
```
User_ID             0
Cust_name           0
Product_ID          0
Gender              0
Age Group           0
Age                 0
Marital_Status      0
State               0
Zone                0
Occupation          0
Product_Category    0
Orders              0
Amount             12
dtype: int64
```

In [10]:
```
df.dropna(inplace=True)
```

In [11]:
```
df['Amount']= df['Amount'].astype('int')
```

In [12]:
```
df['Amount'].dtypes
```

Out[12]:
```
dtype('int64')
```

In [13]:
```
df.columns
```

Out[13]:
```
Index(['User_ID', 'Cust_name', 'Product_ID', 'Gender', 'Age Group', 'Age',
       'Marital_Status', 'State', 'Zone', 'Occupation', 'Product_Category',
       'Orders', 'Amount'],
      dtype='object')
```

In [14]:
```
df.describe()
```

Out[14]:

	User_ID	Age	Marital_Status	Orders	Amount
count	1.123900e+04	11239.000000	11239.000000	11239.000000	11239.000000
mean	1.003004e+06	35.410357	0.420055	2.489634	9453.610553
std	1.716039e+03	12.753866	0.493589	1.114967	5222.355168
min	1.000001e+06	12.000000	0.000000	1.000000	188.000000
25%	1.001492e+06	27.000000	0.000000	2.000000	5443.000000
50%	1.003064e+06	33.000000	0.000000	2.000000	8109.000000
75%	1.004426e+06	43.000000	1.000000	3.000000	12675.000000
max	1.006040e+06	92.000000	1.000000	4.000000	23952.000000

In [15]:
```
df[['Age','Orders','Amount']].describe()
```

Out[15]:

	Age	Orders	Amount
count	11239.000000	11239.000000	11239.000000
mean	35.410357	2.489634	9453.610553
std	12.753866	1.114967	5222.355168
min	12.000000	1.000000	188.000000
25%	27.000000	2.000000	5443.000000
50%	33.000000	2.000000	8109.000000
75%	43.000000	3.000000	12675.000000
max	92.000000	4.000000	23952.000000

In [16]:
```
ax = sns.countplot(x='Gender',data=df)
for bars in ax.containers:
    ax.bar_label(bars)
```



In [17]:
```
sales_gen = df.groupby(['Gender'], as_index=False)['Amount'].sum().sort_values(b

sns.barplot(x = 'Gender',y= 'Amount' ,data = sales_gen)
```

Out[17]: <Axes: xlabel='Gender', ylabel='Amount'>



In [18]:
```
ax = sns.countplot(data = df, x = 'Age Group', hue = 'Gender')

for bars in ax.containers:
    ax.bar_label(bars)
```



In [19]:
```
sales_age = df.groupby(['Age Group'], as_index=False)['Amount'].sum().sort_value

sns.barplot(x = 'Age Group',y= 'Amount' ,data = sales_age)
```

Out[19]:
```
<Axes: xlabel='Age Group', ylabel='Amount'>
```



In [20]:
```
sales_state = df.groupby(['State'], as_index=False)['Orders'].sum().sort_values(

sns.set(rc={'figure.figsize':(15,5)})
sns.barplot(data = sales_state, x = 'State',y= 'Orders')
```

Out[20]: <Axes: xlabel='State', ylabel='Orders'>



In [21]:
```
sales_state = df.groupby(['State'], as_index=False)['Amount'].sum().sort_values(

sns.set(rc={'figure.figsize':(15,5)})
sns.barplot(data = sales_state, x = 'State',y= 'Amount')
```

Out[21]: <Axes: xlabel='State', ylabel='Amount'>



In [22]:
```
ax = sns.countplot(data = df, x = 'Marital_Status')

sns.set(rc={'figure.figsize':(7,5)})
for bars in ax.containers:
    ax.bar_label(bars)
```



In [23]:
```
sales_state = df.groupby(['Marital_Status', 'Gender'], as_index=False)['Amount']

sns.set(rc={'figure.figsize':(6,5)})
sns.barplot(data = sales_state, x = 'Marital_Status',y= 'Amount', hue='Gender')
```

Out[23]:
```
<Axes: xlabel='Marital_Status', ylabel='Amount'>
```



In [24]:
```
sns.set(rc={'figure.figsize':(20,5)})
ax = sns.countplot(data = df, x = 'Occupation')

for bars in ax.containers:
    ax.bar_label(bars)
```



In [25]:
```
sales_state = df.groupby(['Occupation'], as_index=False)['Amount'].sum().sort_va

sns.set(rc={'figure.figsize':(20,5)})
sns.barplot(data = sales_state, x = 'Occupation',y= 'Amount')
```

Out[25]: <Axes: xlabel='Occupation', ylabel='Amount'>



In [26]:
```
sns.set(rc={'figure.figsize':(20,5)})
ax = sns.countplot(data = df, x = 'Product_Category')

for bars in ax.containers:
    ax.bar_label(bars)
```



In [27]:
```
sales_state = df.groupby(['Product_Category'], as_index=False)['Amount'].sum().s

sns.set(rc={'figure.figsize':(20,5)})
sns.barplot(data = sales_state, x = 'Product_Category',y= 'Amount')
```

Out[27]: <Axes: xlabel='Product_Category', ylabel='Amount'>



In [28]:
```
sales_state = df.groupby(['Product_ID'], as_index=False)['Orders'].sum().sort_va

sns.set(rc={'figure.figsize':(20,5)})
sns.barplot(data = sales_state, x = 'Product_ID',y= 'Orders')
```

Out[28]: <Axes: xlabel='Product_ID', ylabel='Orders'>



In [29]:
```
# top 10 most sold products (same thing as above)

fig1, ax1 = plt.subplots(figsize=(12,7))
df.groupby('Product_ID')['Orders'].sum().nlargest(10).sort_values(ascending=Fals
```

Out[29]: <Axes: xlabel='Product_ID'>



In [ ]: