1. Data Preparation and Cleaning

Deliverables: Screenshot of Power Query Editor showing cleaned data.



	FlightID	FlightNumber	Airline	Destination	Status
21	1021	FL1661	Airline B	New York	Cancelled
22	1022	FL1308	Airline A	Houston	Delayed
23	1023	FL1769	Airline A	Chicago	On Time
24	1024	FL1343	Airline B	Chicago	Delayed
25	1025	FL1491	Airline D	Phoenix	On Time
26	1026	FL1413	Airline D	Chicago	Cancelled
27	1027	FL1805	Airline D	Chicago	On Time
28	1028	FL1385	Airline D	Chicago	On Time
29	1029	FL1191	Airline D	Los Angeles	On Time
30	1030	FL1955	Airline B	Phoenix	On Time
31	1031	FL1276	Airline B	New York	On Time
32	1032	FL1160	Airline C	Houston	Delayed
33	1033	FL1459	Airline D	New York	On Time
34	1034	FL1313	Airline B	Phoenix	On Time
35	1035	FL1021	Airline C	Houston	Cancelled
36	1036	FL1252	Airline D	Phoenix	On Time
37	1037	FL1747	Airline A	Chicago	Cancelled
38	1038	FL1856	Airline C	Houston	Delayed
39	1039	FL1560	Airline B	Chicago	On Time
40	1040	FL1474	Airline A	New York	Cancelled
41	1041	FL1058	Airline A	New York	Cancelled
42	1042	FL1510	Airline A	Houston	Delayed
43	1043	FL1681	Airline C	Houston	On Time
44	1044	FL1475	Airline B	Phoenix	On Time
45	1045	FL1699	Airline A	Phoenix	Cancelled
46	1046	FL1975	Airline D	Chicago	On Time
47	1047	FL1782	Airline A	Houston	Cancelled
48	1048	FL1189	Airline A	New York	On Time
49	1049	FL1957	Airline C	Phoenix	Cancelled
50	1050	FL1686	Airline C	Phoenix	On Time



	PassengerID	FlightID	SeatNumber
1	1	1161	38A
2	2	1157	24D
3	3	1141	30B
4	4	1046	17E
5	5	1035	29D
6	6	1134	10A
7	7	1082	10A
8	8	1115	20E
9	9	1197	34E
10	10	1047	2E
11	11	1153	43C
12	12	1194	48C
13	13	1010	47A
14	14	1056	23C
15	15	1030	16D
16	16	1109	40D
17	17	1005	25C
18	18	1119	32C
19	19	1033	27E
20	20	1118	32B
21	21	1065	19E
22	22	1146	5B
23	23	1177	28B
24	24	1011	22E
25	25	1085	6A
26	26	1026	5A
27	27	1063	12B
28	28	1086	46B
29	29	1059	49B
30	30	1027	45C



2. Data Modeling

Deliverables: Screenshot of the data model with relationships





3. Enhanced Data Insights

Deliverables: Screenshot of the transformed data.







4. Calculations Using DAX

○ Total passengers for a specific flight =

Total Passenger =
CALCULATE(COUNTROWS(passenger_information),passenger_information[PassengerID])



○ Total tickets booked =

Total tickets booked = CALCULATE([Tickets booking status],ticket_information[BookingStatus]="Confirmed")



○ Filtered table showing "Best" flights only.

BestFlights = COUNTROWS(FILTER(flight_information,flight_information[Flight Improvements]="Best"))



5. Visualization and Interactive Features

● Create visuals for:

○ Passenger count by airline.



○ Ticket booking statuses.



○ Flights by airline and destination.



● Add interactive features for:

○ Destination and Airline.



○ Quickviews.



○ Airline-specific pages.



6. Final Dashboard and Power BI Service

- Design acomprehensive dashboard with key visuals and insights.





- Configure Row-Level Security (RLS) for Airline A data and assign it to a user.





- Set up a schedule refresh at 5 PM daily.



Explanation Video Link : https://drive.google.com/file/d/1H7_QikvU9cHtksZA_-3gaxme8mt3_v2Z/view?usp=sharing