

Homework 10

Profiling

Assigned: Friday, March 18

Due: Friday, March 25, 11:00AM (Hard Deadline)

Submission Instructions

Submit this assignment on [Gradescope](#). You must submit every page of this PDF. We recommend using the free online tool [PDFescape](#) to edit and fill out this PDF. You may also print, handwrite, and scan this assignment.

There may multiple answers for each question. If you are unsure, state your assumptions and your reasoning for why you think your answer makes sense.

You must select the right page for each question on Gradescope.
If you do not select the right pages, we will not grade the question.

Optional Reading

Developer Survey 2016, from Stack Overflow.

<https://stackoverflow.com/research/developer-survey-2016>

Some students have asked for some insights into CS in industry. Every year, Stack Overflow does a large survey of developers. Their intro does a nice job of covering its caveats, but it remains an interesting look into what it means to have a career in CS and what CS in the real world looks like.

CAVEATS

gprof is **not** a debugging tool. Your code **must** work correctly before trying to run gprof. Your code **must** exit normally (no segfault, exception, etc) or gprof will not do anything!

gprof **does not work** on macs. On mac, the best tool to use is [Instruments](#), however, for this homework please use your VM and gprof.

1 Reasoning about performance

Clone a copy of <https://gitlab.eecs.umich.edu/ppannuto/c4cs-w16-profiling>.

Look through `main.c` to understand what this program is doing (not much, a “nop” is “no-operation”, that is, sit idle for a cycle). The call graph of this program is about:

```
\-- main
  \-- parent
      \-- child1
      \-- child2
  \-- no_children
```

The time utility reports how long a program takes to run.

Run `make baseline`.

How long did it take for the baseline to run?

Given how long baseline took, how long do you expect each of the following to take from the start of each function until it finishes?

Baseline _____ seconds

child1 _____ seconds

child2 _____ nanoseconds ← note the units here

parent _____ seconds ← think carefully about this one! What’s weird about the for loops?

no_children _____ seconds

2 gprof overhead

Now run `make overhead`.

What is the difference between `main_no_profiling` and `main_with_profiling`?

Which ran faster, `main_no_profiling` or `main_with_profiling`? Why?

Between `child1` or `child2`, which should you remove such that `main_no_profiling` and `main_with_profiling` will have nearly the same runtime? Why remove that child?

3 Understanding **gprof**

Finally, run `make profile.txt`. Take a look at the `profile.txt` file.

Did Question 1 ask for “cumulative seconds” or “self seconds”? What is the difference?

How well did your estimates from Question 1 line up with the time reported by `gprof`?
What explains the difference between your estimate and the time reported by `gprof`?

What generated the file `gmon.out`?