



B Bootstrap



Jadson Santos
Computing Engineer

What is Bootstrap?

- Bootstrap is a free front-end framework (HTML and CSS) for faster and easier web development
- Bootstrap is famous for being developed with components that have the ability to follow the property of responsive designs
 - Responsive Design is about using CSS and HTML to resize, hide, shrink, enlarge, or move the content to make it look good on any screen
 - Responsive Design allow your page works for computer, tablets and mobile phones.

First Bootstrap Page

- Include the **HTML5 doctype** at the beginning of the page, along with the **lang** attribute and the correct **character set**

```
<!DOCTYPE html>
<html lang="pt">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
  </head>
</html>
```

First Bootstrap Page

- Meta **viewport tag** ensure proper rendering and touch zooming
- Width of the page to follow the screen-width of the device and initial zoom level to default zoom level of device
- User will have a better experience, thus will not need zoom the page to view page information

First Bootstrap Page

- You will need to include three files:
 - **bootstrap.min.css**
 - **jquery.min.js**
 - **bootstrap.min.js**
- You must download it and include in you page
- For this example, we include from the Internet

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">  
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>  
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
```

First Bootstrap Page

- Bootstrap has a concept of containing element to wrap site contents

```
<div class="container">  
  <h1>My First Bootstrap Page</h1>  
  <p>This is some text.</p>  
</div>
```

```
<div class="container-fluid">  
  <h1>My First Bootstrap Page</h1>  
  <p>This is some text.</p>  
</div>
```

<https://getbootstrap.com/docs/4.4/examples/grid/#containers>

Bootstrap Grids

- Bootstrap's grid system allows up to 12 columns across the page
- You can divide the container in rows and each row in columns with space multiple of the 12





Bootstrap Grid Classes

The Bootstrap grid system has four classes:

- xs (for phones)
 - sm (for tablets)
 - md (for desktops)
 - lg (for larger desktops)
-
- The classes above can be combined to create more dynamic and flexible layouts.

Bootstrap Grids

- In the bellow example, we divide the space inside the container in 1 row and this row in 3 columns with the same side. $4+4+4 = 12$
- You can use any combination that the sum be equal to 12.

```
<div class="container">
  <h1>Bootstrap Grid</h1>
  <div class="row">
    <div class="col-sm-4">.col-sm-4</div>
    <div class="col-sm-4">.col-sm-4</div>
    <div class="col-sm-4">.col-sm-4</div>
  </div>
</div>
```

Bootstrap Grids

- Responsive Bootstrap's grid system with 3 columns

small screens

Bootstrap Grid
`.col-sm-4`
`.col-sm-4`
`.col-sm-4`

big screens

Bootstrap Grid
`.col-sm-4`

`.col-sm-4`

`.col-sm-4`

Bootstrap Table

- 4 main classes:
 - `.table`
 - `.table-striped`
 - `.table-bordered`
 - `.table-hover`
- 5 contextual classes:
 - `.active`
 - `.success`
 - `.info`
 - `.warning`
 - `.danger`

Bootstrap Tables

```
<div class="container">
  <h1>Bootstrap Table</h1>
  <table class="table table-striped table-bordered table-hover">
    <thead>
      <tr>
        <th>Firstname</th>
        <th>Lastname</th>
        <th>Email</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>John</td>
        <td>Doe</td>
        <td>john@example.com</td>
      </tr>
      <tr>
        <td>Joseph</td>
        <td>Saints</td>
        <td>joseph@example.com</td>
      </tr>
      <tr class="warning">
        <td>Mary Help</td>
        <td>Saints</td>
        <td>mary@example.com</td>
      </tr>
    </tbody>
  </table>
</div>
```

Bootstrap Tables

Bootstrap Table

Firstname	Lastname	Email
John	Doe	john@example.com
Joseph	Saints	joseph@example.com
Mary Help	Saints	mary@example.com

Bootstrap Images

- 3 main classes:
 - *.img-rounded*
 - *.img-circle*
 - *.img-thumbnail*

```
<div class="row">
  <div class="col-md-4">
    
  </div>
  <div class="col-md-4">
    
  </div>
  <div class="col-md-4">
    
  </div>
</div>
```


Bootstrap Alerts

- Bootstrap provides an easy way to create predefined alert messages
- Alerts are created with the `.alert` class, followed by one of the four contextual classes
- `.alert-success`
- `.alert-info`
- `.alert-warning`
- `.alert-danger`

Bootstrap Alerts

```
<div class="container">
  <h1>Bootstrap Alerts</h1>

  <div class="alert alert-success">
    <strong>Success!</strong> Indicates a successful or positive action.
  </div>

  <div class="alert alert-info">
    <strong>Info!</strong> Indicates a neutral informative change or action.
  </div>

  <div class="alert alert-warning">
    <strong>Warning!</strong> Indicates a warning that might need attention.
  </div>

  <div class="alert alert-danger">
    <strong>Danger!</strong> Indicates a dangerous or potentially negative action.
  </div>
</div>
```

Bootstrap Alerts

Bootstrap Alerts

Success! Indicates a successful or positive action.

Info! Indicates a neutral informative change or action.

Warning! Indicates a warning that might need attention.

Danger! Indicates a dangerous or potentially negative action.

Bootstrap Buttons

- Bootstrap provides seven styles of buttons:
- To achieve the button styles above, Bootstrap has the following contextual classes:
 - .btn-default
 - .btn-primary
 - .btn-success
 - .btn-info
 - .btn-warning
 - .btn-danger
 - .btn-link

Bootstrap Buttons

```
<div class="container">
  <h1>Bootstrap Button</h1>

  <button type="button" class="btn btn-default">Default</button>
  <button type="button" class="btn btn-primary">Primary</button>
  <button type="button" class="btn btn-success">Success</button>
  <button type="button" class="btn btn-info">Info</button>
  <button type="button" class="btn btn-warning">Warning</button>
  <button type="button" class="btn btn-danger">Danger</button>
  <button type="button" class="btn btn-link">Link</button>

</div>
```

Bootstrap Button

Default

Primary

Success

Info

Warning

Danger

Link

Bootstrap Glyphicons

- Bootstrap provides 260 glyphs from the Glyphicons Halflings set
- (<http://getbootstrap.com/components/>)



Bootstrap Glyphicons

```
<div class="container">
  <h1>Bootstrap glyphicon</h1>

  <p> Simple Span:
    <span class="glyphicon glyphicon-check"></span>
  </p>


  <p>Default button with icon:
    <button type="button" class="btn btn-default"> Play
      <span class="glyphicon glyphicon-play"></span>
    </button>
  </p>

  <p>Search icon on a styled button:
    <button type="button" class="btn btn-info">
      <span class="glyphicon glyphicon-search"></span> Search
    </button>
  </p>

  <p>Link with icon:
    <a href="#" class="btn btn-success btn-lg">
      <span class="glyphicon glyphicon-print"></span> Print
    </a>
  </p>
</div>
```

Bootstrap Glyphicons

Bootstrap glyphicon

Simple Span: 

Default button with icon: 

Search icon on a styled button: 

Link with icon: 

Bootstrap Labels

- Labels are used to provide information about something
- Bootstrap create labels with colorful backgrounds to highlight the text inside de label
- Use the `.label` class, followed by one of the six contextual classes `.label-default`, `.label-primary`, `.label-success`, `.label-info`, `.label-warning` or `.label-danger`

Bootstrap Labels

```
<div class="container">  
  <h1>Bootstrap Label</h1>  
  
  <span class="label label-default">Default Label</span>  
  <span class="label label-primary">Primary Label</span>  
  <span class="label label-success">Success Label</span>  
  <span class="label label-info">Info Label</span>  
  <span class="label label-warning">Warning Label</span>  
  <span class="label label-danger">Danger Label</span>  
</div>
```

Bootstrap Label

Default Label

Primary Label

Success Label

Info Label

Warning Label

Danger Label

Bootstrap Themes and Templates

- You can find several templates e themes free to download
 - A **theme** consists of customized CSS
 - A **template** consists of one or more predesigned HTML pages, which often make use of a theme
- Both are collection of bootstrap elements (grids, buttons, panels), put together for someone, until have a fully functional website or web application.
- You can find some free templates here:

<https://startbootstrap.com/template-categories/all/>