



National Path Lab

Client Code: LAB0016
Client Name: COVID-19 MOLECULAR DIAGNOSTIC LAB
Address: BELBAS, BUTWAL

National Path Lab
Pushpa lal park, Butwal,
Tel: 071-541207, Fax: 071-544884
E-mail: info@nationalpathlabs.com
Web: www.nationalpathlabs.com

Patient Info

Patient Name : Mr.ADITYA MANI SUBEDI
Age/Gender : 21 Y/M
Lab No. : CMD201226310
Patient Id : UCMD.0000023520

Referring Doctor

Dr.SELF

Specimen Info

Registration Date : 06/Dec/2020 08:42AM
Accession Date : 06/Dec/2020 09:04AM
Authorize Date : 06/Dec/2020 03:29PM
Report Date : 06/Dec/2020 04:28PM

DEPARTMENT OF LAB - MOLECULAR BIOLOGY

Test Name	Result	Unit	Reference Range	Method
SARS-COV-2 (2019-N COV)				
Sample Type	NASOPHARYNGEAL SWAB			
ORF1ab Gene	N/A	Ct Value		REAL TIME RT PCR
N Gene	N/A	Ct Value		REAL TIME RT PCR
E Gene	N/A	Ct Value		REAL TIME RT PCR
SARS COV-2 RESULT	NEGATIVE		Negative	

Note :

1. A false negative result may occur if inadequate numbers of viral particles are present in the specimen.
2. A false negative result may occur if an excess of DNA/RNA template is present in the reaction.
3. Inconclusive result could be due to low viral load in the sample. A repeat sample is recommended for confirmation.
4. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.

*** End Of Report ***

Dr. JEEVAN ADHIKARI
Consultant Pathologist
MD (Path) Reg No.9793

Mr. PAWAN JOSHI
Lab Scientific Officer
Reg No. A-1561 MLT

Scan to Validate Report



SIN No:ED00026408