	Pre	vel: Bachelor ogramme: BE ourse: Physics	Semester: Sp	Fu Pa	ear : 2018 all Marks: 100 ass Marks: 45 me : 3hrs.	
	as	andidates are requir practicable.				
	T A	he figures in the mar	gin indicate full nons.	narks.	Con 8 8	ो खरा उ
	a)	Differentiate between that center of osci center of gravity.	en damped oscilla	tion and forced of	oscillation. Show	
	b)	A stretched string hof 10N. A wave frequency of 100 H i. Write the way	on the string has	s amplitude of negative x-direction appropriate units.	0.12 mm and a on.	4+2
2.	a)	Define Newton's F dark. Also, determ of monochromatic	Ring and explain ine the expression	why center of Notes to find the unknown	Newton's Ring is nown wavelength	2+7
	b)	A class room has a 3.5 sec. calculate to absorption coeffici	dimensions 20x15 the total absorption	5x5 m ³ . The reve	erberation time is	3+3
3.	a)	Define electric que electric potential de lying along the axi	uardrupole. Hencue to quardrupole s of quardrupole.	, at a point such	that the point not	
	b)	Light of waveler transmission grating the first and third of is 6000.	ng. Find the diffe	rence in the ang	le of deviation in	
4.	a)	State Biot's and S strength due to a s (use Biot's and Sav	straight conductor	the expression which carries so	of magnetic field ome current on it.	2+7
	b)	A parallel plate ca	pacitor has a capa	citance of 100x1	0 ⁻¹² F, a plate of	

		area of 100 cm ² mica (k=7) is used as a dielectric, at 50 volts potential difference. Calculate the electric field intensity and magnitude of	
		induced change.	9
5.	a)	Enlist the Maxwell's electromagnetic wave equation, with derivation	,
		in differential form.	
	b)	A wire of resistance 6 Ω is stretched by 20% what is the resistance of	6
		wire? Assume that resistivity remains same.	
6.	a)	Derive the expression for schrodinger time dependent wave equation.	9
	·b)	If 10mH inductor and two capacitors of 5 μ F and 2 μ F are given, find	
		the two resonant frequencies that can be obtained by connecting these	6
		elements in different ways.	
7.	Wri	ite short notes on: (Any two)	2×5
	a)	Semi-conductor interms of Band theory.	
	b)	Optical fiber	
	c)	Lorentz force.	
	0)		

Programme: BE Course: Physics

700

(5) B


ノインかんと

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

- Point out the differences between Simple linear harmonic motion and a) angular harmonic motion. Show that the radius of gyration is equal to distance from the centre of suspension to center of gravity of a compound pendulum, when the time period is minimum.
- A simple harmonic transverse wave is propagating along a string 6 b) towards the left direction as shown if figure. Figure shows a plot of displacement as a function of position at time t= 0. The string tension is 3.6 N and its linear density is 25 g/m. Calculate:
 - The amplitude i.
 - The wavelength, ii.
 - Wave speed iii.
 - The period iv.
 - The maximum particle speed in the string. ٧.
 - Write an equation describing the traveling wave vi.



Derive expression for determination of wavelength of light by using 2. Newton's ring method when reflected light forms bright ring. Express the relation between optical and geometrical path.

¥	laboratory.	(?
b)	A sugar solution in a tube of length 10 cm produces optical rotation of 15°. The solution is then diluted to one fifth of it's previous concentration. Find the optical rotation produced by 25 cm long tube containing the diluted solution.	
a)	Define electric dipole. Find the electric field at a point along equatorial line such that the point is not lying along the direction perpendicular to the center of dipole.	1+8
b)	The magnitude of the average electric filed normally present in the earth's atmosphere just above the surface of the earth is about 150 N/C, directed downward (radially inward, towards the center of earth). What is the total net surface charge carried by the Earth? Assume the Earth to be a conductor.	6
a)	State Biot and Savart's law. Derive an expression for magnetic field intensity at a point along the axis of a current carrying circular loop.	1+8
b)	A solenoid has an inductance of 100 H and a resistance of 150 ohms. If it is connected to a 100 volt battery, how long will it take for the current to reach one half of its final equilibrium values?	6
a)	Derive the Maxwell's electromagnetic wave equations with their physical significance.	7+2
b)	A circuit has L=10mh and $C=10\mu F$. How much resistance should be added to circuit so that the frequency of oscillation will be 1% less than that of free LC oscillation.	6
a)	An electron is trapped in an one dimensional infinite potential well having width "b" such that; $V = \infty \text{ for } x \le 0 \text{ and } x \ge b$ $V = 0 \text{ for } 0 < x < b$	9
	Using boundary condition, prove that the energy in potential well is quantized.	
b)	The time of reverberation of an empty hall without and with 600 audiences is 1.8s and 1.6s respectively. Find the reverberation time with 1000 audiences in the hall. (Do not use unitary method to solve)	6
W	rite short notes on: (Any two)	2×5
a)	Spontaneous and stimulated emission of radiation	
6)	Types of semi-conductor Dopping	

c.)

Hall effect

Semester: Fall

Level: Bachelor

: 2017

Year

Full Marks: 100 Programme: BE Pass Marks: 45 Course: Physics : 3hrs. Time Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks. Attempt all the questions. Why compound pendulum is preferred than simple pendulum? Obtain time period of a bar pendulum and hence show that centre of 1. a) oscillation and centre of suspension can be interchanged. A sinusoidal wave travels along a string. The time for a particular 6 b) point to move from maximum displacement to zero is 0.17 s. What are the Period and frequency? i. The wavelength is 1.40m; what is the wave speed? ii. What is interference and why are coherent sources necessary for 9 (a) interference? Explain necessary theory for Newton's rings method to determine the wavelength of monochromatic light. How can we get the centre of the rings bright? Deduce the missing orders in Fraunhoffer's double slit diffraction 6 experiment in which slit width a=0.08mm and opaque width b) b=0.16mm. Define quadrupole moment and derive the expression for potential at a 9 3. a) point when point does not lie along a axis of quadrupole. A parallel plate capacitor has circular plates of 8 cm radius and 1 mm 6 separation. What charge will appear on the plates if a p.d. of 100 volt b) is applied? Compare Ampere's law with Biot - Savert law. Use Biot - Savert law 9 to calculate the magnitude of magnetic field strength due to current a) 4. carrying solenoid at any point. Show that ratio of electric field strength and magnetic field strength is 6 b) equal to speed of light hence calculate maximum value of magnetic

		field and average intensity of light, if the maximum electric field at a distance of 10m from an isotropic light source is 2 V/m, Using Schrodinger's wave equation obtain energy and wave-function	9
5.	a)	of a particle confined in infinite potential well.	6
6.		What are the i. Mean time between collisions? ii. The mean free path for free electrons in copper? (Given n=8.4x10 ²⁸ m ⁻³ , ρ =1.7x10 ⁻⁸ Ω m, v_{avg} =1.6x10 ⁶ m/s.) Discuss the LC oscillation. Hence prove that the frequency of oscillation is $f = \frac{1}{2\pi\sqrt{LC}}$. Is this real or ideal explain? Discuss the factor reverberation for quality control of sound in public	9
	b)	buildings. How it is different from ecno.	2×5
7.	W a) b) c)	Optical fibre and its uses Explain knee voltage and junction breakdown	200

The market of the said of the

to the larger to the second rest of the second rest

Semester:Spring

Year : 2016

Level: Bachelor

Programme:BE Full Marks: 100 Course: Physics Pass Marks: 45 Time : 3hrs. Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks. Attempt all the questions. What is S.H.M? Discuss the theory of mass-spring system and derive 9 1. a) the expression for time period and frequency. Also state the conditions of resonance. A transverse sinusoidal wave is generated at one end of a long b) horizontal string by a bar. Which moves up and down through a distance of 0.5 m. The motion is continuous and repeated regularly twice each second. If the string has linear mass density of 0.005 kg/m and is kept under a tension of 2N. Find the speed, amplitude, time period and wave length of the wave motion. What is the diffraction of light? Discuss fraunhoffer's diffraction 9 2. a) pattern in a single slit. The equiconvex lens of focal length 4 cm and refractive index 1.5 is 6 6) placed in flat glass plate. The combination is used in Newton's ring experiment, if the light of wavelength 5890 Ao is used for the experiment then what is the diameter of 4th bright ring? Discuss Gauss law in electrostatics and use the law to determine 9 3. a) electric field intensity due to changed sphere and charged plane sheet of a conductor. Find electric field intensity at the centre of a square of side 5 cm 6 b) consisting of 2 μ F charges in each vertex. State Biot-Savart's law. Use it to find the magnetic field due to an 9 4. a) infinitely long straight wire. OR Why did Maxwell modify Ampere's law? Explain with mathematical details. Hence explain the significance of displacement current.

	b)	A 40 mH inductor and 1000 μF capacitor form oscillating circuit.	6
		What is the peak value of current if the initial charge is 40 μC?	9
5.	a)	Derive all the four Maxwell's wave equations and write physical significance of each equation.	
	b)	With the Manualle equation in differential form and their	6
		significance. Using Maxwell's equations prove that $\frac{E_m}{B_m} = C$, Where	
		symbol carry usual meaning.	
6.	a)	What is the significance of wave function ψ? Derive the time independent Schrodinger wave equation for a free particle.	9
	b)	Discuss the types of semiconductor by considering band theory of solid.	6
7.	W	rite short notes on: (Any two)	2×5
	a)	Lase characteristics and advantages	
	b)	Reverberation of sound	
	c)	The state of the s	

and the state of t

11

Level: Bachelor Programme: BE Course: Physics

Semester: Fall

Year : 2016 Full Marks: 100 Pass Marks: 45 Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

- 1. a) For a compound pendulum prove that the minimum time period is obtained if the point of suspension and point of oscillation are equidistance from C.G. Also explain how can we get the value of acceleration due to gravity 'g'.
 - b) Calculate the wave length, frequency, speed of the wave and the maximum particle velocity in the wave represented by, $y = 10\sin(8\pi t 0.08\pi x)$. The value of x and y are in CGS system.
- 2. a) Discuss the conditions for sustain interference of light wave. Explain 9 the interference on thin films due to transmitted rays.
 - b) A room has dimensions 10cm×15cm×20cm. The reverberation time 6 for an empty room is 0.4 sec. Find the average absorption coefficient of the room. If the room is provided with curtain cloths of absorption coefficient 0.5, what area is covered by the cloths?
- 3. a) Define electric dipole. Prove that electric field due to short dipole at 9 axial point is twice that at equatorial line.
 - b) If the charge on a capacitor is increased by 2 coulomb, the energy 6 stored in it increased by 21%. Find the original charge on the capacitor.
- a) Give the method of Biot and Savart law to calculate the magnetic field 9
 due to current carrying conductor. Obtain an expression for magnetic
 field intensity due to solenoid carrying current.
 - b) The growth of the current in L-R circuit is given by $I = I_0 \left[1 e^{-R/L^t} \right]$. Find the growth current at one time constant with neat graph.

5.	a)	Write Maxwell equation for non conducting medium. Using these equations to determine the electromagnetic wave equation in terms of	9
		magnetic field non conducting and an isotropic medium. Hence prove	
		that the velocity of electromagnetic wave is equal to velocity of light	
		in free space.	
	b)	Prove that, at any point in electromagnetic field, energy density stored	6
		in electric field is equal to energy density stored in magnetic field.	
6.	a)	Discuss the dual nature of light. Show that the real waves are complex	9
		wave by showing the wave has group velocity rather than a single	
		phase velocity.	
	b)	The thickness of calcite plate to produce plane polarized light is 8.56 x	6
		10^{-5} cm, the principal refractive indices are $\mu_E = 1.658$, $\mu_0 = 1.486$ and	

 $\lambda = 5890 \text{ A}^{\circ}$. Find the type of wave plate.

Classify solids on the basis of band theory of solids.

Write short notes on: (Any two)

Types of optical fiber

Lorentz force with example.

a)

b)

c)

2×5

Level: Bachelor Semes ter: Spring Year : 2015 Programme: BE Full Marks: 100 Pass Marks: 45 Course: Physics Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks. Attempt all the questions. SHM is rarer in nature, why? Derive the time period of bar pendulum 9 · a) and discuss about length of equivalent simple pendulum. A progressive and stationary, simple harmonic wave having frequency 6 b) 250 Hz and each having same velocity 30 m/s. i. Determine the phase difference between two vibrating points in a progressive wave at a distance of 10 cm. ii. Wave equation of progressive wave if amplitude is 0.03 m. iii. Distance between nodes in stationary wave. Define coherent sources and write conditions for sustain interference. a) 9 Derive the maximum and minimum intensity with the help of analytical treatment of interference of light wave. If a and b be the slit width and opaque width respectively in b) 6 Fraunhoffer's double slit diffraction experiment, deduce the missing orders. Define terms population inversion and optical pumping. Explain a) 9 construction and the working principle of He-Ne Laser. Derive the expression for Schrodinger time independent wave b) 6 equation. Define quadrupole? Find potential and field due to electric quadrupole a) at a point, not lying along the quadrupole.

What is the potential at the center of the square of the figure. Assume

 $Q_1 = +1 \times 10^{-8} \text{ c}, Q_2 = -2 \times 10^{-8} \text{ c}, Q_3 = +3 \times 10^{-8} \text{ c}, Q_4 = +2 \times 10^{-8} \text{ c}$ and a

3.


4.

b)

 $=1 \,\mathrm{m}$.

सुगम स्टेसनरी सप्लायर्स एण्ड फोटोकपी सर्भिस बालकुमारी, निर्तिपुर ९८४९४९९४९२

9



- a) Discuss Maxwell equation in differential form. Also show that electromagnetic wave travels with velocity of light in vaccum.
- b) Prove that the equation of continuity, $\nabla \cdot \vec{J} + \frac{\partial \rho}{\partial t} = 0$
- a) Discuss about Lorentz force with example and explain about Hall 9

 Effect
- b) A square loop of wire of edge length 'l' carries a current I. Show that at the centre of the loop, the magnitude of magnetic field produced is given by, $B = \frac{2\sqrt{2}\mu_{0l}}{\pi L}$

Write short notes on: (Any two)

- a) Difference between Reverberation of sound and echo
- b) Blasing of Junction diode
- c) Magnetic energy density

Level: Bachelor Semester: Fall Year : 2015 Programme: BE Full Marks: 100 Course: Physics Pass Marks: 45 Time : 3hrs. Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks. Attempt all the questions: Define point of oscillation and the radius of gyration in compound pendulum. Also, prove that time-period of any physical pendulum is minimum, not maximum when the length of pendulum is equal to radius of gyration. Calculate frequency of vibration of air particles in plane progressive wave of amplitude 2. 18x10\(^{-10}\) m and intensity 10 \(^{-10}\) w/m\(^{2}\), the velocity of sound in air is 340 m/s and density of air is 0.00129 gm./cc? What is interference? Discuss Newton's rings and hence derive an 9. expression for the radius of nth dark ring due to reflected light. And explain why central ring is dark. A soap film 5 X 10⁻⁵ cm thick is viewed at an angle of 35⁰ to the 6 normal. Find the wavelength of light in the visible spectrum which will be absent from the reflected light if the refractive index of the soap film is 1.33. Discuss the design of optical fiber and explain its working principle. Find the potential at the centre of the square having charges 2 × 6 $10^{-6}C$, $3 \times 10^{-6}C$, $4 \times 10^{-12}C$ and $-4 \times 10^{-12}C$ at four corners. 9 Show that potential, $V \propto \frac{1}{r}$ for electric monopole whereas Vfor electric dipole. Where r is the distance at which potential is to be determined. 6 What is the initial rate of increase of current and final saturation

current in RL circuit with L=15mH, R=24 Ohm and emf=10 volt?

o Wall	
/ S. Labo magnetic field due to an	[#] 9
State Biot-Savart's law. Use it to find the magnetic field due to an infinitely long straight wire.	6
A light beam travelling in x direction is described by	
$E_y = 300 v/m \sin w \left[t - \frac{x}{c} \right]$. An electron is constrained to move in y direction with speed $2 \times 10^7 m/s$. Find maximum electric and	
magnetic force on electron. 6. a) Write the Maxwell's equation in integral form and convert them in its	9
differential form	6
b) The fast moving neutron has wave associated with it, whose De-Broglie wavelength is $2 \times 10^{-12} m$. Find phase velocity, group velocity and kinetic energy.	
(Given mass of neutron $1.67 \times 10^{-27} kg$)	, 2×5
7. Write short notes on: (Any two) Piezoelectric effect and Magnetostriction effect.	
b) Band theory of solid. c) Lorentz electromagnetic force.	

Semester: Fall : 2014 Year Level: Bachelor Full Marks: 100 Programme: BE Pass Marks: 45 Course: Physics Time : 3hrs. Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks. Attempt all the questions. What is S.H.M? Derive an expression for the period and radius of gyration of a compound pendulum and show that centre of oscillation and centre of suspension are interchangeable. Calculate the speed of transverse wave in a rope of length 20cm b) having 60gm of wire under a tension of 500N. Define coherent sources. Also, calculate the wavelength of light used with the help of Newton's ring experiment, when gap is filled with liquid of refractive index µ. The size of an empty assembly of bell has dimension 20×15×5 cm³ 6 and the reverberation time is 3.5 sec. What area of the wall should be covered by curtain cloth to reduce the reverberation time by 2.5 sec if the absorption coefficient of curtain cloth is 0.5. Also calculate the average absorption coefficient of the bell. The dispersive power of crown and flint glasses are 0.016 and 0.032 respectively. Calculate the focal lengths of the lenses made of crown and flint glasses which forms an achromatic doublet of equivalent focal length 20 cm when placed in contact. What is meant by electrostatic potential? Obtain expressions to a) evaluate electrostatic potential due to electric dipole and quadrupole Obtain the charging time constant of a capacitor in a RC circuit such 6 b) that current through the resistor is decreased by 50% of its peak value in 5 seconds.

Or

Show that sound wave is a pressure wave.

3.

State Biot-Savart's Law and apply to calculate the flux density of

magnetic field due to an infinite long straight conductor. Can the result for the infinite long straight conductor be used for a conductor of finite length?

Or

Derive the expression for force per unit length between two infinite current carrying conductors. Define one ampere current.

b) A copper strip of 2cm wide and 1.0mm thick is placed in a magnetic field 1.5T. If a current of 200A is setup in the strip, calculate (i) Hall voltage and (ii) Hall mobility, if the number of electrons per unit volume is 8.4×10²⁸ m⁻³ and resistivity is 1.72×10⁻⁸ Ω-m.

Or

Calculate the magnetic force experienced by a current carrying conductor of length 'I' and cross sectional area 'A' when placed in a uniform magnetic field of strength 'B'.

- 5. a) Obtain all four Maxwell's Wave Equation in free space in terms of $\underset{E}{\longrightarrow}$ and $\underset{B}{\longrightarrow}$ Write significance of each equation.
 - b) An LC circuit is converted into an LCR circuit inserting a resistance of 10Ω . Calculate the percentage change in frequency in this conversion. Given: inductance = 10 mH and capacitance = 10 μ F.
- Describe about the principle of working of a optical fibre and its application.

Or

Write down the principles of laser action and explain the construction and working principle of He-Ne laser.

b) Normalize the one dimensional wave function

$$\psi = A \sin\left(\frac{nx}{a}\right),$$
 $0 < x < a$
 $\psi = 0$, outside

Or

An electron moving is a wave has wave function $\psi(x) = 2 \sin 2\pi x$. Find the probability of the electron forming in the region x = 0.25 to 0.5m.

- 7. Write short notes on any two:
 - a) Band thery in solids
 - b) Atomic view of resistivity
 - c) Nicol Prism

2×5

6

9

6.

9

: 2014 Year Semester: Spring Level: Bachelor Full Marks: 100 Programme: BE Pass Marks: 45 Course: Physics Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks. Attempt all the questions, Define the terms frequency and time period in SHM. Derive the time 9 a) period of compound pendulum in terms of equivalent length of simple pendulum. A stretched string has a linear density 525g/m and is under tension b) 45N. We send a sinusoidal wave with a frequency 120Hz and amplitude 8.5mm along the string from one end. At what average rate does the wave transport energy? What is polarization of light? Explain the construction of calcite 9 2. a) crystal and show how it produces double refraction. If the earth had a net charge equivalent to 1 electron/m2 of surface 6 b) area. What will be the earth's potential? What would the electric field due to earth be just outside its ii. surface? Define Biot-Savart law. Use it to find the magnetic field strength 9 a) along the axis of circular current carrying loop. At some distance from transmitter of radio station, the magnetic field 6 of electromagnetic wave emitted by radio station is found to be 1.6x10-4 T. If frequency of broadcast is 1020 KHz then find speed, wavelength and maximum electric field of electromagnetic wave. Discuss the charging and discharging phenomenon of a capacitor a) through resistor. What is the initial rate of increase of current and final saturation

3.

b)

a)

5.

Write the Maxwell's equation in differential form and their

current in RD circuit with L=15mH, R=24 Ohm and emf=10 volt?

6

significance. Using Maxwell's equations prove that $\frac{E_m}{B_m} = C$, Where

- symbol carry usual meaning.
- b) A particle is moving in one dimensional box of infinite probability of finding the particle within the range 1°A at the centre of box when it is in lowest energy state.

6

6

2×5

- 6. a) Define solid in terms of band theory and discuss about knee voltage and breakdown voltage.
 - b) Newton's ring are observed in reflected light of $\lambda = 5.9 \times 10^{-5}$ cm. The diameter of 10the dark ring is 0.5cm. Find the radius of curvature of the lens and the thickness of air film.
- 7. Write short notes on: (Any two)
 - a) Absorption co-efficient and reverberation.
 - b) LASER and its application.
 - c) Lorentz electromagnetic force.

: 2013 Semester: Spring Year Level: Bachelor Full Marks: 100 Programme: BE Pass Marks: 45 Course: Physics : 3hrs. Time Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks. Attempt all the questions. Derive the equation of simple harmonic motion in different form and 9 a) calculate the velocity and acceleration of a body with the help of the solution of this equation. Calculate the wave length, frequency, speed of the wave and 6 b) maximum particle velocity in the wave represented by $y = 20 \sin\Pi$ (2t-0.05 x). The values of x and y are in centimetres. Discuss the interference in thin films due to reflection and obtain the 9 a) condition for bright and dark fringes. What is reverberation and reverberation time? Derive Sabines 6 b) reverberation formula. OR Calculate the frequency and maximum particle velocity due to wave represented by $y(x, t) = 0.03 \sin(60\pi t - 0.03\pi x)$. The values of x and y are in centimeters. What is electric flux? State Gauss Law in electrostatics and explain 9 a) two applications of Gauss Law. What is the highest order speed which may be seen with 6 b) monochromatic light of wave length 6000 A⁰ by means of a diffracting grating with 5000 lines/cm. Explain Biot and Savart's law. Use it to find the magnetic field at any 9 a) point inside the solenoid. A circular loop of wire 5 cm of radius carries a current of 100 amps. b) 6 What is the energy density at the centre of the loop?

1.

2.

3.

4.

5.

equation in its different form.

What are Maxwells equation? Convert the integral form of Maxwells

	b)	Using Maxwell's equation, prove that $C = \frac{Em}{Bm}$ where symbols carry	6
		their usual meaning.	
6.	a)	Explain physical significance of wave function ψ . Discuss and find the Eigen function of the particle travelling in one dimensional box of infinite height.	9
		OR	
		Explain Doppler's effect taking all three conditions and mention it's limitation also:	
		i. Observer moving but source at rest	
		ii. Source moving but observer at rest	
		iii. Both source and observer are moving.	
	b)	A parallel plate capacitor has a capacitance of 100×10^{-12} F, a plate area of 100cm^2 mica is used as a dielectric. At 50 Volts p.d, calculate electric field intensity and magnitude of induced charge.	6
7.	Wri	te short notes on: (Any Two)	2×5
	a)	Optical fibre and its advantages	
	b)	N-type and p-type semiconductor	
	c)	Describe about the spontaneous and stimulated emission of radiation.	
	d)	Displacement current.	

	Pro	vel: Bachelor gramme: BE urse: Physics	Semester: Fall	Year: 2013 Full Marks: 100 Pass Marks: 45 Time: 3hrs.	
	as	practicable.	uired to give their answers nargin indicate full marks.	in their own words as far	
		tempt all the que			
1.	a)	What is wave m	otion? Derive an expression a stretched string.	for the intensity of plane	9
	b)	The time of revaudiences is 1.5	verberation of an empty has and 1.4s respectively. Fi	all without and with 500 ind the reverberation time	6
2.	a)	with 800 audien Define coherent	source. Derive the maximu	am and minimum intensity	9
	b)	The balance who	analytical treatment of intereel of watch oscillates with iod of 0.5 sec. Find:	an angular amplitude of π	6
		i Maxim	um angular speed of wheel, gular acceleration of wheel	when the displacement is	
3.	a)	= 1.1 = =atout	al and field due to electric o	quadrupole.	9
	b)	A 200 mm long rotation of 11°	g tube containing 48 cm of when placed in a Saccharim on is 66°, calculate the qua	f sugar produces an optical leter. If the specific rotation intity of sugar contained in	6
		the tube in the	form of a solution.	find the magnetic field at a	9
4.	a)	the int	inite length of wire.		
	b)	What is the ma	gnitude of a point charge ci	nosen so that the electric	6
		field 50cm awa	by has the magnitude of 2N	eir usual meaning.	5
5.	a).	Show that C =	$\frac{Em}{Bm}$ where symbols have the	of length 1 and width d,	5
	b)	Show that B	at the center of rectangle	$(l^2+d^2)^{1/2}$	
		carrying a cur	rent 'i' is given by $B = \frac{2\mu_0 i}{\pi}$	ld	

	c)	Derive continuity equation using Maxwell's equations.	5
6,	a)	What is wave function? Derive the Schrodinger time dependent wave equation for a free particle like electron.	9
	b)	Explain the electrical conduction in metals, insulators and semiconductor according to band theory.	6
7.	Wri	te short notes on: (Any two)	2×5
	a)	Propagation of light wave through fiber.	
	b)	Magnetic energy density.	
	c)	Displacement Current	
		A STATE OF THE PARTY OF THE PAR	
			.5
		the design the late of the Control of the State of the St	
		AND AND ADDRESS OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PARTY OF THE	