

Index

A

- A-list, 113
- Abstract machine, 1
- Ackermann
 - function, 148
- Activation record, 94
 - dynamic chain pointer, 105
 - for function, 97
 - for in-line blocks, 96
 - for procedure, 97
 - static chain pointer, 97
- Ada, 427
- Ada Byron Lovelace, 427
- Aiken, 414
- Algol, 215, 418
- Alias, 71
- Aliasing, 68, 71
- Analysis
 - lexical, 41
 - semantic, 44
 - syntactic, 43
- APL, 124
- Applet, 429
- Application, 335, 338, 339
- Arithmetic
 - pointer, 224
- Array, 216
 - address calculation, 218
 - allocation, 218, 219
 - dope vector, 220
 - bounds checking, 217
 - shape, 219
 - in C, 227
 - Java, 221
 - multidimensional, 216
 - slice, 217
- ASCC/MARK I, 414

- Assembly language, 415
- Assignment, *see* Command
- Association
 - creation, 75
 - deactivation, 75
 - destruction, 75
 - environment, 69
 - lifetime, 76
 - reactivation, 75

B

- Babbage, C., 427
- Backtracking, 393
- Backus, J., 417
- Base class
 - fragile, 305
- Beta, 339
- Binding
 - deep, 179
 - environment, 69
 - shallow, 179
- Block, 70, 137
 - activation record, 96
 - and procedure, 72
 - in-line, 72
 - protected, 187
- BNF, 419
- Böhm, 139
- Boolean, 204
- Bytecode, *see* Java

C

- C, 421
 - array, 216
 - call by reference, 172
 - enumeration, 208

- environment, 183
 - union, 212
 - C++, 426
 - call by reference, 242
 - class, 286
 - dynamic method dispatch, 300
 - inheritance, 292
 - subtype, 288
 - template, 240
 - virtual member function, 290
 - Call
 - of procedure, 100
 - Case, *see* Command
 - Cast, 235, 236
 - non-converting, 236
 - Central Reference Table, 111
 - Character, 204
 - CHIP, 428
 - Chomsky, N., 29
 - Church, A., 63
 - Church's Thesis, 63
 - Class, 283
 - abstract, 289
 - derived, 288
 - fragile base, 305
 - implementation, 301
 - Clause, 376
 - as procedure, 388
 - body, 377
 - definite, 376
 - head, 377
 - unit, 377
 - Closure, 176, 181, 183, 184
 - CLP, 428
 - COBOL, 420
 - Coercion, 235
 - Colmerauer, 428
 - Command, 129
 - ;, 138
 - assignment, 131
 - assignment in C, 132
 - block, 137
 - case, 141
 - composite, 136
 - conditional, 140
 - syntactic ambiguity, 140
 - do, 145
 - for, 145
 - goto, 137
 - if, 140
 - iteration
 - bounded, 144, 145
 - unbounded, 144
 - iterative, 144
 - repeat, 144
 - sequence, 136
 - structured, 151
 - while, 144
 - Compatibility of types, 234
 - Compile time, 69
 - Compiler, 1, 41
 - Computability, 60
 - Computation, 45
 - Computed answer, 392–394
 - Constraint, 427
 - Constructor, 209, 229
 - type, 230
 - Continuation, 159
 - Contravariant, 324
 - Copy rule, 175, 337
 - Covariant, 324
 - CRT, *see* Central Reference Table
 - CSP, 405
 - Curry, Haskell, 346
- D**
- Dahl, 420
 - Dangling pointer, 247, 248
 - Datalog, 403
 - Deallocation, 225, 247
 - Declaration, 70
 - incomplete, 85
 - scope, 85
 - Deep binding, 179
 - Delegation, 286
 - Denotable, 201
 - Denotable object
 - access, 76
 - creation, 76
 - destruction, 76
 - lifetime, 76
 - modification, 76
 - Dereference, 223
 - l-value, 222
 - Derivation, 32
 - Dijkstra, E., 161
 - Discriminant, 212
 - Dispatch, 297
 - multiple, 301
 - Dope vector, 220
 - Dotted pair, 121
 - Downcast, 304
 - Dylan, 286
 - Dynamic chain, 97
 - pointer, 97
 - Dynamic selection, 283

E

- Eckert, 413
- EDSAC, 413
- EDVAC, 414
- Emulation, 9, 10
- Engine
 - analytic, 427
 - difference, 427
- ENIAC, 414
- Enumeration, 207
- Environment, 68
 - and block, 70
 - global, 73
 - local, 73
 - non-local, 73
 - referencing, 70
- Equality
 - of terms, 382
- Equation
 - between terms, 377
- Equivalence
 - by name, 231
 - of types, 201, 230
 - structural, 232
- Evaluation
 - applicative-order, 342
 - by name, 342
 - by need, 343
 - by value, 342
 - eager, 342
 - innermost, 342
 - lazy, 343
 - leftmost, 342
 - normal order, 342
 - outermost, 342
 - strategy, 341
- Exception, 186
 - implementation, 190
 - resumption after, 188
 - rethrowing, 191
- Expressible, 201
- Expression, 119
 - associativity, 123
 - evaluation, 123, 125
 - APL, 124
 - eager, 127
 - lazy, 128
 - short circuit, 128
 - tree, 126
 - infix, 126
 - notation
 - Cambridge Polish, 122
 - infix, 120
 - Polish, 121
 - postfix, 122
 - prefix, 121
 - precedence, 123
 - prefix, 124
 - representation as tree, 123
 - semantics, 49
 - syntax, 120

- Expressiveness
 - of bounded iteration, 147

F

- Fibonacci
 - function, 153
 - sequence, 92
- Field
 - of record, 209
 - shadowing, 289
- Firmware, 10
- First-order Logic, 374
- Fix, 205
- Fixpoint, 361, 362
- Fixed point, 205
- Float, 205
- Floating point, 205
- For, *see* Command
- FORTRAN, 416, 417
- Fragile
 - base class, 305
- Fragmentation, 103
 - external, 103
 - internal, 103
- Funarg problem, 193
- Function, 166
 - activation record, 97
 - as parameter, 179
 - as result, 184
 - computable, 60
 - covariant, 324
 - higher-order, 178
 - partial, 12
 - virtual in C++, 290
- Futamura, projection, 25

G

- Garbage collection, 250
 - copying, 255
 - mark and compact, 255
 - mark and sweep, 253
 - pointer reversal, 254
 - reference counting, 251
 - stop and copy, 255
- Gauss-Jordan, 404

Generic, 314, 317
 implementation, 321
 Goal, 377
 evaluation, 389
 Gödel, K., 61
 Gosling, 428
 Goto, *see* Command
 Grammar
 ambiguous, 37
 context-free, 30
 contextual, 39
 regular, 42

H

Halting Problem, 57
 Handler, 187
 Hanoi
 towers of, 397
 Hardware
 implementation, 9
 Haskell, 202, 334
 Heap, 101
 block
 fixed length, 101
 variable length, 103
 buddy system, 105
 compaction, 104
 Fibonacci, 105
 fragmentation, 103
 external, 103
 internal, 103
 management, 101
 multiple free list, 105
 single free list, 104
 Herbrand, J., 370
 Herbrand Universe, 382
 Hiding
 of information, 265, 268
 Hierarchies of abstract machines, 21
 Higher order, 178, 364
 Hoare, C.A.R., 418
 Hopper, 420
 HTML, 428

I

Ichbiah, 427
 If, *see* Command
 Implementation, 9, 28, 265
 compiled, 13
 of Pascal, 20
 purely compiled, 14
 purely interpreted, 13, 14
 real case, 17

Index

 type of, 216
 Inductive definitions, 153
 Inference
 type, 201
 Inheritance, 292
 implementation, 292
 interface, 292
 multiple, 309
 with replication, 311
 with sharing, 312
 Integer, 205
 Interface, 268
 Interpreter, 1, 2, 7, 14
 Interval, 203, 208

J

Jacopini, 139
 Jaffar, J., 428
 Java
 array, 323
 bytecode, 429
 generic, 317
 inheritance, 294
 interface, 288
 subtype, 287
 wildcard, 322, 323
 Java Virtual Machine, 306, 307, 429
 Javascript, 286
 Jensen
 device, 178

K

Kay, A., 420, 423
 Kleene, S., 61
 Kowalski, 425

L

L-value, 132, 209
 Lambda calculus, 358
 Landin, Peter, 161, 353
 Language
 declarative, 137
 assembly, 5
 formal, 30
 functional, 345
 high-level, 5
 higher order, 178
 imperative, 137
 logic, 376
 low-level, 5
 Lifetime, 76, 168, 220

LISP, 112, 121, 419
 garbage collection, 250
 side effects, 351
 List
 Prolog, 371
 Locks and keys, 249
 Logic program, 376
 computational model, 387
 declarative interpretation, 388
 failure, 390
 procedural interpretation, 388
 success, 390
 Logic programming, 369
 constraint, 404
 declarative interpretation, 388
 procedural interpretation, 388
 Lukasiewicz, L., 121

M

Machine
 abstract, 1
 hardware, 3
 implementation, 9, 18
 intermediate, 17, 20
 Java, 20
 Pascal, 20
 interpreter, 1, 2
 memory, 6, 8
 SECD, 353
 von Neumann, 413
 MARK I, 414
 Mauchly, 413
 McCarthy, J., 419
 Memory, 91
 heap, 101
 semantic domain, 135
 stack, 93
 static, 93
 Menabrea, 427
 Method
 binary, 327
 dynamic lookup, 297
 redefinition, 288
 static, 285
 Method overriding, 288
 Mix-in, 294
 ML, 334, 335, 346, 347, 350, 424
 recursive type, 227
 reference cell, 350
 Module, 271
 Monomorphic, 237
 Multimethod, 301

N

Name, 67
 Name clash, 293
 Name conflict, 295
 Naur, 418
 Negation, 401
 as failure, 402
 Non-determinism, 392
 Nygaard, 420

O

Object
 allocation, 286
 creation, 76
 deallocation, 286
 denotable, 67, 69
 access, 76
 destruction, 76
 lifetime, 76
 modification, 76
 implementation, 303
 Operator
 associativity, 123
 precedence, 120
 Order
 column, 218
 row, 218
 Ordinal, 212
 Overloading, 197, 238
 Overriding, 288

P

P-code, 422
 Package, 271
 Paradigm
 functional, 333
 logic, 369
 object-oriented, 277
 Parameter, 166, 169
 actual, 166
 call by constant, 171
 call by name, 174
 call by reference, 170
 in C, 172
 call by result, 172
 call by value, 169
 call by value-result, 173
 formal, 166
 passing, 169
 Parser, 43
 Pascal, 199, 422
 equivalence by name, 231
 variant record, 211
 Pattern matching, 347

Peano, G., 153
 Pointer, 222
 Pointer dereference, 248
 Pointer reversal, 254
 Polymorphism, 314

- explicit, 240
- implicit, 240
- inclusion, 238
- parametric, 238
- subtype, 238
- universal, 238
- universal parametric, 239
- universal subtype, 241

 Predicate, 371, 375
 Predicate calculus, 374
 Procedure call

- calling sequence, 100
- epilogue, 100

 Production, 30
 Program transformation, 23
 Prolog, 369, 398, 424

- arithmetic, 399
- backtracking, 393
- clause selection, 392
- computational model, 387
- control, 392
- cut, 400
- disjunction, 401
- failure, 395
- history, 424
- negation, 401
- non-determinism, 393
- occurs check, 385
- selection rule, 390

 Prolog II, 428
 Prolog III, 428

Q

Query, 377

R

R-value, 132
 Real, 205
 Reals, 205
 Record, 209

- variant, 211, 212

 Recursion, 91, 93

- tail, 91, 155

 Redex, 339
 Reduction, 337
 Reference counter, 251
 Refutation

- SLD, 392

Representation independence, 270
 Resolution, 369, 376

- SLD, 376, 392

 Rewriting, 334, 337
 Ritchie, 421
 Robinson, 425
 Robinson, A., 370
 Root set, 253
 Roussel, 425
 Rule

- beta, 339
- copy, 175, 337
- visibility, 67

 Runtime, 69

S

S-expressions, 121
 Scheme, 202, 229, 247
 Scope, 77

- A-list, 113
- Ada, 83
- C, 83
- CRT, 111
- declaration, 78
- display, 109
- dynamic, 80
- dynamic chain, 97
- holes, 82
- implementation, 105
- Java, 78
- Pascal, 82
- problems, 82
- rules, 77
- static, 78
- static chain, 97

 SECD, 353
 Selection rule, 390
 Self, 286
 Semantics, 46, 48

- denotational, 46
- operational, 46
- static, 40

 Shadowing, 289
 Shallow binding, 179
 Side effect, 127
 Simula, 420

- class, 284

 Slice, 217
 Smalltalk, 423
 Solution

- of constraints, 404

 Spaghetti code, 151
 Specification

- of ADT, 270

- Static
 - in C, 168
 - Strategy
 - evaluation, 341
 - Stream, 349
 - Strongly typed, 201
 - Stroustrup, 426
 - Subclass, 288
 - Substitution, 379
 - application, 380
 - composition, 380
 - ground, 379
 - renaming, 381
 - restriction, 381
 - most general, 381
 - Subtype, 235, 287
 - Syntactic sugar, 121, 161
 - Syntax, 27, 28
 - abstract, 43
 - System stack, 91
- T**
- Tag, 212
 - Tail recursion, 91, 155
 - Template, 242
 - Term, 375
 - ground, 375
 - Theorem
 - of Böhm and Jacopini, 138
 - Thompson, 421
 - Thunk, 182
 - Tombstone, 248
 - Towers of Hanoi, 397
 - Transition, 47, 48
 - Tree, 33
 - derivation, 33
 - syntax, 125
 - Turing complete, 61
 - Turing equivalent, 61
 - Turing machine, 18, 60
 - Type, 197
 - base of interval, 208
 - checker, 199
 - checking, 202, 244
 - compatibility, 234
 - composite, 209
 - conversion, 234
 - discrete, 209
 - equivalence, 230
 - explicit conversion, 237
 - index, 216
 - inference, 244
 - monomorphic, 237
 - of functions, 229
 - recursive, 227
 - recursive in ML, 230
 - scalar, 203
 - simple, 203
 - void, 206
 - Type checker, 233
 - Type safety, 197, 201, 202, 213, 218, 226
 - Type system, 197
 - Typing
 - dynamic, 202
 - static, 202
- U**
- Undecidability, 59
 - of halting problem, 59
 - of static type checking, 203
 - Unification, 377
 - algorithm, 383
 - Martelli and Montanari algorithm, 384
 - theory, 377
 - Unifier
 - most general, 381
- V**
- Value
 - denotable, 137, 201
 - expressible, 137, 201
 - functional, 340
 - storable, 137, 201
 - Variable, 130, 333, 377
 - bound, 166
 - capture, 175
 - class, 285
 - external, 183
 - global
 - static allocation, 93
 - in activation record, 95
 - in functional languages, 333
 - in imperative languages, 130
 - in logic programming, 377
 - instance, 284
 - logic, 377
 - modifiable, 130
 - reference model, 131
 - shadowing, 289
 - static, 168
 - Variance, 381
 - Variant, 211
 - in C, 212
 - in Pascal, 211
 - security, 213
 - Visibility, 73
 - Visibility rule, 67
 - Void, 207

Von Neumann, 334, 413, 414
Vtable, 303

W

Warren Abstract Machine, 408

Wilkes, 413
Wirth, 418

X

XML, 428