

POST LAB TASKS

=====

Programming Fundamentals Lab

TASK TYPE: Post-Lab Tasks

NAME: Aahana

ROLL NO / ID: 26k-3127

DEPARTMENT: BSE -1D

=====


Q1:

CODE

```
#include<stdio.h>

int main()
{
    int marks;
    float income;
    printf("Enter your marks :");
    scanf("%d",&marks);
    printf("Enter the family income :");
    scanf("%f",&income);
    if(marks>=80 || income<50000)
    {
        printf("\nYou are qualified to get a scholarship from University.");
    }
    else
    {
        printf("\nYou do not qualify for a scholarship from University.");
    }
    return 0;
}
```

OUTPUT:

A screenshot of a Windows command prompt window. The title bar shows the file path 'C:\Users\baji\Documents\Unt' and standard window controls. The command prompt displays the following text: 'Enter your marks :90', 'Enter the family income :30000', 'You are qualified to get a scholarship from University.', a separator line of dashes, 'Process exited after 17.45 seconds with return value 0', and 'Press any key to continue . . .'.

```
C:\Users\baji\Documents\Unt >
Enter your marks :90
Enter the family income :30000

You are qualified to get a scholarship from University.
-----
Process exited after 17.45 seconds with return value 0
Press any key to continue . . .
```

Q2:

CODE:

```
#include<stdio.h>

int main()
{
    int latedays;

    printf("Enter the Number of late days :");


    scanf("%d",&latedays);

    if(latedays==0)
    {
        printf("\nNO Fine");
    }

    else if (latedays<=5)
    {
        printf("\nFine : Rs 50");
    }
}
```

```
    }  
    else if (latedays<=10)  
    {  
        printf("\nFine : Rs 100");  
    }  
    else if (latedays>10)  
    {  
        printf("\nFine : Rs 200");  
    }  
    return 0;  
}
```

Output:



```
C:\Users\baji\Documents\Unt  X  +  v  
Enter the Number of late days :7  
Fine : Rs 100  
-----  
Process exited after 4.686 seconds with return value 0  
Press any key to continue . . . |
```


Q3:

CODE:

```
#include<stdio.h>

int main()
{
    char a;
    char name[60];
    printf("Enter the student name :");
    fgets(name, sizeof(name), stdin);
    puts(name);
    printf("\nEnter a single character :");
    a=getchar();
    putchar(a);
    return 0;
}
```

Output:



```
Default C:\Users\baji\Documents\Untitled1.exe
ctrl+alt+1

C:\Users\baji\Documents\Unt  x  +  v

Enter the student name :Aahana Zahid Hussain
Aahana Zahid Hussain

Enter a single character :f
f
-----
Process exited after 13.91 seconds with return value 0
Press any key to continue . . . |
```

Q4:

CODE:

```
#include<stdio.h>

int main()
{
    float area,perimeter,length,width;

    printf("Enter the length :");
    scanf("%f",&length);
    printf("Enter the Width :");
    scanf("%f",&width);
    area=length*width;
    perimeter=2*(length+width);
    printf("\nThe area of the rectangle is %.2f",area);
    printf("\nThe perimeter of the rectangle is %.2f",perimeter);
    return 0;
}
```

Output

```
C:\Users\baji\Documents\Unt  ×  +  ∨  
Enter the length :7.8  
Enter the Width :6  
  
The area of the rectangle is 46.80  
The perimeter of the rectangle is 27.60  
-----  
Process exited after 6.32 seconds with return value 0  
Press any key to continue . . . |
```

Q5:

CODE:

```
#include<stdio.h>  
  
int main()  
{  
  
    int num,sq,cube;  
    printf("Enter the number :");  
    scanf("%d",&num);  
    sq=num*num;  
    cube=num*num*num;  
    printf("\nThe square of number is %d\nThe cube of number is %d",sq,cube);  
    return 0;  
}
```

Output

```
1
2 #include<stdio.h>

C:\Users\baji\Documents\Unt X + v

Enter the number :4

The square of number is 16
The cube of number is 64
-----
Process exited after 1.328 seconds with return value 0
Press any key to continue . . . |
```

Q6:

CODE

```
#include<stdio.h>

int main()
{
    float temp,fahrenheit;
    printf("Enter the temperature in celsius :");
    scanf("%f",&temp);
    fahrenheit= (temp*9/5) + 32;
    printf("\nThe temperature in fahrenheit is %.2f",fahrenheit);
    return 0;
}
```

Ouput

```
C:\Users\baji\Documents\Unt  × + ∨
Enter the temperature in celsius :12
The temperature in fahrenheit is 53.60
-----
Process exited after 3.945 seconds with return value 0
Press any key to continue . . . |
```

Q7:

CODE:

```
#include<stdio.h>

int main()
{
    int a,b,c;
    float avg;
    printf("Enter the first number :");
    scanf("%d",&a);
    printf("Enter the second number :");
    scanf("%d",&b);
    printf("Enter the third number :");
```

```

scanf("%d",&c);

avg=(a+b+c)/3.0;


printf("\nThe average of the three numbers is %.2f",avg);

return 0;

}

```

Output:



```

C:\Users\baji\Documents\Unt
Enter the first number :35
Enter the second number :90
Enter the third number :56

The average of the three numbers is 60.33
-----
Process exited after 28.43 seconds with return value 0
Press any key to continue . . . |

```

Q 8 :

CODE

```

#include<stdio.h>

int main()
{
    int marks;

    printf("Enter the marks :");

    scanf("%d",&marks);


    if(marks>=50)
    {printf("\nPass");
    }

    else

```

```
        {printf("\nFail");  
        }  
        return 0;  
    }  
}
```

Output



```
C:\Users\baji\Documents\Unt  ×  +  ∨  
Enter the marks :67  
Pass  
-----  
Process exited after 3.242 seconds with return value 0  
Press any key to continue . . . |
```