Frontend ↔ Backend Mapping

> **Commit:** `8de48cf` · **Scope:** `apps/web/src` (React 18 + Vite + React Router + TanStack Query) mapped onto `apps/api/src/modules/**` (NestJS).
>
> **How to read this doc.** Web paths are relative to `apps/web/src/` unless they start with `apps/`. API paths omit the global `/api` prefix. "Backend" cells name the controller file and the service class it delegates to; full request/response contracts live in API_DOCUMENTATION.md, roles in ROLE_PERMISSION_MATRIX.md, the business flow in COMPLETE_WORKFLOW.md, and test coverage in TESTING_AND_ISSUES.md. Folder layout is in PROJECT_STRUCTURE.md; see also PROJECT_OVERVIEW.md, MODULE_DEPENDENCIES.md, DATABASE_SCHEMA.md, MASTER_SYSTEM_FLOW.md.
>
> **Evidence.** Everything here was read in code (static analysis). Nothing was executed against a running system. Statements that were reasoned rather than read are tagged *(inferred)*. Behaviour that can only be confirmed by running the app is classed **Potential issue (needs runtime verification)**.

Contents

1. How the web talks to the API
2. Layout shells
3. Route tables
4. Key forms and actions
5. Dead or broken UI
6. Duplicate screens: legacy `/recruitment/*` vs `/q1` `/q2` `/q3`
7. Mobile responsiveness (static evidence only)

---

1. How the web talks to the API

1.1 Request path

```
Browser ──> api (axios, lib/axios.ts, baseURL = env.apiBaseUrl = '/api')
   dev:     Vite dev/preview server proxies /api → VITE_API_PROXY ?? http://127.0.0.1:4000   (apps/web/vite.config.ts:168-181)
   deploy:  nginx `location /api/ { proxy_pass http://api:4000; }`, SPA fallback try_files → /index.html (deploy/nginx.conf:11-12, 42-43)
   ──> NestJS: global JwtAuthGuard (Bearer header only) → RolesGuard (@Roles, method overrides class) → ThrottlerGuard → ValidationPipe
```

1.2 Client plumbing

Piece	File	Behaviour (verified)
Env	`lib/env.ts`	`apiBaseUrl = VITE_API_BASE_URL ?? '/api'`; `useMocks = VITE_USE_MOCKS === '1'`; `oauthEnabled = VITE_OAUTH_ENABLED === '1'`
Axios instance	`lib/axios.ts` (`api`)	`timeout 30 s`, JSON. **Request:** adds `Authorization: Bearer <access>`; on non-GET adds `X-CSRF-Token` from `<meta name=csrf-token>` or cookie `XSRF-TOKEN` (the API issues but never validates it — see API_DOCUMENTATION.md §1). **Response:** 429 → wait `Retry-After` (default 1 s), retry once; 401 → one shared `refreshAccessToken()` (bare `axios.post('/api/auth/refresh', {refreshToken})`), store new tokens, replay; refresh failure → `tokenStorage.clear()` + `window.location.assign('/login')`; ≥500 → `captureError`. `getErrorMessage(err, fallback)` extracts the API `message`. No `paramsSerializer` (arrays go out as `key[]=a`).
Token storage	`lib/tokenStorage.ts`	Access token in a module variable (memory only, lost on reload). Refresh token in `localStorage['aaj.refresh']`.
Auth store	`features/auth/auth.store.ts` (Zustand)	`{user, isAuthenticated, isLoading}`. `setSession` stores both tokens; `updateUser(patch)`; `logout()` → `POST /auth/logout {refreshToken}` (errors swallowed) → clear tokens. `bootstrap()` (called once from `app/providers.tsx`): if a refresh token exists → `GET /auth/me` (401 → interceptor refresh → replay). `AuthUser = {userId, userName, fullName, email, roleId, isOnboarded?}`. **`logout()` does not clear the Query cache, offline queue or `aaj.lastOrderRef`.**
Query client	`lib/queryClient.ts`	`staleTime 60 s`, `retry 1`, `refetchOnWindowFocus false`. Central `queryKeys` + `invalidate*` helpers exist, but most feature hooks use inline keys (e.g. `['candidate','saved-jobs']`). `queryClient.clear()` is never called.

Piece	File	Behaviour (verified)
Providers	`main.tsx`, `app/providers.tsx`	`ErrorBoundary > AppProviders (QueryClientProvider + ToastProvider + ReactQueryDevtools) > App (RouterProvider + OfflineBanner + PWA prompts)`; `useOfflineSync()` at root (queue in `lib/offlineQueue.ts`, localStorage). `purgeLegacyApiCache()` deletes the old `api-cache` Cache Storage.
Route guard	`routes/ProtectedRoute.tsx`	`isLoading` → `FullPageLoader`; unauthenticated → `/login` with `state.from`; role not in `allow` → `ROLE_HOME[roleId]`; Subscriber with `!isOnboarded` on any path other than `/candidate/onboarding` → onboarding.
Role homes	`types/roles.ts:29-37`	Subscriber `/candidate/profile`, QC1 `/q1/dashboard`, QC2 `/q2/dashboard`, Client `/company`, Admin `/admin`, Subscription `/pricing`, Q3 `/q3/dashboard`.
Login doors	`features/auth/loginPortals.ts`	`/login?as=candidate
SSE	`features/notifications/notifications.api.ts` (`useNotificationStream`)	`fetch` streaming of `GET /notifications/stream` with the bearer header. The API store is in-memory and nothing creates notifications (API_DOCUMENTATION.md §14).
MSW mocks	`main.tsx:49-56`, `mocks/handlers.ts`, `mocks/data.ts`	Started **only** when `VITE_USE_MOCKS=1` (dynamic import, `onUnhandledRequest: 'bypass'`, failure swallowed). Off by default; the CI `e2e-mock` job sets it. Unmocked calls (saved jobs, referrals, payments, employer analytics/billing/rounds, notifications …) fall through to the real `/api`.
Analytics	`lib/analytics.ts`, `components/AnalyticsProvider`	DEV: console only. Prod: `sendBeacon(VITE_ANALYTICS_ENDPOINT)` only if set. Every route is a child of `<AnalyticsProvider/>` (`routes/router.tsx:161`).

1.3 Files the browser downloads

The API authenticates **only** through the `Authorization` header (`apps/api/src/common/guards/jwt-auth.guard.ts:34-35`). A plain `<a href="/api/...">` or `window.open(...)` therefore sends no credentials and gets 401. The working pattern is "GET as blob through `api`, then object URL" (e.g. `features/recruitment/recruitment.api.ts:62-76`, `features/q3/q3.api.ts:265-271`, employer `useApplicantResumeBlob`, admin `features/admin/components/ExportButton.tsx`). Exceptions are listed in §5.

---

2. Layout shells

Shell	File	Used by (routes)	Notes
none (full bleed)	—	`/brochure`	Static brochure rebuild
`PublicLayout`	`components/layout/PublicLayout.tsx`	`/`, `/login`, `/register`, `/register/employer`, `/forgot-password`, `/reset-password`, `/search`, `/candidates/:id`, `/companies/:id`, `/companies/:id/reviews`, `/pricing`, `/about`, `/contact`, `/help`, `/blogs`, `/blogs/:slug`, `/career`, `/testimonial`, `/privacy`, `/terms`, `/subscription`, `/resume`, `/student`, `/salary-insights`, `/payment/return`	Public `Navbar` (no signed-in state) + footer; mounts `CommandPalette`
`JobsLayout`	`features/jobs/components/JobsLayout.tsx`	`/jobs`, `/jobs/:id` (public); `/candidate/applications`, `/candidate/saved-jobs`, `/jobs/:id/apply` (Subscriber)	Renders `PublicLayout` for anonymous / non-candidate users and `CandidateChrome` (portal `PortalHeader`, via `usePortalProfile`) for Subscribers
`CandidatePortalLayout`	`features/candidates/portal/CandidatePortalLayout.tsx`	`/candidate/profile`, `/candidate/onboarding`, `/candidate/tracker`, `/candidate/interviews`, `/candidate/documents`, `/candidate/referrals`, `/candidate/account`, `/candidate/notifications`, `/candidate/all-notifications`, `/candidate/resume-builder`	`PortalHeader` + `ProfileHero` + `PortalSidebar` (`ContactCard`, `ProfileAsideCards`, `ModuleTiles`)
`DashboardLayout` (legacy)	`components/layout/DashboardLayout.tsx`	`/candidate/subscription`; all `/recruitment/*`	Shared `Sidebar` driven by `components/layout/menu.ts`, breadcrumbs, `CommandPalette`
`Q1Shell`	`features/q1/components/Q1Shell.tsx`	all `/q1/*` (each page renders the shell itself)	Sidebar badges (`GET /q1/nav-counts`), SLA card, `NotificationBell`, quick search
`Q2Shell`	`features/q2/components/Q2Shell.tsx`	all `/q2/*` (rendered per page)	Collapsible sidebar (`aajiveka.q2.sidebarCollapsed`), SLA card (`/q2/nav-counts`, `/q2/sla`)

Shell	File	Used by (routes)	Notes
`Q3Layout` + `Q3Shell`	`features/q3/components/Q3Layout.tsx` (route element, toast context), `Q3Shell.tsx` (rendered per page)	all `/q3/*`	`GET /q3/nav-counts`
`AdminShell`	`features/admin/components/AdminShell.tsx`	all `/admin/*` (rendered per page; 13/13 pages)	Collapsible sidebar, modal mobile drawer
`EmployerLayout`	`employer/layouts/EmployerLayout.tsx` (+ `employer/components/Header/EmployerHeader.tsx`, `Sidebar/EmployerSidebar.tsx`)	all `/company/*`	Forces light mode; sidebar badge from `GET /clients/me/applicants?page=1&pageSize=1`; `messages` / `notifications` badges hard-coded `0`
`AuthShell`	`features/auth/components/AuthShell.tsx`	wraps auth page content inside `PublicLayout`	—

The Q1/Q2/Q3/Admin groups sit outside `DashboardLayout` on purpose (router comments, `routes/router.tsx:255–332`): `DashboardLayout` would stack a second breadcrumb row.

---

3. Route tables

Sources: `routes/router.tsx`, `employer/routes/employerRoutes.tsx`. Guard legend: **Public** = no guard; **Auth** = generic `<ProtectedRoute/>`; role lists are the `allow` prop. `*` → `features/misc/NotFoundPage`.

Backend abbreviations: `auth.ctl → AuthService` means `apps/api/src/modules/auth/auth.controller.ts` → `auth.service.ts`. Same pattern for every module.

3.1 Public & auth

Route	Guard	Page component	Key components / hooks	API calls	Backend
`/`	Public	`features/home/HomePage.tsx`	`JobSearchBar` (`useJobFilters`)	GET `/jobs/filters` *(JobSearchBar on home: inferred)*	`jobs.ctl → JobsService`
`/brochure`	Public	`features/home/brochure/BrochureHomePage.tsx`	static sheets, `brochure/tracking.ts`	none	—
`/login`	Public	`features/auth/pages/LoginPage.tsx`	`SocialLoginButtons`, `AuthShell`, `loginPortals.ts`	POST `/auth/login`; POST `/auth/logout` on wrong portal	`auth.ctl → AuthService`
`/register`	Public	`features/auth/pages/RegisterPage.tsx`	`OtpVerification`	POST `/auth/register`, `/auth/verify-otp`, `/auth/resend-otp`	`auth.ctl → AuthService` + `OtpService` (Redis)
`/register/employer`	Public	`features/auth/pages/EmployerRegisterPage.tsx`	—	POST `/auth/register-employer`	`auth.ctl → AuthService`
`/forgot-password`	Public	`features/auth/pages/ForgotPasswordPage.tsx`	—	POST `/auth/forgot-password {userName}`	`auth.ctl → AuthService`
`/reset-password?token=`	Public	`features/auth/pages/ResetPasswordPage.tsx`	—	POST `/auth/reset-password`	`auth.ctl → AuthService`
`/search`	Public	`features/jobs/pages/SearchResultsPage.tsx`	tabs jobs/companies/candidates	GET `/search` — **no such route**	none (404)
`/candidates/:id`	Public	`features/candidates/pages/PublicProfilePage.tsx`	—	GET `/candidates/:id/profile` — **no such route**	none (404)
`/companies/:id`	Public	`features/clients/pages/CompanyPublicPage.tsx`	`features/public/components/CompanyReviews.tsx`	GET `/clients/:id/public`; reviews widget GET/POST `/clients/:id/reviews` — **no such route**	`employers.ctl → EmployersService` (public card); reviews: none
`/companies/:id/reviews`	Public	`features/public/pages/CompanyReviewsPage.tsx`	review form	GET/POST `/companies/:id/reviews` — **no such route**	none (404)

Route	Guard	Page component	Key components / hooks	API calls	Backend
`/salary-insights`	Public	`features/public/pages/SalaryInsightsPage.tsx`	—	GET `/jobs/salary-insights` — captured by `GET /jobs/:id` + `ParseIntPipe` → 400	`jobs.ctl` (wrong handler)
`/pricing`, `/subscription`, `/resume`	Public	`features/public/pages/PricingPage.tsx`, `SubscriptionPage.tsx`, `ResumePage.tsx`	`PricingPlans` (`usePlans`) → `SubscribeButton` → `RazorpayCheckout`; `PlanComparison` (static)	GET `/payments/plans`; on subscribe see §3.4	`payments.ctl` → `PaymentsService`
`/about`, `/contact`, `/help`, `/career`, `/testimonial`, `/privacy`, `/terms`	Public	`features/public/pages/{About,Contact,Help,Career,Testimonial}Page.tsx`, `LegalPage.tsx` (variant)	static data files	none (Contact submit is simulated, §5)	—
`/blogs`, `/blogs/:slug`	Public	`features/public/pages/BlogsPage.tsx`, `BlogDetailPage.tsx`	`features/public/blogs.data.ts` (hard-coded)	none	— (admin CMS has no public read route)
`/student`	Public	`features/public/pages/StudentGuidePage.tsx`	—	link to `/api/site-docs/aajivika-book` (hard-coded `/api`)	`site-documents.ctl`
`*`	Public	`features/misc/NotFoundPage.tsx`	—	none	—

3.2 Jobs

Route	Guard	Page component	Key components / hooks	API calls	Backend
`/jobs`	Public (`JobsLayout`)	`features/jobs/pages/JobSearchPage.tsx`	`JobResultCard`, `useInfinitePublicJobs`, client-side `matchScore`; Subscriber only: `useCvEditProfile({enabled})`, `useSavedJobIds`, `useSaveJob`, `useUnsaveJob`	GET `/jobs?designation&employmentTypes[]&workModes[]&locations[]&minExp&maxExp&sortBy&page&pageSize`; Subscriber: GET `/candidates/me/cv-edit`, `/candidates/me/saved-job-ids`, POST/DELETE `/candidates/me/saved-jobs/:jobId`	`jobs.ctl` → `JobsService`; `candidates.ctl` → `CandidatesService`
`/jobs/:id`	Public (`JobsLayout`)	`features/jobs/pages/JobDetailPage.tsx`	`MatchBadge`, `useJob`	GET `/jobs/:id`; Subscriber: cv-edit, saved-job-ids, save/unsave	same
`/jobs/:id/apply`	Auth → Subscriber (`JobsLayout`)	`features/jobs/pages/JobApplyPage.tsx`	`useJob`, `useCandidateProfile`, `useCvEditProfile`, `useApplyToJob`, `useUploadResume`	GET `/jobs/:id`, `/candidates/me`, `/candidates/me/cv-edit`; POST `/jobs/:id/apply`; POST `/files/resume`	`jobs.ctl` → `JobsService` (apply transaction in `JobApplicationsService`, per API doc); `files.ctl` → `StorageService`

Hooks in `features/jobs/jobs.api.ts` with no live caller found: `useFullTextJobSearch` (GET `/jobs/search`), `useJobSuggestions` (GET `/jobs/suggestions`) *(inferred from grep of live pages)*.

3.3 Candidate portal

All rows: guard **Auth → Subscriber** (+ onboarding redirect). Hooks: `features/candidates/candidate.api.ts` unless noted (`portal.api.ts` = `features/candidates/portal/portal.api.ts`; `recruitment.api.ts` = `features/recruitment/recruitment.api.ts`; `notifications.api.ts` = `features/notifications/notifications.api.ts`). Backend for every `/candidates/me/*` call: `candidates.ctl → CandidatesService`.

Route	Layout	Page component	Key components / hooks	API calls	Backend (other than CandidatesService)
`/candidate/applications`	`JobsLayout`	`features/candidates/portal/pages/ApplicationsPage.tsx`	`useAppliedJobs` (refetch 60 s); per row `InterviewSlotPicker` (`useInterviewRounds` , `useSelectSlot`) and `OfferResponseCard` (`useOffer` , `useRespondToOffer`) from `recruitment.api.ts`	GET `/candidates/me/applied-jobs` ; per application GET `/recruitment/interview-rounds/:mapId` , GET `/recruitment/offers/:mapId` ; POST `/recruitment/interview-rounds/:roundId/select-slot` `{slotId}` ; POST `/recruitment/offers/:id/respond` `{accept}`	`recruitment.ctl` → `MappingAccessService` (ownership) → `InterviewRoundService` / `OfferLetterService`
`/candidate/saved-jobs`	`JobsLayout`	`portal/pages/SavedJobsPage.tsx`	`useSavedJobs` , `useUnsaveJob`	GET `/candidates/me/saved-jobs` ; DELETE `/candidates/me/saved-jobs/:jobId`	—
`/candidate/profile`	Portal	`portal/pages/ProfileOverviewPage.tsx`	`useCvEditProfile` , `useCvMasters` , `useDashboard` ; `ProfileHero` (photo modal, `useDownloadResume`)	GET `/candidates/me` , `/candidates/me/cv-edit` , `/candidates/me/cv-masters` , `/candidates/me/dashboard` ; GET `/files/resume` (blob); POST `/files/avatar`	`files.ctl`
`/candidate/onboarding?step=`	Portal	`portal/pages/ProfileWizardPage.tsx` + `portal/wizard/*Step.tsx`	see §4.2	PUT section endpoints; POST `/candidates/me/complete-onboarding`	`files.ctl` (resume step)
`/candidate/tracker`	Portal	`portal/pages/ApplicationTrackerPage.tsx`	`useAppliedJobs`	GET `/candidates/me/applied-jobs`	—
`/candidate/interviews`	Portal	`portal/pages/InterviewsPage.tsx`	`useAppliedJobs` ; "Add to Calendar" = Google Calendar URL	GET `/candidates/me/applied-jobs`	—
`/candidate/documents`	Portal	`portal/pages/DocumentsPage.tsx`	`useCandidateDocuments` , `useUploadCandidateDocument`	GET `/candidates/me/documents` ; POST multipart `/candidates/me/documents/:documentTypeId`	—
`/candidate/referrals`	Portal	`portal/pages/ReferPage.tsx`	`useReferrals` , `useCreateReferral` (`portal.api.ts`)	GET/POST `/candidates/me/referrals`	—
`/candidate/account?tab=`	Portal	`portal/pages/AccountSettingsPage.tsx`	`useCandidateProfile` , `useCvEditProfile` , `useUpdatePersonal` , `useUploadAvatar` , `useChangePassword` ; `usePrivacySettings` , `useUpdatePrivacy` , `useRequestDataExport` , `useRequestAccountDeletion` (`portal.api.ts`)	PUT `/candidates/me/personal` ; POST `/files/avatar` ; POST `/candidates/me/change-password` ; GET/PUT `/candidates/me/privacy` ; POST `/candidates/me/export` ; POST `/candidates/me/delete-account`	`files.ctl`
`/candidate/notifications`	Portal	`portal/pages/EmailPreferencesPage.tsx`	`useNotificationPrefs` , `useUpdateNotificationPrefs`	GET/PUT `/candidates/me/notification-prefs`	—
`/candidate/all-notifications`	Portal	`features/candidates/pages/NotificationsPage.tsx`	`useNotifications` (infinite), `useMarkRead` , `useMarkAllRead` , `useDeleteNotification` , `useNotificationStream` (`notifications.api.ts`)	GET `/notifications?page&type&unread` ; PATCH `/notifications/:id/read` , `/notifications/read-all` ; DELETE `/notifications/:id` ; GET `/notifications/stream` (SSE)	`notifications.ctl` → `NotificationsService` , `SseNotificationsService`
`/candidate/resume-builder`	Portal	`portal/pages/ResumeBuilderPage.tsx`	`useCvEditProfile` , `useCvMasters` ; html2canvas + jsPDF in browser	GET cv-edit, cv-masters only	—
`/candidate/subscription`	`DashboardLayout`	`features/payments/pages/MembershipPage.tsx`	`useSubscription` , `usePaymentHistory` , `PricingPlans`	see §3.4	`payments.ctl` → `PaymentsService`

Commented-out candidate routes (page files still exist; `routes/router.tsx:57–62, 141–152, 373–389`): `/candidate/profile/advanced`, `/cv-manager`, `/applied-jobs`, `/resume`, `/job-alerts`, `/change-password`, `/assessments(/:id)`, `/messages`, `/saved-searches`, `/skill-gap`, `/interview-calendar`, `/activity`, `/career-path`, `/compare-companies`, `/dashboard`.

3.4 Payments

Hooks: `features/payments/payments.api.ts`. Backend: `payments.ctl → PaymentsService` (+ `RazorpayService`).

Route / entry point	Guard	Component	Hooks	API calls	Notes
`/pricing`, `/subscription`, `/resume`, `/candidate/subscription`	Public (first three), Subscriber (last)	`features/public/components/PricingPlans.tsx` → `features/payments/components/SubscribeButton.tsx` → `RazorpayCheckout`	`usePlans`, `useCreateRazorpayOrder`, `useVerifyPayment`	GET `/payments/plans`; POST `/payments/create-order {planId}`; POST `/payments/verify {razorpayOrderId, razorpayPaymentId, razorpaySignature}`	Guest → toast + `/login` with `from`. Non-Subscriber roles get 403 from create-order. Loads `checkout.razorpay.com` script. Stores `aaj.lastOrderRef` in localStorage
`/candidate/subscription`	Subscriber	`features/payments/pages/MembershipPage.tsx`	`useSubscription`, `usePaymentHistory`	GET `/payments/subscription`, GET `/payments/history`	—
`/payment/return?ref=`	Public (polls only when authenticated)	`features/payments/pages/PaymentReturnPage.tsx`	`useOrder`, `useVerifyPayment`	GET `/payments/orders/:orderRef` every 2 s up to 60 s; POST `/payments/verify` if `razorpay_*` query params are present	BillDesk `useCreateOrder` (POST `/payments/orders`) exists; settlement has no API route (API_DOCUMENTATION.md §12)
Gate on apply	Subscriber	`JobApplyPage.tsx`	`useApplyToJob`	POST `/jobs/:id/apply` → 403 without subscription	UI redirects to `/candidate/subscription?returnTo=/jobs/:id/apply`

3.5 Employer portal

Guard for the whole tree: `ProtectedRoute allow={[Role.Client, Role.Admin]}` (`routes/router.tsx:438–442`), sitting **outside** the generic `<ProtectedRoute/>` group (still redirects unauthenticated users to `/login`). Layout `EmployerLayout`. Hooks: `employer/services/employer.api.ts`. Backend: `employers.ctl` (`@Controller('clients')`, `@Roles(Client, Admin)`) → `EmployersService`, unless noted. Page files under `employer/pages/`.

Route	Page component	Key components / hooks	API calls	Backend (other)
(layout)	`employer/layouts/EmployerLayout.tsx`	`EmployerHeader`, `EmployerSidebar`, `useApplicants`	GET `/clients/me/applicants?page=1&pageSize=1`	—
`/company`	`Dashboard/DashboardPage.tsx`	`useCompanyAnalytics`, `useApplicants` ×3	GET `/clients/me/analytics`; GET `/clients/me/applicants` (pageSize 6; status=Interview; status=OnHold)	—
`/company/profile`	`CompleteProfile/CompleteProfilePage.tsx`	`useCompanyProfile`, `useCompanyMasters`, `useUpdateCompanyProfile`, `useUploadCompanyLogo`	GET `/clients/me`, GET `/clients/masters`, PATCH `/clients/me`, POST `/clients/me/logo`; `<img src="/api/clients/:id/logo">` (hard-coded `/api`)	—
`/company/jobs`, `/company/jobs/drafts`, `/company/jobs/archived`	`ManageJobs/JobList/JobListPage.tsx` (status from path) + `JobViewModal.tsx`	`useCompanyJobs`, `useCompanyJob`, `useSetJobStatus`, `useArchiveJob`, `useUnarchiveJob`, `useDeleteJob`	GET `/clients/me/jobs?page&pageSize&q&city&status`; GET `/clients/me/jobs/:id`; POST `.../:id/status`, `.../:id/archive`, `.../:id/activate`; DELETE `/clients/me/jobs/:id`	—
`/company/post-job`, `/company/jobs/:id/edit`	`ManageJobs/AddJob/AddJobPage.tsx` + `JobPreviewModal.tsx`	`useCompanyMasters`, `useCompanyJob`, `usePostJob`, `useUpdateJob`	GET `/clients/masters`; GET `/clients/me/jobs/:id`; POST `/clients/me/jobs[?draft=true]`; PATCH `/clients/me/jobs/:id[?draft=]`	—
`/company/bulk-import`	`ManageJobs/BulkImport/BulkImportPage.tsx`	`useUploadBulkJobs`; template built client-side (`downloadJobImportTemplate`)	POST `/clients/me/jobs/bulk-upload?commit=false	true` (multipart CSV)

Route	Page component	Key components / hooks	API calls	Backend (other)
`/company/applicants`, `/company/applicants/shortlisted`, `/interviews`, `/hired`, `/rejected`	`Applicants/ApplicantList/ApplicantListPage.tsx` (status from path)	`useCompanyJobs`, `useApplicants`, `useDecideApplicant`, `useUndoApplicantDecision`; `employer/components/Tables/DataTable.tsx`	GET `/clients/me/jobs?pageSize=100`; GET `/clients/me/applicants?page&pageSize&status&q&jobId&city&minExp&maxNotice`; POST `.../applicants/:id/decision`, `.../decision/undo`; interview icon → `/company/applicants/:id?schedule=1`	—
`/company/applicants/:id`	`Applicants/ApplicantProfile/ApplicantProfilePage.tsx` + `InterviewProcessPanel.tsx`, `ScheduleInterviewForm.tsx`, `RequestDocumentsForm.tsx`, `ApplicantDocumentsPanel.tsx`	`useApplicant` / `useApplicantDetails`, `useApplicantResumeBlob`, `useApplicantNotes`, `useSaveApplicantNote`, `useDecideApplicant`, `useUndoApplicantDecision`, `useApplicantInterviewRounds`, `useScheduleInterview`, `useRecordInterviewResult`, `useApplicantDocuments`, `useReviewApplicantDocument`, `useRequestableDocumentTypes`, `useRequestApplicantDocuments`; `useOffer`, `useCreateOffer`, `useSendOffer` (`recruitment.api.ts`)	GET `/clients/me/applicants/:id`; GET `.../resume?inline=1` and `.../resume` (blobs); GET/PUT `.../notes`; POST `.../decision`, `.../decision/undo`; GET/POST `.../interview-rounds`; POST `.../interview-rounds/:roundId/result`; GET `.../documents`; POST `.../documents/review`; GET `/clients/me/document-types`; POST `.../document-request`; GET `/recruitment/offers/:mapId`, POST `/recruitment/offers`, `/recruitment/offers/:id/send`, `/recruitment/offers/:id/mark-joined`	`EmployersService` → `InterviewRoundService.submitResult` (result); `recruitment.ctl` → `MappingAccessService` → `OfferLetterService` (offers)
`/company/compare-candidates`	`CompareCandidates/ComparePage.tsx` (max 4)	`useApplicants`, `useApplicant`, `useDecideApplicant`	GET `/clients/me/applicants?pageSize=100`; GET `/clients/me/applicants/:id` per selection; POST decision	—
`/company/analytics`	`Analytics/AnalyticsPage.tsx`	`useCompanyAnalytics`	GET `/clients/me/analytics`; GET `/clients/me/analytics/export` (CSV blob); summary CSV built client-side	—
`/company/billing`	`Billing/BillingPage.tsx`	`useCompanyBilling`	GET `/clients/me/billing`; GET `/clients/me/billing/export`	—
`/company/messages`	`Messages/MessagesPage.tsx`	—	none ("coming soon")	—
`/company/notifications`	`Notifications/NotificationsPage.tsx`	—	none ("No notifications yet")	—
`/company/settings`	`Settings/SettingsPage.tsx`	—	none (static, links to profile)	—

Admin can enter this tree and has `/company/profile`, `/company/jobs`, `/company/applicants` in its legacy sidebar menu (`components/layout/menu.ts:95-105`), but the API returns 404 on every `/clients/me/*` route for a login with no linked company (API_DOCUMENTATION.md §6).

Employer hooks defined but imported nowhere: `useDeactivateJob` (POST `/clients/me/jobs/:id/deactivate`), `useBulkDecideApplicants`, `useDuplicateJob` (POST `/clients/me/jobs/:jobId/duplicate`). API routes with no web caller: GET/PATCH `/clients/me/branding`, POST `/clients/me/interviews/generate-link`, GET `/exports/applicants`.

3.6 Q1 screening (`/q1/*`)

Guard: Auth → `[QC1, Admin]` (`routes/router.tsx:263`). Shell `Q1Shell`. Hooks: `features/q1/q1.api.ts`; every mutation invalidates `['q1']`. Backend: `q1.ctl` (`@Roles(QC1, Admin)`) → `Q1Service` (analytics → `Q1AnalyticsService`).

Route	Page component	Key components / hooks	API calls
`/q1`	redirect → `/q1/dashboard`	—	—
`/q1/dashboard`	`features/q1/pages/Q1DashboardPage.tsx`	`CandidateQueue` (tabs), stat cards; `useQ1Stats`, `useQ1Queue`	GET `/q1/stats`; GET `/q1/candidates?tab&search&priority&experience&cvOnly&page&pageSize`
`/q1/candidates`	`Q1CandidatesPage.tsx`	`CandidateQueue showTabs`, seeded from `?search=`	GET `/q1/candidates`

Route	Page component	Key components / hooks	API calls
`/q1/candidates/:id`	`Q1CandidateProfilePage.tsx`	`ScreeningRail`, `ContactCandidateModal`, `UpdateStatusModal`; `useQ1Profile`	GET `/q1/candidates/:id` (**side effect: New → Screening**); PATCH `.../checklist`, `.../checklist/all`; POST `.../verify`, `.../contact`, `.../status`, `.../request-update`, `.../request-cv`; `window.open('/api/recruitment/candidates/:id/resume')` (broken, §5)
`/q1/follow-ups`, `/q1/no-response`, `/q1/verified`, `/q1/not-interested`	`Q1FollowUpsPage.tsx`, `Q1NoResponsePage.tsx`, `Q1VerifiedPage.tsx`, `Q1NotInterestedPage.tsx`	`CandidateQueue` pinned to a tab	GET `/q1/candidates?tab=…`
`/q1/analytics`	`Q1AnalyticsPage.tsx`	`useQ1Analytics`	GET `/q1/analytics` → `Q1AnalyticsService`
(shell)	`features/q1/components/Q1Shell.tsx`	`useQ1NavCounts`, `components/layout/NotificationBell`	GET `/q1/nav-counts`

`useQ1ContactLog` (GET `/q1/candidates/:id/contact-log`) is defined but rendered nowhere.

3.7 Q2 matching (`/q2/*`)

Guard: Auth → `[QC2, Admin]` (`routes/router.tsx:285`). Shell `Q2Shell`. Hooks: `features/q2/q2.api.ts`; mutations invalidate `['q2']` except the criterion toggle (writes into cache). Backend: `q2.ctl` (`@Roles(QC2, Admin)`) → `Q2Service` (analytics → `Q2AnalyticsService`).

Route	Page component	Key components	API calls
`/q2`	redirect → `/q2/dashboard`	—	—
`/q2/dashboard`	`features/q2/pages/Q2DashboardPage.tsx`	stat cards, `EmployerJobsTable`	GET `/q2/stats`; GET `/q2/jobs?search`
`/q2/jobs`	`Q2EmployerJobsPage.tsx`	`EmployerJobsTable` (300 ms debounce)	GET `/q2/jobs`
`/q2/jobs/:jobId`	`Q2JobApplicantsPage.tsx`	ranked list, "Relevant only" toggle	GET `/q2/jobs/:jobId?relevantOnly`
`/q2/applicants`	`Q2AllApplicantsPage.tsx`	`ApplicantsTable` bucket=queue	GET `/q2/applicants?tab&bucket&search&page&pageSize`
`/q2/forwarded`	`Q2ForwardedPage.tsx`	`ApplicantsTable` bucket=forwarded	GET `/q2/applicants?bucket=forwarded`
`/q2/sent-back`	`Q2SentBackPage.tsx`	`ApplicantsTable` bucket=sentBack	GET `/q2/applicants?bucket=sentBack`
`/q2/applications/:mapId`	`Q2ApplicantDetailPage.tsx`	candidate panel, JD panel, criteria checkboxes, 3 decision buttons	GET `/q2/applications/:mapId`; PATCH `.../criteria`; POST `.../forward`, `.../send-back`, `.../reject`; `<a href="/api/recruitment/candidates/:subscriberId/resume">` (broken, §5)
`/q2/analytics`	`Q2AnalyticsPage.tsx`	—	GET `/q2/analytics` → `Q2AnalyticsService`
(shell)	`features/q2/components/Q2Shell.tsx`	—	GET `/q2/nav-counts`, GET `/q2/sla`

Q2 has no "map candidate to job" action; it reviews applications that already exist (candidate apply, or legacy `POST /recruitment/candidates/:id/assign-job`).

3.8 Q3 hiring operations (`/q3/*`)

Guard: Auth → `[Q3, Admin]`, wrapped in `Q3Layout` (`routes/router.tsx:305-309`). Hooks: `features/q3/q3.api.ts`; writes invalidate `['q3']` (meeting-link excepted). Backend: `q3.ctl` (`@Roles(Q3, Admin)`) → one of four services; the route → service pairing below was read from `apps/api/src/modules/q3/q3.controller.ts`.

Route	Page component	Key components	API calls → service
`/q3`	redirect → `/q3/dashboard`	—	—
`/q3/dashboard`	`features/q3/pages/Q3DashboardPage.tsx`	pipeline table + stage tabs, `ExportReport` (jsPDF on demand, `q3-report.ts`)	GET `/q3/dashboard`, `/q3/pipeline`, `/q3/report?quarter` → `Q3ReadService`; POST `/q3/applications/:mapId/contact`, `/q3/rounds/:r/decision-mail`, `/q3/applications/:mapId/nudge` → `Q3InterviewsService`

Route	Page component	Key components	API calls → service
`/q3/referred`	`Q3ReferredCvsPage.tsx`	batch picker, `CvRow`, `ReturnToQ2Modal`	GET `/q3/referrals`; POST `/q3/referrals/forward`, `/q3/referrals/return` → `Q3ReferralsService`
`/q3/company-review`	`Q3CompanyReviewPage.tsx`	`ShortlistPanel`, `RoundSetupModal`, `RemindExpiringButton`	GET `/q3/company-review?tab`, `/q3/applications/:mapId/shortlist`; PUT `.../round-setup`; POST `/q3/company-review/remind-expiring` → `Q3ReferralsService`
`/q3/scheduling`, `/q3/scheduling/:mapId`	`Q3SchedulingPage.tsx`	`QueueSwitcher`, stepper, slot list, `ConfirmCard`, contact-log form	GET `/q3/queues/scheduling` → `Q3ReadService`; GET `.../scheduling`; POST `/q3/rounds/:r/slots/:s/availability`, `/q3/rounds/:r/request-slots`, `/q3/meeting-link` (Jitsi), `/q3/rounds/:r/confirm`, `.../contact` → `Q3InterviewsService`
`/q3/interviews`	`Q3InterviewsPage.tsx`	week view (refetch 60 s)	GET `/q3/interviews?week`; POST `/q3/rounds/:r/remind
`/q3/decisions`, `/q3/decisions/:mapId`	`Q3RoundsPage.tsx`	`RecordDecisionModal`	GET `/q3/queues/decisions` → `Q3ReadService`; GET `.../rounds`; POST `/q3/rounds/:r/decision`, `.../nudge` → `Q3InterviewsService`
`/q3/documents[/:mapId]`, `/q3/offers[/:mapId]`	`Q3DocumentsPage.tsx` (mode from pathname)	`DocumentRow`, `DocumentPreviewModal`, `SendBackModal`, `GenerateOfferModal`, approve/join confirm modals	GET `/q3/queues/documents
`/q3/returned`	`Q3ReturnedPage.tsx`	tabs, `ReturnMailModal`	GET `/q3/returned?tab`, `/q3/returned/:referralId/mail`; POST `.../resend` → `Q3ReferralsService`
(shell)	`features/q3/components/Q3Shell.tsx`	—	GET `/q3/nav-counts` → `Q3ReadService`

3.9 Legacy `/recruitment/*`

All inside `DashboardLayout`. Hooks: `features/recruitment/recruitment.api.ts`. Backend: `recruitment.ctl` (class `@Roles(QC1, QC2, Admin)`, method `@Roles` replaces it) → `RecruitmentService` unless noted. Page files under `features/recruitment/pages/`.

Route	Guard	Page component	API calls	Backend (other)
`/recruitment/candidates`	QC1, QC2, Admin	`CandidatesListPage.tsx`	GET `/recruitment/candidates?search&status&page&pageSize`	—
`/recruitment/candidates/:id`	QC1, QC2, Admin	`CandidateDetailsPage.tsx`	GET `/recruitment/candidates/:id`; POST `.../decision`; GET `/recruitment/jobs`; POST `.../assign-job`; GET `/recruitment/document-types`; POST `.../documents`; GET `.../resume` (blob, OK); POST `/recruitment/referrals`; POST `/recruitment/applications/:id/score`	`CvReferralService` (referrals); `ScoringService` (score)
`/recruitment/documents`	QC1, QC2, Admin	`DocumentReviewPage.tsx`	GET `/recruitment/documents`; GET `/recruitment/documents/:id/file` (blob); POST `/recruitment/documents/review`	—
`/recruitment/interviews`	QC1, QC2, Admin	`InterviewsPage.tsx`	GET `/recruitment/interviews`, `/interviews/eligible`, `/interview-modes`; POST `/recruitment/interviews`, `/recruitment/interviews/:id/status`	—
`/recruitment/qc1`	QC1, Admin	`QC1DashboardPage.tsx`	GET `/recruitment/qc1/stats`	—
`/recruitment/referrals`	QC2, Admin	`ReferralsPage.tsx`	GET `/recruitment/referrals`	`CvReferralService`
`/recruitment/q3`	Q3, Admin	`Q3DashboardPage.tsx` + `InterviewRoundsPanel`	GET `/recruitment/referrals`; POST `/recruitment/referrals/forward`; GET `/recruitment/interview-rounds/:mapId`, `/interview-modes`; POST `/recruitment/interview-rounds`, `.../:roundId/result`	`CvReferralService`; `MappingAccessService` → `InterviewRoundService`
`/recruitment/q3/candidates`	Q3, Admin	`CandidatesListPage.tsx`	GET `/recruitment/candidates` → **403 for Q3**	—
`/recruitment/q3/interviews`	Q3, Admin	`InterviewsPage.tsx`	GET `/recruitment/interviews`, `/interviews/eligible` → **403 for Q3**	—
`/recruitment/q3/documents`	Q3, Admin	`DocumentReviewPage.tsx`	GET `/recruitment/documents` → **403 for Q3**	—

Unused recruitment hooks: `useAddRoundSlots` (POST `/recruitment/interview-rounds/:id/slots`), `useCompanyReviewReferral` (POST `/recruitment/referrals/:id/company-review`). `PATCH /recruitment/pipeline/:id` has no web caller.

3.10 Admin (`/admin/*`)

Guard: Auth → `[Admin]` (`routes/router.tsx:334`). Shell `AdminShell`. Hooks: `features/admin/admin.api.ts` (mutations invalidate `['admin']`); Settings and Blog use inline `useQuery`/`useMutation`. Backend: `admin.ctl` (`@Roles(Admin)`) → `AdminService` (+ `staff-account.ts`); exports → `exports.ctl`. Page files under `features/admin/pages/`.

Route	Page component	Key components	API calls
`/admin`	`AdminDashboardPage.tsx`	stat cards, activity feed	GET `/admin/stats`
`/admin/users`	`AdminUsersPage.tsx`	`CreateStaffModal`, `ExportButton`	GET `/admin/users?page&q&roleId&isActive`; POST `/admin/users`; POST `/admin/users/bulk-update`; GET `/exports/users?format=csv`
`/admin/users/:userId`	`AdminUserDetailPage.tsx`	`ConfirmDialog`, `SetPasswordNotice`	GET `/admin/users/:id`; PATCH `/admin/users/:id {isActive
`/admin/employer-approvals`	`AdminEmployerApprovalsPage.tsx`	`ReviewModal`	GET `/admin/employer-registrations?status`; GET `/clients/masters` (`employers.ctl`); POST `/admin/employer-registrations/:id/review`
`/admin/companies`	`AdminCompaniesPage.tsx`	—	GET `/admin/companies?page&q`
`/admin/jobs`	`AdminJobsPage.tsx`	bulk bar, `ExportButton`	GET `/admin/jobs?page&q&status&clientId`; POST `/admin/jobs/:id/status` (one) or `/admin/jobs/bulk-moderate` (several, chosen in `admin.api.ts:193-199`); GET `/exports/jobs`
`/admin/jobs/:jobId`	`AdminJobDetailPage.tsx`	—	GET `/admin/jobs/:id`; POST `.../status`
`/admin/applications`	`AdminApplicationsPage.tsx`	`ExportButton`	GET `/admin/applications?page&q&statusId&stage&jobId`; GET `/exports/applications`
`/admin/applications/:mapId`	`AdminApplicationDetailPage.tsx`	`NextStepLink` (deep link to Q1/Q2/Q3 owner)	GET `/admin/applications/:id` (read-only)
`/admin/blog`	`BlogCmsPage.tsx`	editor	GET/POST `/admin/blog-posts`; PATCH/DELETE `/admin/blog-posts/:id`
`/admin/settings`	`AdminSettingsPage.tsx`	form	GET/PATCH `/admin/settings` (stored, not enforced)
`/admin/reports`	`ReportsPage.tsx`	`ExportButton`	GET `/admin/stats`; GET `/exports/users
`/admin/audit`	`AdminAuditLogPage.tsx`	—	GET `/admin/audit-logs?page&action&entity&userId`

`POST /admin/users/bulk-delete` has no admin UI.

---

4. Key forms and actions

Column "Wired?": **yes** = calls a real endpoint and handles the result; **no-op** = nothing reaches the server; **broken** = reaches the server but cannot succeed or mis-reports.

4.1 Auth

Action	Component	Validation	API	Success	Failure	Wired?
Login	`features/auth/pages/LoginPage.tsx`	zod `loginSchema` (userName, password min 1; `auth.types.ts:22-26`)	POST `/auth/login`	wrong door → revoke + toast; else `setSession`, toast, `navigate(from ?? ROLE_HOME)`	toast with API message	yes
Register candidate	`RegisterPage.tsx`	zod `registerSchema`: fullName 2-100, email, ISO2 country, mobile 4-15 digits (IN `^[6-9]\d{9}$`), password 8-72	POST `/auth/register`	stores challenge, toast "OTP sent" (non-prod shows `devCode`)	toast API message	yes

Action	Component	Validation	API	Success	Failure	Wired?
OTP verify / resend	`features/auth/components/OtpVerification.tsx`	6 digits, auto-submit, countdown	POST `/auth/verify-otp`, `/auth/resend-otp`	`setSession` → `/candidate/onboarding`	inline aria-live error; 429 uses `retryAfterSeconds`	yes
Register employer	`EmployerRegisterPage.tsx`	RHF only: companyName, emailCompany required + regex	POST `/auth/register-employer` (blank fields sent as `''`)	"under review" screen	toast API message	**broken** when HR email is left blank (`''` fails `@IsOptional()` `@IsEmail()`)
Forgot password	`ForgotPasswordPage.tsx`	zod userName min 1	POST `/auth/forgot-password`	success Alert	**no onError, no error UI**	yes (silent on failure)
Reset password	`ResetPasswordPage.tsx`	zod token, password ≥8, confirm match	POST `/auth/reset-password`	toast + `/login`	generic toast (token errors not distinguished)	yes
Social login	`features/auth/components/SocialLoginButtons.tsx`	—	`window.location.href='/auth/google`	linkedin"	—	—
Logout	`ProfilePanel.tsx`, `EmployerHeader.tsx`, `DashboardLayout.tsx`	—	POST `/auth/logout`	tokens cleared; route guard redirects	errors swallowed	yes (cache not cleared, §5)

4.2 Candidate

Action	Component	Validation	API	Success	Failure	Wired?
Wizard: Personal	`portal/wizard/PersonalStep.tsx`	zod: fullName ≥2, mobile ≥10 chars, optional email/LinkedIn URL, experience unless fresher	PUT `/candidates/me/personal`, `/headline`, `/professional`, `/accomplishments` (only changed parts)	invalidates `['candidate','cv-edit']`, `['candidate','profile','me']`; next step	inline "Could not save"	yes (blank gender sent as `'M'`)
Wizard: Summary / Experience / Projects	`SummaryStep.tsx`, `ExperienceStep.tsx`, `ProjectsStep.tsx`	company / title required	PUT `/summary`; PUT/DELETE `/employment`, `/projects`	next step	inline	yes
Wizard: Education	`EducationStep.tsx`	zod `educationDraftSchema` (`wizard/validation.ts:32-78`)	GET `/candidates/me/institutes` (250 ms debounce); PUT/DELETE `/education`	next step	per-field	yes
Wizard: Skills / Preferences	`SkillsStep.tsx`, `PreferencesStep.tsx`	non-empty entries	PUT `/key-skills`, PUT/DELETE `/languages`, `/it-skills`; PUT `/career-profile`, `/professional`	next step	inline	yes
Wizard: Resume	`ResumeStep.tsx`	PDF only, ≤5 MB (client)	POST `/files/resume` (progress)	invalidates profile	413 → "too large"	yes
Complete onboarding	`portal/pages/ProfileWizardPage.tsx`	—	POST `/candidates/me/complete-onboarding`	`updateUser({isOnboarded:true})`, toast, `/candidate/profile`	navigates to `/candidate/profile` anyway → guard bounces back to wizard, no message	yes (failure path loops — *runtime verification needed*)
Profile photo	`ProfileHero` → `features/candidates/components/ProfilePhotoUpload.tsx`; Account personal tab	size check	POST `/files/avatar`	invalidate, toast	toast	yes
Resume builder	`portal/pages/ResumeBuilderPage.tsx`	—	none (html2canvas + jsPDF)	downloads PDF	toast	yes (client-only, raster PDF)

Action	Component	Validation	API	Success	Failure	Wired?
Home search bar	`features/jobs/components/JobSearchBar.tsx`	—	navigates `/jobs?designation=…&location=…`	—	—	**broken**: `JobSearchPage` reads `q`, keyword dropped
Job search filters	`JobSearchPage.tsx`	—	GET `/jobs` with array params	results	`ErrorState` + retry	yes; arrays may 400 (§5, potential)
Save / unsave job	`JobSearchPage`, `JobDetailPage`, `SavedJobsPage`	—	POST/DELETE `/candidates/me/saved-jobs/:jobId`	invalidates `['candidate','saved-jobs']`, `['candidate','saved-job-ids']`	silent	yes
Apply	`features/jobs/pages/JobApplyPage.tsx`	hand-rolled required fields + email regex	POST `/jobs/:id/apply`; POST `/files/resume`	"done" stage with reference; invalidates `['candidate','applied-jobs']`, `['candidate','dashboard']`	403 → `/candidate/subscription?returnTo=…`; **any 400 → "already applied"**	yes (400 mislabelled)
Pick interview slot	`portal/components/InterviewSlotPicker.tsx`	—	POST `/recruitment/interview-rounds/:roundId/select-slot`	toast; invalidates `['recruitment','interview-rounds']`	toast	yes
Accept / decline offer	`portal/components/OfferResponseCard.tsx`	—	POST `/recruitment/offers/:id/respond {accept}`	toast; invalidates `['recruitment','offers']`	toast	yes
Upload document	`portal/pages/DocumentsPage.tsx`	`.pdf,.jpg,.png`; disabled if no `documentTypeId`	POST `/candidates/me/documents/:documentTypeId`	toast; invalidates `['candidate','documents']`	413 / generic inline	yes
Refer a friend	`portal/pages/ReferPage.tsx`	name + email required	POST `/candidates/me/referrals`	toast "Invite sent"; invalidates `['candidate','referrals']`	toast	**partly**: no email is sent; `/register?ref=` is never read
Personal info	`AccountSettingsPage.tsx` (PersonalInfoTab)	none	PUT `/candidates/me/personal`	toast	toast	yes (gender default `'M'`)
Change password	AccountSettings SecurityTab	new ≥8, confirm	POST `/candidates/me/change-password`	toast, reset	any 400 → "current password not correct"	yes
Privacy / email prefs	PrivacyTab; `EmailPreferencesPage.tsx`	—	GET/PUT `/candidates/me/privacy`, `/notification-prefs`	toast	toast	yes, but stored values are read by no API code
Data export	DangerZoneTab	—	POST `/candidates/me/export` (202)	toast "we will email you"	toast	**no-op downstream**: API only stamps a date
Delete account	DangerZoneTab + `ConfirmDialog`	confirm	POST `/candidates/me/delete-account`	toast, `logout()`, `/`	toast	yes (deactivates login)
Buy membership	`PricingPlans` → `SubscribeButton` → `RazorpayCheckout`	guest → `/login`	POST `/payments/create-order`, `/payments/verify`	invalidates `['payments','subscription']`, toast, `returnTo` or `/payment/return`	toast; cancel silent	yes
Payment return	`PaymentReturnPage.tsx`	—	GET `/payments/orders/:ref` poll; POST `/payments/verify` fallback	invalidate subscription, clear `aaj.lastOrderRef`	timed-out state	yes

Action	Component	Validation	API	Success	Failure	Wired?
Withdraw application / request reschedule	—	—	none	—	—	**Missing implementation** (no UI, no candidate API)

4.3 Employer

Action	Component	Validation	API	Success	Failure	Wired?
Post / edit job (publish or draft)	`employer/pages/ManageJobs/AddJob/AddJobPage.tsx`	hand-rolled: publish needs position, type, mode, minExp, city, education, industry, department, ≥1 skill, description; CTC and rounds ranges; scrolls to first error	POST `/clients/me/jobs[?draft=true]`, PATCH `/clients/me/jobs/:id[?draft=]`	navigate to list/drafts; invalidates `['employer','jobs']`	banner with API message	yes
Close / activate / archive / unarchive / delete job	`JobListPage.tsx` (+ `ConfirmDialog` for delete/archive)	—	POST `.../status`, `.../archive`, `.../activate`; DELETE	invalidates `['employer','jobs']`	`actionError` banner	yes
Bulk import	`BulkImportPage.tsx`	`.csv`	POST `/clients/me/jobs/bulk-upload?commit=false` then `true`	commit invalidates jobs	shows axios generic message, not API message	yes (poor error text)
Applicant decision / undo	`ApplicantListPage`, `ApplicantProfilePage`, `ComparePage` (+ `utils/decisionConfirm.ts`)	confirm	POST `.../decision {Shortlisted|Rejected}`, `.../decision/undo`	Hired		invalidates `['employer','applicants']`, `['employer','analytics']`, `['employer','billing']` (+ rounds on undo)
Schedule interview	`ScheduleInterviewForm.tsx`	HR + interviewer name/email, optional guest pair, venue for face-to-face, 3 distinct future slots	POST `.../interview-rounds`	invalidates applicants/analytics/rounds	inline	yes
Record round result	`InterviewProcessPanel.tsx`	—	POST `.../interview-rounds/:roundId/result`	invalidates pipeline + billing	inline	yes
Notes	`ApplicantProfilePage.tsx`	non-empty	PUT `.../notes {note}`	invalidates notes	banner	yes
Request / review documents	`RequestDocumentsForm.tsx`, `ApplicantDocumentsPanel.tsx`	≥1 name	POST `.../document-request`, `.../documents/review`	invalidates docs	inline	yes
Offer create / send / mark joined	`ApplicantProfilePage.tsx`	salary required	POST `/recruitment/offers`, `.../send`, `.../mark-joined`	refetch offer	banner	yes
Company profile + logo	`CompleteProfile/CompleteProfilePage.tsx`	none (`noValidate`, `*` markers only)	PATCH `/clients/me`; POST `/clients/me/logo`	inline "saved"	inline API message	yes
Analytics / billing CSV	`AnalyticsPage.tsx`, `BillingPage.tsx`	—	GET `.../analytics/export`, `.../billing/export` (blob)	download	—	yes
Team, change password, messages, notifications	`SettingsPage`, `MessagesPage`, `NotificationsPage`	—	none	—	—	**Missing implementation**

4.4 Q1 / Q2 / Q3 staff

Action	Component	Validation / confirm	API	Success	Failure	Wired?
Q1 checklist toggle / select all	`features/q1/components/ScreeningRail.tsx`	—	PATCH `/q1/candidates/:id/checklist`, `/checklist/all`	invalidates `['q1']`	toast with server message	yes
Q1 Mark verified	`ScreeningRail.tsx` (only at 100% completeness)	—	POST `.../verify`	toast + invalidate	toast	yes
Q1 Contact candidate	`ContactCandidateModal.tsx`	modal	POST `.../contact` `{channel, reason, internalNote}`	toast, then opens `UpdateStatusModal`	toast	yes (logs only; nothing is sent)
Q1 Update status	`UpdateStatusModal.tsx`	date not past, attempts 0-99, reason required	POST `.../status`	toast + invalidate	toast	yes; reachable only after a contact
Q1 Request update / request CV	`ScreeningRail.tsx`, `Q1CandidateProfilePage.tsx`	—	POST `.../request-update`, `.../request-cv`	toast	toast	yes
Q1 View / download CV (4 buttons)	`Q1CandidateProfilePage.tsx:138,144,277,284`	—	`window.open('/api/recruitment/candidates/:id/resume')`	—	—	**broken** (401, no bearer)
Q2 Toggle criterion	`Q2ApplicantDetailPage.tsx:92-97`	—	PATCH `.../criteria`	`setQueryData`	toast	yes
Q2 Forward / Send back / Reject	`Q2ApplicantDetailPage.tsx:172-198`	**no confirmation, no reason**	POST `.../forward	send-back	reject `with {}`	toast + invalidate `['q2']`
Q2 Preview resume	`Q2ApplicantDetailPage.tsx:288-296`	—	`<a href="/api/recruitment/candidates/:id/resume">`	—	—	**broken** (401)
Q3 Forward / return CVs	`Q3ReferredCvsPage.tsx`, `ReturnToQ2Modal.tsx`	return: reason required	POST `/q3/referrals/forward`, `/return`	toast; forward navigates to `/q3/company-review`	toast	yes
Q3 Round setup	`RoundSetupModal.tsx`	modal form	PUT `.../round-setup`	toast	toast	yes (no "company rejected" option)
Q3 Confirm slot & send invites	`Q3SchedulingPage.tsx:629-656`	slot required; http(s) link for virtual; ≥1 recipient	POST `/q3/rounds/:r/confirm`	toast "Invites sent"	toast	yes
Q3 Call / Email candidate	`Q3SchedulingPage.tsx:150-178`	—	Call: POST `.../contact` then `tel:`; Email: `mailto:` only	toast	—	Call yes (logged before call); Email client-only, not logged
Q3 Interview-day actions	`Q3InterviewsPage.tsx:727-758`	none (reschedule unconfirmed)	POST `/q3/rounds/:r/remind	checklist	reschedule	conducted`
Q3 Record decision	`RecordDecisionModal.tsx`	modal	POST `/q3/rounds/:r/decision`	toast; Selected → `/q3/documents/:mapId`	toast	yes
Q3 Documents verify / send back / forward / approve	`Q3DocumentsPage.tsx`, `SendBackModal`	send-back comment; approve confirm	POST `/q3/documents/:id/verify	send-back, .../documents/forward	approve`	toast
Q3 Generate offer / mark joined	`GenerateOfferModal.tsx`, `Q3DocumentsPage.tsx`	modal / confirm	POST `.../offer`, `.../joined`	toast	toast	yes (no resend/revise/withdraw)
Q3 Export report	`Q3DashboardPage.tsx:294-341`, `q3-report.ts`	—	GET `/q3/report?quarter` → jsPDF	download	toast	yes

4.5 Legacy recruitment and admin

Action	Component	Validation / confirm	API	Success	Failure	Wired?
Candidate decision	`features/recruitment/pages/CandidateDetailsPage.tsx`	reason modal (except Approve)	POST `/recruitment/candidates/:id/decision`	toast + invalidate	toast	yes
Assign job	same	modal	POST `.../assign-job`	toast	toast	yes, but **no query invalidation** (`useAssignJob`)
Refer to Q3 / score	same	—	POST `/recruitment/referrals` ; POST `/recruitment/applications/:id/score`	toast / breakdown modal	toast	yes
Schedule interview	`InterviewsPage.tsx`	RHF + zod modal	POST `/recruitment/interviews`	toast + invalidate	toast	yes
Complete / cancel interview	`InterviewsPage.tsx:58-62`	**no confirm**	POST `/recruitment/interviews/:id/status`	toast	**no onError (silent)**	yes (silent failures)
Round create / result	`InterviewRoundsPanel.tsx`	—	POST `/recruitment/interview-rounds` , `.../result`	toast	toast	yes (`next` never sent)
Approve / reject employer	`features/admin/pages/AdminEmployerApprovalsPage.tsx`	two-step modal; approval needs city	POST `/admin/employer-registrations/:id/review`	toast; invalidate `['admin']`	toast (409 on repeat)	yes
Activate / deactivate / change role / reset password	`AdminUserDetailPage.tsx`	`ConfirmDialog` ; self disabled; staff roles only	PATCH `/admin/users/:id` ; POST `.../password-reset`	toast / `SetPasswordNotice`	toast	yes
Bulk user update / create staff	`AdminUsersPage.tsx`	`ConfirmDialog` / RHF	POST `/admin/users/bulk-update` , `/admin/users`	toast / `SetPasswordNotice`	toast / inline	yes
Close / reopen job	`AdminJobsPage.tsx` , `AdminJobDetailPage.tsx`	`ConfirmDialog`	POST `/admin/jobs/:id/status` , `/bulk-moderate`	toast	toast	yes
Save settings	`AdminSettingsPage.tsx`	none (empty number → 0)	PATCH `/admin/settings` (whole form)	toast + invalidate	toast	yes, but settings are not enforced; may save defaults if GET failed (potential)
Blog create / edit / publish / delete	`BlogCmsPage.tsx`	`ConfirmDialog` on delete	POST/PATCH/DELETE `/admin/blog-posts`	toast; invalidate `['admin','blog-posts']`	toast	yes (posts never shown publicly)
CSV exports	`features/admin/components/ExportButton.tsx`	—	GET `/exports/*?format=csv&from&to` (blob)	download	toast "Export failed"	yes

5. Dead or broken UI

5.1 Confirmed issues

#	Issue	Evidence (file)
C1	Q1 and Q2 CV view/download open `/api/recruitment/candidates/:id/resume` by top-level navigation → 401 "Missing bearer token"	`features/q1/pages/Q1CandidateProfilePage.tsx:138,144,277,284` ; `features/q2/pages/Q2ApplicantDetailPage.tsx:288-296` ; `apps/api/src/common/guards/jwt-auth.guard.ts:34-35`

#	Issue	Evidence (file)
C2	Legacy Q3 screens 403: `/recruitment/q3/candidates`, `/interviews`, `/documents` call endpoints restricted to QC1/QC2/Admin; they are the Q3 sidebar links in `DashboardLayout`. Interviews page ignores `isError` and shows "no interviews"	`routes/router.tsx:428-430`; `components/layout/menu.ts:107-111`; `apps/api/src/modules/recruitment/recruitment.controller.ts:36`
C3	Public pages call endpoints that do not exist: `/search`, `/candidates/:id/profile` (target of every candidate's "Share Profile" in `ProfileHero.tsx`), `/clients/:id/reviews` (widget on `/companies/:id`), `/companies/:id/reviews`, `/jobs/salary-insights` (400)	§3.1; API_DOCUMENTATION.md §18
C4	Home search keyword dropped: `JobSearchBar` writes `?designation=`, `JobSearchPage` reads `q`	`features/jobs/components/JobSearchBar.tsx:23`; `features/jobs/pages/JobSearchPage.tsx:56`
C5	Contact form shows success but sends nothing (`setTimeout` 600 ms)	`features/public/pages/ContactPage.tsx:29-33`
C6	Resume "View" link is `<a href="/files/resume">` (no `/api`, no bearer) → SPA 404; neighbouring Download works	`features/candidates/portal/components/ProfileAsideCards.tsx:150-156`
C7	Employer registration fails with blank HR email (`''` vs `@IsOptional()` `@IsEmail()`)	`features/auth/pages/EmployerRegisterPage.tsx:35-45,121-125`; `apps/api/src/modules/auth/dto/auth.dto.ts:177-180`
C8	Forgot password has no failure feedback	`features/auth/pages/ForgotPasswordPage.tsx:21`
C9	Job apply reports every 400 as "already applied"	`features/jobs/pages/JobApplyPage.tsx:126-129`
C10	Bulk import shows axios' generic message instead of the API message	`employer/pages/ManageJobs/BulkImport/BulkImportPage.tsx:62`
C11	Dead links: CommandPalette → `/candidate/settings` (unregistered; also shows candidate/employer items to every role); PWA shortcut → `/candidate/applied-jobs` (commented out); CareerPage canonical `/careers` vs route `/career`; `MobileBottomNav` (unmounted) → `/candidate/messages`; `DashboardStats` (orphan) → `/candidate/applied-jobs`	`components/CommandPalette.tsx:52-64`; `apps/web/vite.config.ts:79`; `features/public/pages/CareerPage.tsx:22`
C12	Employer header bell always shows a red unread dot and opens a static page; sidebar badges hard-coded `0`	`employer/components/Header/EmployerHeader.tsx:96-98`; `employer/layouts/EmployerLayout.tsx:71`
C13	Portal unread badge counts only SSE events since header mount; never loads stored notifications	`hooks/useRealtimeNotifications.ts`
C14	Referral "Invite sent" toast but no email/SMS; `ref` query param never read by `RegisterPage`	`features/candidates/portal/pages/ReferPage.tsx:42,61-64`
C15	Logout leaves the React Query cache, offline queue and `aaj.lastOrderRef` intact (client-side navigation)	`features/auth/auth.store.ts:35-41`; `lib/queryClient.ts`
C16	Wizard and Account settings default blank gender to `'M'`	`portal/wizard/PersonalStep.tsx:116`; `portal/pages/AccountSettingsPage.tsx:113`
C17	Q2 Forward / Send back / Reject: final decisions with no confirmation and no reason (API accepts `note`)	`features/q2/pages/Q2ApplicantDetailPage.tsx:172-198`; `features/q2/q2.api.ts:122-144`
C18	Legacy `InterviewsPage` Complete/Cancel: no confirm, no `onError`; `QC1DashboardPage` and legacy `Q3DashboardPage` have no error branch (skeleton forever)	`features/recruitment/pages/InterviewsPage.tsx:58-62`; `QC1DashboardPage.tsx:17,38`; `recruitment/pages/Q3DashboardPage.tsx:21`
C19	`useAssignJob` has no invalidation	`features/recruitment/recruitment.api.ts:105-110`

5.2 Potential issues (needs runtime verification)

#	Issue	Evidence
P1	Job search array filters sent as `employmentTypes[]=…` (no `paramsSerializer`) may be rejected by `forbidNonWhitelisted` under Express 5's simple query parser; E2E mocks hide it	`lib/axios.ts`; `apps/api/src/main.ts:36-41`; `apps/api/src/modules/jobs/dto/jobs.dto.ts:61-78`
P2	Onboarding completion failure loops back to step 1 without a message	`features/candidates/portal/pages/ProfileWizardPage.tsx:75`
P3	Hard-coded `/api` prefixes bypass `env.apiBaseUrl` (logo `<img>`, Student book link)	`employer/pages/CompleteProfile/CompleteProfilePage.tsx` (~l.166); `features/public/pages/StudentGuidePage.tsx:13`
P4	N+1 load: `ApplicationsPage` issues 2 extra GETs per application, and polls every 60 s	`features/candidates/portal/pages/ApplicationsPage.tsx`

#	Issue	Evidence
P5	Employer filter dropdowns load only 100 jobs/applicants	`ApplicantListPage.tsx:82` ; `ComparePage.tsx:248`
P6	Admin inside `/company/*` gets 404s from `/clients/me/*`	`components/layout/menu.ts:95-105`
P7	`AdminSettingsPage` can PATCH defaults if the initial GET failed; empty numbers become 0	`features/admin/pages/AdminSettingsPage.tsx:130-155,297,323-335`
P8	`GET /q1/candidates/:id` mutates state (New → Screening) on any refetch or admin peek	`apps/api/src/modules/q1/q1.controller.ts:51-55`
P9	Legacy photo fallback `/files/no-image.png` may not exist	`features/recruitment/pages/CandidateDetailsPage.tsx:170`
P10	Q1/Q2 topbar quick search pushes one history entry per keystroke	`Q1Shell.tsx:190-196` ; `Q2Shell.tsx:261-264`
P11	Refresh token in localStorage is readable by any XSS	`lib/tokenStorage.ts:18-21`

5.3 Missing implementation

Area	What is missing	Evidence
Candidate	Withdraw application; request interview reschedule (only Q3 has an endpoint)	no UI, no candidate API
Candidate	Editors for diversity, personal details, accomplishments other than LinkedIn, GitHub link — only editor `/candidate/profile/advanced` is commented out	`routes/router.tsx:370-373`
Candidate	Data export processor, account purge job; consumers of privacy and email preferences	API_DOCUMENTATION.md §3
Employer	Messaging, notifications, settings/team, employer change password, job duplicate (`useDuplicateJob` unused), bulk applicant actions (`useBulkDecideApplicants` unused), branding	§3.5
Public	Public blog from CMS, company reviews, salary insights, global search, public candidate profile, OAuth	§3.1
Q1	Contact-log UI (`useQ1ContactLog` unused); direct "Update status" entry	`features/q1/q1.api.ts:58` ; `ContactCandidateModal.tsx:52-58`
Q3	Record a company rejection from Company Review; offer resend/revise/withdraw ("Declined"/"Expired" are disabled dead ends)	`Q3CompanyReviewPage.tsx` ; `Q3DocumentsPage.tsx:770-773`
Admin	Bulk delete UI (`POST /admin/users/bulk-delete`)	`admin.controller.ts:80`

5.4 Orphan code and mocked / hard-coded data (Improvement recommendation)

Item	Path	Note
Orphan components (imported by nothing)	`features/jobs/components/{SaveJobButton (wrong endpoint), CompareDrawer, AdvancedSearchModal, ApplicationQuestionnaire}.tsx` ; `features/candidates/components/{ResumeImport, JobRecommendations, DashboardStats, ProfileCompletionMeter, SavedSearches, DashboardWidgets}.tsx` ; `features/dashboard/DashboardHome.tsx` ; `features/clients/components/*` (AnalyticsDashboard, ApplicantNotesModal, BulkEmailUpload → non-existent `/clients/me/campaigns/bulk` , EmployerDashboardStats, JobQuestionsEditor, ScheduleInterviewModal, VideoInterviewSetup); `components/PushNotificationPrompt.tsx` (non-existent `/notifications/subscribe`); `components/layout/MobileBottomNav.tsx` ; `features/messaging/MessagingPage.tsx` (non-existent `/messaging/*`); `features/dev/ComponentShowcase.tsx` ; `features/misc/ErrorPage.tsx` ; `components/NotificationBell.tsx` (shells use `components/layout/NotificationBell`); AnimatedCounter, KeyboardShortcutsHelp, OptimizedImage, PageSkeleton, QueryErrorBoundary, WhatsAppShare *(grep-based, inferred)*	Remove or wire up
Commented-out pages still in tree	`features/candidates/pages/{CandidateProfile, CvManager, AppliedJobs, ResumePreview, JobAlerts, ChangePassword, AssessmentsList, SkillAssessment, SavedSearches, SkillGap, InterviewCalendar, ActivityTimeline, CareerPath, CompanyComparison}Page.tsx` — several call non-existent endpoints (`/candidates/me/assessments` , `/skill-gap` , `/career-path` , `/interviews/calendar` , PATCH saved-searches)	Unreachable
Deprecated re-exports	`features/clients/client.api.ts` , `client.types.ts`	—
Aspirational types	`types/api.ts` (used only by `test-utils/apiMocks.ts` ; shapes differ from the API)	—
Hard-coded data	`features/public/blogs.data.ts` , `pricing.data.ts` , `services.data.ts` , PlanComparison, testimonials, About/Help/Legal; profile "Profile Views" tile fixed "—" (`ProfileOverviewPage.tsx:269`); "Last 30 days" caption *(dashboard endpoint not date-filtered — inferred)*	`PricingPlans` itself is live
Disabled placeholders	Google/LinkedIn login; Account 2FA and Connected Accounts toggles	—
MSW fixtures	`mocks/handlers.ts` (713 lines), `mocks/data.ts` (1201 lines) — dev/CI only	Only with `VITE_USE_MOCKS=1`

6. Duplicate screens: legacy `/recruitment/*` vs `/q1` `/q2` `/q3`

Canonical staff UI: `/q1/*`, `/q2/*`, `/q3/*` and `/admin/*` (each role's `ROLE_HOME` points there). `/recruitment/*` is legacy; router comments say it is "untouched and still reachable" (`routes/router.tsx:261, 282, 303`).

Function	Canonical	Legacy duplicate	Still linked from
QC1 dashboard / queue	`/q1/dashboard` , `/q1/candidates`	`/recruitment/qc1` , `/recruitment/candidates`	QC1 legacy menu links `/q1/dashboard` , `/q1/candidates` **and** `/recruitment/documents` , `/recruitment/interviews` (`menu.ts:82–86`)
Candidate review / decision	`/q1/candidates/:id` (screening state in `tblSubscriberScreening`)	`/recruitment/candidates/:id` (registration decision)	QC2 legacy menu `/recruitment/candidates` (`menu.ts:88–91`). Two state models, not reconciled in the UI *(inferred)*
Refer to Q3	`/q2/applications/:mapId` → POST `/q2/applications/:mapId/forward`	`CandidateDetailsPage` "Refer to Q3" → POST `/recruitment/referrals`	Both reachable; same referral pipeline *(inferred)*
Q2 referral tracking	`/q2/forwarded`	`/recruitment/referrals`	QC2 legacy menu `/recruitment/referrals` ; **the QC2 legacy menu has no `/q2` link**
Q3 dashboard / forwarding	`/q3/dashboard` , `/q3/referred`	`/recruitment/q3` (forward + `InterviewRoundsPanel`)	Q3 legacy menu (`menu.ts:107–111`) links only `/recruitment/q3/*` , three of which 403 (C2); **no `/q3` link**
Interview rounds / results	`/q3/scheduling` , `/q3/interviews` , `/q3/decisions`	`InterviewRoundsPanel` and `/recruitment/interviews` (single-interview model)	QC1 legacy menu `/recruitment/interviews`
Document review	`/q3/documents` (per application)	`/recruitment/documents` , `/recruitment/q3/documents`	QC1, QC2, Q3 legacy menus
Offer / joined	`/q3/offers` (POST `/q3/.../offer` , `/joined`)	`/recruitment/offers*` (used by the employer portal, not by a legacy staff page)	employer `ApplicantProfilePage`

The legacy menu is shown only inside `DashboardLayout` ; the new shells have their own sidebars. A staff user who lands on any `/recruitment/*` page sees the legacy menu.

---

7. Mobile responsiveness (static evidence only)

> Read from Tailwind classes and handlers. **Needs runtime verification** on real devices; only the admin shell and Q2 have automated viewport checks (see TESTING_AND_ISSUES.md).

Shell / area	Navigation below breakpoint	Tables / content	Gaps seen in code
Public `Navbar` (`components/layout/Navbar.tsx:97–117`)	Below `md` , all links collapse into one "Menu" dropdown; desktop pills `hidden md:block`	—	No signed-in state in the navbar *(inferred)*
Candidate `PortalHeader`	Links `hidden lg:flex` ; hamburger `lg:hidden` toggles a disclosure list; wordmark `sr-only` below 374 px	Portal stacks sidebar over content below `lg` (`flex-col lg:flex-row` , sidebar `w-full lg:w-80`); `ModuleTiles` `grid-cols-2 sm:grid-cols-3 lg:grid-cols-2` ; wizard `StepDots` hidden below `sm`	`MobileBottomNav` exists but is not mounted
`DashboardLayout` (legacy)	Hamburger `lg:hidden` ; `Sidebar` fixed drawer `max-w-[85vw]` , overlay; closes on navigation (`DashboardLayout.tsx:67`)	Shared `components/ui/Table.tsx` `min-w-[640px]` + horizontal scroll; Membership history `overflow-x-auto`	—
`EmployerLayout`	`EmployerSidebar` fixed drawer (`-translate-x-full` / `lg:translate-x-0`), overlay, closes on route change and Escape (`EmployerLayout.tsx:24–34`); collapse persisted in `aaj.employer.sidebar.collapsed`	`employer/components/Tables/DataTable.tsx:34` `overflow-x-auto` + column-visibility menu (no card view)	Few breakpoint classes on employer pages; dense tables likely scroll sideways *(inferred)*
`Q1Shell`	Sidebar `hidden lg:block` ; hamburger drawer with backdrop, closes on link/popstate	`CandidateQueue` switches to stacked cards below `md`	Quick search hidden below `md` ; drawer lacks Escape, focus trap, scroll lock

Shell / area	Navigation below breakpoint	Tables / content	Gaps seen in code
`Q2Shell`	Same drawer; desktop collapse toggle persisted	`ApplicantsTable` / `EmployerJobsTable` `overflow-x-auto` + `min-w-[58rem]` / `[54rem]`	Quick search hidden below `md`
`Q3Shell`	Drawer closes on pathname change	Tables with `min-w` 714–1126 px inside `overflow-x-auto` (`Q3ReturnedPage.tsx:109` , `Q3ReferredCvsPage.tsx:197` , `Q3DocumentsPage.tsx:234,338` , `Q3DashboardPage.tsx:199` , `Q3InterviewsPage.tsx:380` , `Q3CompanyReviewPage.tsx:111`)	Search hidden below `md` ; no Escape on drawer; cramped on phones
`AdminShell`	`role=dialog aria-modal` drawer with Escape, body scroll lock, closes on route change; desktop collapse persisted	Admin `DataTable` (`features/admin/components/primitives.tsx:147-253`) renders a card list below `md`	Best of the shells