```
survival_rate=df['survived'].value_counts(normalize=True)*100
survival_rate.plot(kind="bar")
plt.title("Survival Percentage")
plt.ylabel("Percentage")
plt.show()
```




```
sns.barplot(x="sex",y="survived",data=df)
plt.title("Survival Rate by Sex")
plt.show()
```



```
sns.boxplot(x="pclass",y="fare",data=df)
plt.title("Fare Distribution by Passenger Class")
plt.show()
```




```
df["Family_size"]=df["sibsp"]+df["parch"]
sns.barplot(x="Family_size",y="survived",data=df)
plt.title("Survival Rate by Family Size")
plt.show()
```



```
sns.histplot(df["age"],color="red")
plt.title("Age Distribution")
plt.show()
```




```
sns.histplot(data=df,x="age",hue="survived",palette=["red","yellow"])
plt.title("Age Distribution by Survival")
plt.show()
```



```
survival=df["survived"].value_counts()
plt.pie(survival,labels=["Survived","Not Survived"],autopct="%1.1f%%",col
plt.title("Survival Percentage")
plt.show()
```




```
sns.scatterplot(x="age",y="fare",data=df)
plt.title("Age vs Fare Scatter Plot")
plt.show()
```



```
cm=confusion_matrix(y_test,y_pred)
sns.heatmap(cm,annot=True,fmt="d")
plt.show()
```