impost java.aut.event.*; class sampleDialog extends Dialog implements Actionlistner & Davide AWT bld; Sample Dialog (Frame parent, String title) Super (parent, title, false); bld = (pride, AWT) parent; SetLayout (new flowLayout ()); SetSize (500, 300); Button b; add (b = new But fon ["OK"]); b. addActionListener (this); Pullic void action Performed (Action Event ae) & dispose () public void paint (Graphics g) & color (= new Color (0,0,0);
g. set color (1);
g. doowstoing (bld. msg, 5,50);

Date; Paga:
class PrideANT extends frame implements
Actionlistères &
Button bi;
Text field titz;
Textfield titz; String dick = "", msg = "";
public DrideAWT () &
Setlayout (new Flondayout ()); t1 = hew Text Field (12);
ti=hew Text Field (12)
add (+1);
bi = new Button ("/"); add (bi);
tz = hew Textfield (12)'
add (tz);
by add Action (istner (this);
add Nindow Listener (new My Dirdow Adapter ()), >
Day Colmand Colly Trank
public void actionPerformed (ActionEvent ae)
if (ac.getAction(ommand().equals ("/"))
dick = ae. getAetionCommand (); Sepaint ()
click = al. getActionCommand ();
sepaire (19
Mary Mary Court - Special Cour
Canal

-	Date — Page —
	Rublic void wit (Commission)
-	Rublic void paint (Graphics g)
	intab:
	if (trgetText().equals ("") [tz.getText().equals
_	Q DIG = "Field of the Pi
	meg = "Fields cannot be empty";
	else &
	and the same and side and same
	try &
_	a = Integer parseInt (tr. getText()); b = Integer parseInt (tr. getText()); int div = a/b;
-	= Integer. parselat (tz. getText ());
-	if (click equals ("/"))
-	
	msg="Result"of:"+a+" "+b+"="+div;
	2 Majah antrong tang tang
_	Drug significant and the state of the state
-	Catch (Number Format Exception exi)
-	The first of the first of the control of the first of the control
-	msq = " Enter valid nos";
	catch (Anthematic Exception ex2)
	discrift (Frankorice) ception ex2
	msg="Division by zero not possible";
	> 0
	Sample Dialog d = new Sample. Dialog (this, "Dialog");
	diset Visible (true);

	Date: Page:	,
	public Static void main (Stoing args [])	h.
	PrideAWT t = New DrideAWT ();	
	t. Set Title ("DIVISION DE NUMBERS");	
	PrideAWT t = New DrideAWT (); t. setSize. (new Dimension (1000,1000)); t. setTitle ("DIVISION OF NUMBERS"); t. setVisible (trul);	
	×	
	Class My Window Adaptes extends Window Ada	aptes
*	public void Kindow dosing (Window Event n	ve)
h	V	
•	System.exit(o);	
<u> </u>		
•	P	
~}		
1		
,		
4		
4		
4		
1		
1		
1		
A		
-		
		-