






SpringCore_Maven(Exercise1,2,4,5,7,9)

Exercise 1: Configuring a Basic Spring Application





Exercise 2: Implementing Dependency Injection(ALL FILES ARE SAME AS EXERCISE1 ONLY INJECTION ARE ADDED IN BOOKSERVICE.JAVA)




The screenshot shows the IntelliJ IDEA interface with the `BookService.java` file open. The project structure on the left includes `LibraryManagement` with subdirectories `src`, `main`, and `test`. The `main` directory contains `com.library`, which has `repository` and `service` subdirectories. The `service` directory contains `BookRepository` and `BookService`. The `BookService.java` file is open in the editor, showing the following code:

```
1 package com.library.service;
2
3 import com.library.repository.BookRepository;
4
5 public class BookService { 4 usages
6
7     private BookRepository bookRepository; 2 usages
8
9     // Setter Injection
10    public void setBookRepository(BookRepository bookRepository) { no usages
11        this.bookRepository = bookRepository;
12    }
13
14    public void issueBook() { 1 usage
15
16        System.out.println("Book Service Started");
17
18        bookRepository.displayBook();
19
20        System.out.println("Book Issued Successfully");
21    }
```

The Run window at the bottom shows the output of the `LibraryManagementApplication` class:

```
Book Service Started
Book details fetched from repository.
Book Issued Successfully
Process finished with exit code 0
```




The screenshot shows the IntelliJ IDEA interface with the `LibraryManagementApplication.java` file open. The project structure on the left is the same as the previous screenshot. The `LibraryManagementApplication.java` file is open in the editor, showing the following code:


```
1 package com.library;
2
3 import com.library.service.BookService;
4 import org.springframework.context.ApplicationContext;
5 import org.springframework.context.support.ClassPathXmlApplicationContext;
6
7 public class LibraryManagementApplication {
8
9     public static void main(String[] args) {
10
11        ApplicationContext context =
12            new ClassPathXmlApplicationContext("applicationContext.xml");
13
14        BookService service =
15            context.getBean(name: "bookService", BookService.class);
16
17        service.issueBook();
18    }
19 }
```



The Run window at the bottom shows the output of the `LibraryManagementApplication` class:

```
Book Service Started
Book details fetched from repository.
Book Issued Successfully
Process finished with exit code 0
```






Exercise 4: Creating and Configuring a Maven Project









Exercise 5: Configuring the Spring IoC Container.





Exercise 7: Implementing Constructor and Setter Injection





Exercise 9: Creating a Spring Boot Application

