


Angular

HANDS-ON 1 [Beginner]


Environment Setup, Project Structure & First Component



Welcome to Student Course Portal


Manage your courses, profile and enrollments easily.

12 Courses Available	3 Enrolled	3.8 GPA
-------------------------	---------------	------------



HANDS-ON 2 [Beginner]

Data Binding, Lifecycle Hooks & Component Communication



Angular Hands-On 2


[Home](#) | [Courses](#)

Student Course Portal

Enroll Now

Search Course

Searching for:



HANDS-ON 3 [Beginner]

Directives & Pipes — Built-in and Custom


Angular Hands-On 2

[Home](#) | [Courses](#)

Available Courses

Loading courses...

No courses available.



HANDS-ON 4 [Intermediate]

Template-Driven Forms & Validation

EDB: Open-S... Download | p Maven Repo... Functions / h Data Structu... RESUME - G... Digital-Narr... StudentCour... StudentCour... StudentCour... Student... x +

localhost:4200/enroll

Student Course Portal

[Home](#) | [Courses](#) | [Enroll](#)

Enrollment Form

Name

Email

Course ID

Semester

☒ I Agree

The screenshot shows the VS Code editor with the following components:

- EXPLORER:** A file tree on the left showing the project structure: `STUDENT-COURSE-PORTAL` > `angular` > `src` > `app` > `course-card` > `enrollment-form`.
- EDITOR:** The `enrollment-form.css` file is open, showing the following CSS code:

```
1 input,
2 select{
3
4   width:300px;
5
6   padding:8px;
7
8   margin-top:5px;
9
10 }
11
12 button{
13
14   margin-right:10px;
15
16   padding:10px;
17
18 }
19
20 .ng-invalid.ng-touched{
21
22   border:2px solid red;
23 }
```
- TERMINAL:** The terminal at the bottom shows the execution of the following commands:

```
PS C:\Users\lakri\Angular_HandsOn\student-course-portal> ng g c enrollment-form
Initial chunk files | Names | Raw size
main.js | main | 31.19 kB
styles.css | styles | 95 bytes
Initial total | 31.28 kB

Application bundle generation complete. [1.700 seconds] - 2026-07-27T17:27:38.551Z

Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
-> Local: http://localhost:4200/
-> press h + enter to show help
```
- PROBLEMS:** The PROBLEMS panel on the right shows "No problems have been detected in the workspace."

HANDS-ON 5 [Intermediate]

Reactive Forms — FormBuilder, FormGroup, FormArray & Custom

localhost:4200/enroll

Student Course Portal

[Home](#) | [Courses](#) | [Enroll](#)

Enrollment Form

Name

Email

Course ID

Semester

☒ I Agree



Enrollment request submitted successfully!

The screenshot shows the VS Code editor with the following components:

- EXPLORER:** A file tree on the left showing the project structure, including `src/app` and `src/app/enroll`.
- EDITOR:** The main workspace showing the `reactive-enrollment-form.html` file. The code includes a `<form>` element with a `<label>` for "I Agree", a `<input type="checkbox">`, and a `<button type="submit">` with a `[disabled]="enrollForm.invalid"` attribute.
- TERMINAL:** The bottom panel shows the output of the Angular CLI commands. It displays the initial chunk files (main.js, styles.css) and the final bundle generation complete, indicating the application is running on `http://localhost:4200/`.
- PROBLEMS:** A message in the bottom right corner states: "The common source directory of 'tsconfig.spec.json' is './src/app'. The 'rootDir' s... ts [Ln 6, Col 5]".

HANDS-ON 6 [Intermediate]

Services & Dependency Injection



HANDS-ON 7 [Intermediate]

Angular Routing — Guards, Lazy Loading & Route Data

The image shows a web browser at localhost:4200 displaying a "Student Course Portal". The page has a navigation bar with links for Home, Courses, and Profile. Below the navigation bar, there is an "Enroll Now" button. A message "Enrollment opened!" is displayed. A search bar contains the text "phy", and a message "Searching for: phy" is shown below it.

The VS Code editor shows the source code of the application. The Explorer panel on the left displays the project structure, including the src directory and its subdirectories. The Source Control panel shows the current state of the code. The Run and Debug panel is open, showing the output of the application. The terminal window at the bottom displays the command "ng serve -o" and the output of the application, including the bundle generation complete message and the watch mode enabled message.

```
src/app/app.component.ts
1 import { Component } from '@angular/core';
2 import { RouterOutlet, RouterLink } from '@angular/router';
3
4 @Component({
5   selector: 'app-root',
6   standalone: true,
7   imports: [
8     RouterOutlet,
9     RouterLink
10  ],
11   templateUrl: './app.html',
12   styleUrls: ['./app.css']
13 })
14 export class App {
15 }
```

PROBLEMS

tsconfig.spec.json

The common source directory of 'tsconfig.spec.json' is './src/app'. The 'rootDir' s... ts [Ln 4, Col 5]

Visit <https://aka.ms/t66> for migration information.

esbuild

CREATE src/app/student-profile/student-profile.html (31 bytes)

PS C:\Users\vaakri\Angular_HandsOn\student-course-portal> ng serve -o

Initial chunk files	Names	Raw size
main.js	main	23.14 kB
styles.css	styles	95 bytes
		Initial total 23.23 kB

Application bundle generation complete. [1.411 seconds] - 2026-07-27T18:11:24.405Z

Watch mode enabled. Watching for file changes...

NOTE: Raw file sizes do not reflect development server per-request transformations.

→ Local: <http://localhost:4200/>

→ press **h + enter** to show help

