

GIT 1,2,3,4,5

```
MINGW64/c/Users/aakri

aakri@Mishra MINGW64 ~
$ git --version
git version 2.54.0.windows.1

aakri@Mishra MINGW64 ~
$ git config --global user.name "Aakrishya"

aakri@Mishra MINGW64 ~
$ git config --global user.email "2306247@kiit.ac.in"

aakri@Mishra MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Aakrishya
user.email=2306247@kiit.ac.in

aakri@Mishra MINGW64 ~
$
```

```
kiit@Mishra:~$ git config --global core.editor notepad++
kiit@Mishra:~$ git config --global -e
hint: Waiting for your editor to close the file... error: cannot run notepad++: No such file or directory
error: unable to start editor 'notepad++'
kiit@Mishra:~$ git config --global core.editor "nano"
kiit@Mishra:~$ git config --global -e
kiit@Mishra:~$
```

```
PROBLEMS OUTPUT DEBUG CONSOLE PORTS SQL HISTORY TASK MONITOR
✓ TERMINAL git

PS C:\Users\akri\ticketraisingapp> code --version
1.130.0
1b6a188127eeaf9194f945eb6eb89a657e93c54c
x64
PS C:\Users\akri\ticketraisingapp> git config --global core.editor "code --wait"
PS C:\Users\akri\ticketraisingapp> git config --global -e
hint: Waiting for your editor to close the file...
```

```
kiit@Mishra:~$ mkdir GitDemo
kiit@Mishra:~$ cd GitDemo
kiit@Mishra:~/GitDemo$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/kiit/GitDemo/.git/
kiit@Mishra:~/GitDemo$ cat welcome.txt
cat: welcome.txt: No such file or directory
kiit@Mishra:~/GitDemo$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
kiit@Mishra:~/GitDemo$ git add welcome.txt
fatal: pathspec 'welcome.txt' did not match any files
kiit@Mishra:~/GitDemo$ git add .
kiit@Mishra:~/GitDemo$ cat welcome.txt
cat: welcome.txt: No such file or directory
kiit@Mishra:~/GitDemo$ git add welcome.txt
fatal: pathspec 'welcome.txt' did not match any files
kiit@Mishra:~/GitDemo$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
kiit@Mishra:~/GitDemo$ git commit -m "Added welcome.txt"
```

```
kiit@Mishra:~/GitDemo$ git config --global user.name "Aakrishya"
git config --global user.email "2306247@kiit.ac.in"
kiit@Mishra:~/GitDemo$ git commit -m "Added welcome.txt"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)
kiit@Mishra:~/GitDemo$
```

```
kiit@Mishra: ~/GitDemo
GNU nano 7.2 .gitignore *
*.log
log/_
```

```
kiit@Mishra: ~/GitDemo
kiit@Mishra:~$ ls
GitDemo  Projects  buddy  buddy  budget  budget_buddy  package-lock.json
kiit@Mishra:~$ cd GitDemo
kiit@Mishra:~/GitDemo$ touch error.log
kiit@Mishra:~/GitDemo$ echo "Application Error" > error.log
kiit@Mishra:~/GitDemo$
kiit@Mishra:~/GitDemo$ mkdir log
mkdir: cannot create directory 'log': File exists
kiit@Mishra:~/GitDemo$
kiit@Mishra:~/GitDemo$ touch log/server.log
kiit@Mishra:~/GitDemo$
kiit@Mishra:~/GitDemo$ git status
On branch master

No commits yet


Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        .gitignore.save
        error.log
        log/

nothing added to commit but untracked files present (use "git add" to track)
kiit@Mishra:~/GitDemo$
```

```

nothing added to commit but untracked files present (use "git add" to track)
kiit@Mishra:~/GitDemo$ rm .gitignore.save
kiit@Mishra:~/GitDemo$ nano .gitignore
kiit@Mishra:~/GitDemo$ git add .gitignore
kiit@Mishra:~/GitDemo$ git status
On branch master
file
No commits yet
a FS Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
  new file:   .gitignore
kiit@Mishra:~/GitDemo$ git commit -m "Initial commit with .gitignore"
[master (root-commit) 70c1a4b] Initial commit with .gitignore
1 file changed, 2 insertions(+)
create mode 100644 .gitignore
GIT kiit@Mishra:~/GitDemo$ git branch
* master
1. C kiit@Mishra:~/GitDemo$ git branch GitNewBranch
kiit@Mishra:~/GitDemo$ git checkout GitNewBranch
2. C Switched to branch 'GitNewBranch'
kiit@Mishra:~/GitDemo$
3. C
4. C

```



```

kiit@Mishra: ~/GitDemo
GNU nano 7.2 hello.xml *
<message>Hello from GitWork Branch</message>

```

```

kiit@Mishra:~/GitDemo$ git branch
* master
kiit@Mishra:~/GitDemo$ git branch GitNewBranch
kiit@Mishra:~/GitDemo$ git checkout GitNewBranch
Switched to branch 'GitNewBranch'
kiit@Mishra:~/GitDemo$ git add .
git commit -m "Initial commit"
On branch GitNewBranch
nothing to commit, working tree clean
kiit@Mishra:~/GitDemo$ git branch GitWork
kiit@Mishra:~/GitDemo$ git checkout GitWork
Switched to branch 'GitWork'
kiit@Mishra:~/GitDemo$ nano hello.xml

```

```
kiit@Mishra: ~/GitDemo
kiit@Mishra:~/GitDemo$ git status
On branch GitWork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml

nothing added to commit but untracked files present (use "git add" to track)
kiit@Mishra:~/GitDemo$ git add hello.xml
git commit -m "Added hello.xml in GitWork"
[GitWork 8351466] Added hello.xml in GitWork
1 file changed, 1 insertion(+)
 create mode 100644 hello.xml
kiit@Mishra:~/GitDemo$ git checkout master
Switched to branch 'master'
kiit@Mishra:~/GitDemo$ git log --oneline --graph --decorate --all
* 8351466 (GitWork) Added hello.xml in GitWork
* 70c1a4b (HEAD -> master, GitNewBranch) Initial commit with .gitignore
kiit@Mishra:~/GitDemo$ git diff master GitWork
diff --git a/hello.xml b/hello.xml
new file mode 100644
index 0000000..234c289
--- /dev/null
+++ b/hello.xml
@@ -0,0 +1 @@
+<message>Hello from GitWork Branch</message>
kiit@Mishra:~/GitDemo$
```