

NAME:AAMEENA I(192511284)

ASSESSMENT TOOL 4:

1)

```
mysql> SELECT *
-> FROM student s
-> JOIN student2 s2;
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| REGNO | NAME   | GENDER | DOB       | MOBILENO | CITY   | DEPT  | COURSE_NO | MARKID | REGNO | SUBJECT | MARKS |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| 101   | Arun Kumar | f      | 2007-01-15 | 987654321 | chennai | cse   | 1         | 2      | 102   | python  | 90    |
| 101   | Arun Kumar | f      | 2007-01-15 | 987654321 | chennai | cse   | 1         | 1      | 101   | dbms    | 85    |
| 102   | anu       | f      | 2007-05-20 | 987654322 | chennai | cse   | 2         | 2      | 102   | python  | 90    |
| 102   | anu       | f      | 2007-05-20 | 987654322 | chennai | cse   | 2         | 1      | 101   | dbms    | 85    |
| 103   | rahul     | m      | 2006-11-25 | 987654323 | madurai | ece   | 1         | 2      | 102   | python  | 90    |
| 103   | rahul     | m      | 2006-11-25 | 987654323 | madurai | ece   | 1         | 1      | 101   | dbms    | 85    |
| 104   | kavin     | m      | 2007-08-05 | 987654324 | ooty    | IT    | 2         | 2      | 102   | python  | 90    |
| 104   | kavin     | m      | 2007-08-05 | 987654324 | ooty    | IT    | 2         | 1      | 101   | dbms    | 85    |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
8 rows in set (0.02 sec)

mysql> SELECT *
-> FROM student s
-> JOIN student2 s2
-> ON s.regno = s2.regno;
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| REGNO | NAME   | GENDER | DOB       | MOBILENO | CITY   | DEPT  | COURSE_NO | MARKID | REGNO | SUBJECT | MARKS |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| 101   | Arun Kumar | f      | 2007-01-15 | 987654321 | chennai | cse   | 1         | 1      | 101   | dbms    | 85    |
| 102   | anu       | f      | 2007-05-20 | 987654322 | chennai | cse   | 2         | 2      | 102   | python  | 90    |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql>
```

2)

```
mysql> select name
-> from student
-> where regno in
-> (
-> select regno
-> from student2
-> where marks>85
-> );
+-----+
| name |
+-----+
| anu  |
+-----+
1 row in set (0.05 sec)

mysql> select s.name
-> from student s
-> where exists
-> (
-> select*
-> from student2 s2
-> where s.regno=s2.regno
-> AND s2.marks>85
-> );
+-----+
| name |
+-----+
| anu  |
+-----+
1 row in set (0.00 sec)
```

3)

```
mysql> create view student_view as
->
-> select s.regno,s.name,s.gender,s.city,s2.subject,s2.marks
-> from student s
-> join student2 s2
-> ON s.regno=s2.regno;
Query OK, 0 rows affected (0.06 sec)

mysql> select*from student_view;
+-----+-----+-----+-----+-----+-----+
| regno | name   | gender | city   | subject | marks |
+-----+-----+-----+-----+-----+-----+
| 101   | Arun Kumar | f      | chennai | dbms    | 85    |
| 102   | anu       | f      | chennai | python  | 90    |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

4)

```
mysql> select*
-> from student s
-> join student2 s2
-> ON s.regno=s2.regno;
```

REGNO	NAME	GENDER	DOB	MOBILENO	CITY	DEPT	COURSE_NO	MARKID	REGNO	SUBJECT	MARKS
101	Arun Kumar	f	2007-01-15	987654321	chennai	cse	1	1	101	dbms	85
102	anu	f	2007-05-20	987654322	chennai	cse	2	2	102	python	90

2 rows in set (0.00 sec)

5)

```
mysql> show create table student2;
```

Table	Create Table
student2	CREATE TABLE 'student2' ('MARKID' int NOT NULL, 'REGNO' int DEFAULT NULL, 'SUBJECT' varchar(20) DEFAULT NULL, 'MARKS' int DEFAULT NULL, PRIMARY KEY ('MARKID'), KEY 'fk_student' ('REGNO'), CONSTRAINT 'fk_student' FOREIGN KEY ('REGNO') REFERENCES 'student' ('REGNO'), CONSTRAINT 'student2_ibfk_1' FOREIGN KEY ('REGNO') REFERENCES 'student' ('REGNO')) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci

1 row in set (0.05 sec)

6)

```
mysql> select s.regno,s.name,s.gender,s.city,s2.subject,s2.marks
-> from student s
-> inner join student2 s2
-> ON s.regno=s2.regno;
```

regno	name	gender	city	subject	marks
101	Arun Kumar	f	chennai	dbms	85
102	anu	f	chennai	python	90

2 rows in set (0.00 sec)

7)

```
mysql> select subject,avg(marks) as average_marks
-> from student2
-> group by subject;
```

subject	average_marks
dbms	85.0000
python	90.0000

2 rows in set (0.10 sec)

8)

```
mysql> update student2
-> set marks=90;
Query OK, 1 row affected (0.06 sec)
Rows matched: 2  Changed: 1  Warnings: 0

mysql> update student2
-> set marks=95
-> where regno=101;
Query OK, 1 row affected (0.05 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select*
-> from student2
-> where regno=101;
+-----+-----+-----+-----+
| MARKID | REGNO | SUBJECT | MARKS |
+-----+-----+-----+-----+
|      1 |   101 | dbms    |    95 |
+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

9)

```
mysql> select subject,avg(marks) as average_marks
-> from student2
-> group by subject
-> having avg(marks)>80;
+-----+-----+
| subject | average_marks |
+-----+-----+
| dbms    |      95.0000 |
| python  |      90.0000 |
+-----+-----+
2 rows in set (0.05 sec)
```

10)

```
mysql> SELECT S.NAME
-> FROM STUDENT S
-> WHERE EXISTS
-> (
-> SELECT*
-> FROM STUDENT2 S2
-> WHERE S.REGNO=S2.REGNO
-> );
+-----+
| NAME      |
+-----+
| Arun Kumar |
| anu       |
+-----+
2 rows in set (0.05 sec)
```