

Experiment 16:

Program 1:

```
mysql> CREATE TABLE student_info (
  ->   id INT,
  ->   name VARCHAR(50),
  ->   department VARCHAR(30)
  -> );
Query OK, 0 rows affected (0.08 sec)

mysql> INSERT INTO student_info VALUES
  -> (1, 'Arun', 'CSE'),
  -> (2, 'Bala', 'ECE'),
  -> (3, 'Priya', 'IT');
Query OK, 3 rows affected (0.05 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql> CALL GetStudents();
+----+-----+-----+
| id | name | department |
+----+-----+-----+
| 1  | Arun | CSE        |
| 2  | Bala | ECE        |
| 3  | Priya | IT         |
+----+-----+-----+
3 rows in set (0.00 sec)

Query OK, 0 rows affected (0.02 sec)
```

Program 2:

```
mysql> SELECT * FROM customers;
+-----+-----+-----+
| customerNumber | customerName | creditLimit |
+-----+-----+-----+
| 101 | Arun | 60000.00 |
| 102 | Bala | 30000.00 |
| 103 | Priya | 5000.00 |
+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> DELIMITER //
mysql> CREATE PROCEDURE GetCustomerLevel(
  ->   IN p_customerNumber INT,
  ->   OUT p_customerLevel VARCHAR(20)
  -> )
  -> BEGIN
  ->   DECLARE v_creditLimit DECIMAL(10,2);
  ->   SELECT creditLimit
  ->   INTO v_creditLimit
  ->   FROM customers
  ->   WHERE customerNumber = p_customerNumber;
  ->   IF v_creditLimit > 50000 THEN
  ->     SET p_customerLevel = 'PLATINUM';
  ->   ELSEIF v_creditLimit >= 10000 THEN
  ->     SET p_customerLevel = 'GOLD';
  ->   ELSE
  ->     SET p_customerLevel = 'SILVER';
  ->   END IF;
  -> END //
Query OK, 0 rows affected (0.01 sec)

mysql>
mysql> DELIMITER ;
mysql> SET @level = '';
Query OK, 0 rows affected (0.01 sec)

mysql>
mysql> CALL GetCustomerLevel(101, @level);
Query OK, 1 row affected (0.00 sec)

mysql>
mysql> SELECT @level AS Customer_Level;
+-----+
| Customer_Level |
+-----+
| PLATINUM       |
+-----+
1 row in set (0.00 sec)

mysql> SET @level = '';
Query OK, 0 rows affected (0.00 sec)

mysql> CALL GetCustomerLevel(102, @level);
Query OK, 1 row affected (0.00 sec)

mysql> SELECT @level AS Customer_Level;
+-----+
| Customer_Level |
+-----+
| GOLD           |
+-----+
1 row in set (0.00 sec)

mysql> SET @level = '';
Query OK, 0 rows affected (0.00 sec)

mysql> CALL GetCustomerLevel(103, @level);
Query OK, 1 row affected (0.00 sec)

mysql> SELECT @level AS Customer_Level;
+-----+
| Customer_Level |
+-----+
| SILVER         |
+-----+
```