

Experiment:14

```
mysql> CREATE TABLE class (  
->     name VARCHAR(30),  
->     id INT  
-> );  
Query OK, 0 rows affected (0.04 sec)  
  
mysql> INSERT INTO class VALUES ('alpha', 1);  
Query OK, 1 row affected (0.05 sec)  
  
mysql> INSERT INTO class VALUES ('beta', 2);  
Query OK, 1 row affected (0.01 sec)  
  
mysql> INSERT INTO class VALUES ('charlie', 3);  
Query OK, 1 row affected (0.01 sec)  
  
mysql> INSERT INTO class VALUES ('delta', 4);  
Query OK, 1 row affected (0.01 sec)  
  
mysql> INSERT INTO class VALUES ('echo', 5);  
Query OK, 1 row affected (0.01 sec)  
  
mysql> SELECT * FROM class;  
+-----+-----+  
| name   | id   |  
+-----+-----+  
| alpha  | 1    |  
| beta   | 2    |  
| charlie| 3    |  
| delta  | 4    |  
| echo   | 5    |  
+-----+-----+  
5 rows in set (0.00 sec)  
  
mysql> START TRANSACTION;  
Query OK, 0 rows affected (0.00 sec)  
  
mysql> UPDATE class SET name = 'bravo' WHERE id = 5;  
Query OK, 1 row affected (0.01 sec)  
Rows matched: 1  Changed: 1  Warnings: 0  
  
mysql> SAVEPOINT A;  
Query OK, 0 rows affected (0.00 sec)  
  
mysql>  
mysql> INSERT INTO class VALUES ('uppal', 6);  
Query OK, 1 row affected (0.00 sec)  
  
mysql> SAVEPOINT B;
```

```
mysql> INSERT INTO class VALUES ('balu', 7);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SAVEPOINT C;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT * FROM class;
```

name	id
alpha	1
beta	2
charlie	3
delta	4
bravo	5
uppal	6
balu	7

```
7 rows in set (0.00 sec)
```

```
mysql> ROLLBACK TO B;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT * FROM class;
```

name	id
alpha	1
beta	2
charlie	3
delta	4
bravo	5
uppal	6

```
6 rows in set (0.00 sec)
```

```
mysql> ROLLBACK TO A;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT * FROM class;
```

name	id
alpha	1
beta	2
charlie	3
delta	4
bravo	5

```
5 rows in set (0.00 sec)
```

```
mysql> commit;
Query OK, 0 rows affected (0.06 sec)
```

```
mysql> SELECT * FROM class;
```

name	id
alpha	1
beta	2
charlie	3
delta	4
bravo	5

```
5 rows in set (0.00 sec)
```