

AAMEENA I(192511284)

ASSESSMENT TOOL-6

Q1)

```
mysql> SELECT
->     s.NAME AS StudentName,
->     t.TeacherName,
->     s.Grade
-> FROM student s
-> JOIN class c
-> ON s.ClassID = c.ClassID
-> JOIN teacher t
-> ON c.TeacherID = t.TeacherID;
```

StudentName	TeacherName	Grade
rahul	Priya	A+
Arun Kumar	Priya	A
kavin	Kumar	B+
anu	Kumar	B

4 rows in set (0.00 sec)

Q2)

```
mysql> SELECT
->     d.DoctorID,
->     d.DoctorName,
->     COUNT(a.AppointmentID) AS TotalAppointments
-> FROM doctor d
-> JOIN appointment a
-> ON d.DoctorID = a.DoctorID
-> WHERE MONTH(a.AppointmentDate) = MONTH(CURDATE())
-> AND YEAR(a.AppointmentDate) = YEAR(CURDATE())
-> GROUP BY d.DoctorID, d.DoctorName
-> HAVING COUNT(a.AppointmentID) > 10;
```

DoctorID	DoctorName	TotalAppointments
1	Dr. Raj	11

1 row in set (0.05 sec)

Q3)

```
mysql> SELECT ProductID, ProductName
-> FROM product
-> WHERE ProductID NOT IN
-> (
->     SELECT ProductID
->     FROM orders
-> );
```

ProductID	ProductName
3	Headphones
4	Keyboard

2 rows in set (0.00 sec)

Q4)

```
mysql> SELECT s.Regno, s.Name
-> FROM student s
-> JOIN enrollment e
-> ON s.Regno = e.Regno
-> JOIN course c
-> ON e.CourseID = c.CourseID
-> WHERE c.CourseName IN ('DBMS', 'OS')
-> GROUP BY s.Regno, s.Name
-> HAVING COUNT(DISTINCT c.CourseName) = 2;
```

Regno	Name
101	Arun Kumar
104	kavin

2 rows in set (0.01 sec)

Q5)

```
mysql> CREATE VIEW BelowAvgSalaryView AS
-> SELECT e.EmployeeID,
-> e.EmployeeName,
-> e.Department,
-> e.Salary
-> FROM employee e
-> WHERE e.Salary <
-> (
-> SELECT AVG(e2.Salary)
-> FROM employee e2
-> WHERE e2.Department = e.Department
-> );
Query OK, 0 rows affected (0.06 sec)

mysql> SELECT * FROM BelowAvgSalaryView;
+-----+-----+-----+-----+
| EmployeeID | EmployeeName | Department | Salary |
+-----+-----+-----+-----+
| 1 | Arun | IT | 40000.00 |
| 3 | Anu | HR | 30000.00 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> UPDATE employee e
-> SET Salary = Salary * 1.10
-> WHERE Salary <
-> (
-> SELECT DeptAvg
-> FROM
-> (
-> SELECT Department, AVG(Salary) AS DeptAvg
-> FROM employee
-> GROUP BY Department
-> ) AS avg_salary
-> WHERE avg_salary.Department = e.Department
-> );
Query OK, 2 rows affected (0.06 sec)
Rows matched: 2 Changed: 2 Warnings: 0

mysql> SELECT * FROM employee;
+-----+-----+-----+-----+
| EmployeeID | EmployeeName | Department | Salary |
+-----+-----+-----+-----+
| 1 | Arun | IT | 44000.00 |
| 2 | Ravi | IT | 60000.00 |
| 3 | Anu | HR | 33000.00 |
| 4 | Kavin | HR | 50000.00 |
+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

Q6)

```
mysql> SELECT
-> c.CustomerName,
-> a.AccountNo,
-> a.Balance,
-> bt.TransactionDate,
-> bt.TransactionType,
-> bt.Amount,
-> b.BranchName,
-> b.City
-> FROM customer c
-> JOIN account a
-> ON c.CustomerID = a.CustomerID
-> JOIN bank_transaction bt
-> ON a.AccountNo = bt.AccountNo
-> JOIN branch b
-> ON a.BranchID = b.BranchID;
+-----+-----+-----+-----+-----+-----+-----+-----+
| CustomerName | AccountNo | Balance | TransactionDate | TransactionType | Amount | BranchName | City |
+-----+-----+-----+-----+-----+-----+-----+-----+
| Arun | 1001 | 50000.00 | 2026-08-01 | Deposit | 10000.00 | Chennai Main | Chennai |
| Arun | 1001 | 50000.00 | 2026-08-02 | Withdrawal | 5000.00 | Chennai Main | Chennai |
| Anu | 1002 | 30000.00 | 2026-08-02 | Deposit | 7000.00 | Bangalore Main | Bangalore |
+-----+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

Q7)

```
mysql> SELECT
-> Category,
-> SUM(Amount) AS TotalSales
-> FROM sales
-> WHERE SaleDate = CURDATE()
-> GROUP BY Category
-> HAVING SUM(Amount) > 10000;
+-----+-----+
| Category | TotalSales |
+-----+-----+
| Electronics | 13000.00 |
| Groceries | 13000.00 |
+-----+-----+
2 rows in set (0.04 sec)
```

Q8)

```
mysql> SELECT m.MemberID, m.MemberName
-> FROM member m
-> JOIN borrow b
-> ON m.MemberID=b.MemberID
-> GROUP BY m.MemberID,m.MemberName
-> HAVING COUNT(DISTINCT b.GenreID)=
-> (
-> SELECT COUNT(*) FROM genre
-> );
+-----+-----+
| MemberID | MemberName |
+-----+-----+
| 1 | Arun |
+-----+-----+
1 row in set (0.01 sec)
```

Q9)

```
mysql> CREATE TABLE inventory (
  ->   ProductID INT PRIMARY KEY,
  ->   ProductName VARCHAR(50),
  ->   Quantity INT CHECK (Quantity>=0),
  ->   SupplierID INT,
  ->   FOREIGN KEY (SupplierID)
  ->   REFERENCES supplier(SupplierID)
  -> );
Query OK, 0 rows affected (0.09 sec)

mysql> INSERT INTO supplier VALUES
  -> (1,'ABC Suppliers');
Query OK, 1 row affected (0.04 sec)

mysql> INSERT INTO inventory VALUES
  -> (101,'Laptop',25,1);
Query OK, 1 row affected (0.05 sec)

mysql> INSERT INTO inventory VALUES
  -> (102,'Mouse',-5,1);
ERROR 1019 (HY000): Check constraint 'inventory_chk_1' is violated.
mysql> INSERT INTO inventory VALUES
  -> (103,'Keyboard',20,5);
ERROR 1452 (23000): Cannot add or update a child row: a foreign key constraint fails ('student','inventory', CONSTRAINT 'inventory_ibfk_1' FOREIGN KEY ('SupplierID') REFERENCES 'supplier' ('SupplierID'))
mysql> INSERT INTO inventory VALUES
  -> (104,'Keyboard',20,1);
Query OK, 1 row affected (0.06 sec)

mysql> SELECT * FROM inventory;
+-----+-----+-----+-----+
| ProductID | ProductName | Quantity | SupplierID |
+-----+-----+-----+-----+
| 101 | Laptop | 25 | 1 |
| 104 | Keyboard | 20 | 1 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

Q10)

```
mysql> CREATE VIEW PerformanceSummary AS
  -> SELECT
  ->   e.EmpID,
  ->   e.EmpName,
  ->   e.Department,
  ->   p.Rating
  -> FROM hr_employee e
  -> JOIN performance p
  -> ON e.EmpID = p.EmpID;
Query OK, 0 rows affected (0.11 sec)

mysql> SELECT * FROM MonthlyAttendance;
+-----+-----+-----+
| EmpID | Month | DaysPresent |
+-----+-----+-----+
| 1 | August | 25 |
| 2 | August | 27 |
+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> select*from performancesummary;
+-----+-----+-----+-----+
| EmpID | EmpName | Department | Rating |
+-----+-----+-----+-----+
| 1 | Arun | IT | 5 |
| 2 | Anu | HR | 4 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```