DSA LAB
Experiment number 06

Name: Aamir Ansari **Batch:** A **Roll no.** 01

Aim: Implementation of singly linked list

Theory:

A singly linked list is a type of linked list that is unidirectional, that is, it can be traversed in only one direction from head to the last node (tail).
Each element in a linked list is called a **node**. A single node contains data and a pointer to the next node which helps in maintaining the structure of the list.

Algorithms:

1.CREATE LIST

Step 1:[INITIALIZE] n /*number of nodes to be entered*?
Step 2: [INITIALIZE] node new_node[n]
Step 3:SET START2=new_node[0]
Step 4: Repeat step 5&6 while i<n
Step 5:SET newnode[i]->data
Step 6:SET newnode[i]->next = newnode[i+1]
Step 7: EXIT

2.INSERT

a)At a position:

Step 1: [INITIALIZE] new , p
Step 2:SET new->data=data;
Step 3: IF position==1
Step 4: SET new->next=START
Step 5: SET START=new[END OF IF]
Step 6:SET p=START
Step 7:Repeat step 8 & 9 while i<position -1
Step 8: SET p=p->next
Step 9: SET i++
Step 10:IF p==NULL
PRINT "There are less elements"
Step 11:ELSE
SET new->next=p->next
SET p->next=new
Step 12:EXIT

b)After a given Value:

Step 1: [INITIALIZE] New_Node ,ptr ,preptr
Step 2: SET New_Node->data= data
Step 3: SET ptr=START

Step 4: SET preptr=ptr
Step 5: Repeat step 6&7 while preptr->data != val
Step 6: SET preptr=ptr
Step 7: SET ptr=ptr->next
Step 8: SET preptr->next=New_Node
Step 9: SET New_Node->next=ptr
Step 10:EXIT

c)Before a given value:
Step 1: [INITIALIZE] New_Node ,ptr ,preptr
Step 2: SET New_Node->data= data
Step 3: SET ptr=START
Step 4: SET preptr=ptr
Step 5: Repeat step 6&7 while ptr->data != val
Step 6: SET preptr=ptr
Step 7: SET ptr=ptr->next
Step 8: SET preptr->next=New_Node
Step 9: SET New_Node->next=ptr
Step 10:EXIT

d)At the beginning
Step 1: [INITIALIZE] New_node
Step 2: IF START == NULL
SET START = New_node
SET START->next = NULL
[END OF IF]
Goto Step 6
Step 3: SET New_Node->DATA = VAL
Step 4: SET New_Node->next = START
Step 5: SET START = New_Node
Step 6: EXIT

e)At the end
Step 1: [INITIALIZE] New_node,last
Step 2:SET New_Node->data=val
Step 3: IF START == NULL
SET START = New_node
SET START->next = NULL
[END OF IF]
Goto Step 6
Step 4: SET last = START;
Step 5:Repeat Step 6 while last->next != NULL
Step 6: SET last = last->next; [END OF LOOP]
Step 7:SET last->next = New_Node;
Step 8:SET New_Node->next = NULL;
Step 9: EXIT

3.DELETION
a)Value at a particular Position
Step 1: [INITIALIZE] ptr , preptr
Step 2: IF START == NULL

PRINT "Linked list is already empty"
Goto Step 13
Step 3:IF START->next == NULL
free(START)
START = NULL
Goto step 10
Step 4: SET count = 1
Step 5:SET ptr= START
Step 6: SET preptr = ptr
Step 7:Repeat step 8 to 10 while count < position
Step 8: SET preptr = ptr
Step 9: SET ptr = ptr->next
Step 10: SET count++
Step 11: IF count == 1
START = ptr->next
ptr->next = NULL
free(ptr)
Step 12:ELSE
preptr->next = ptr->next
ptr->next = NULL
free(ptr)
Step 13:EXIT

b)Value at the beginning
Step 1: [INITIALIZE] New_node
Step 2: IF START == NULL
PRINT "Linked list is already empty"
Goto Step 6
Step 3: SET New_Node=START
Step 4: SET START = START->next
Step 5: free(New_Node)
Step 6: EXIT

c)At the end
Step 1: [INITIALIZE] ptr , preptr
Step 2: IF START == NULL
PRINT "Linked list is already empty"
Goto Step 6
Step 3:IF START->next == NULL
free(START)
START = NULL
Goto step 10
Step 4:SET ptr= START
Step 5: Repeat step 6&7 while ptr->next != NULL
Step 6: preptr = ptr
Step 7: ptr = ptr->next
Step 8: SET preptr->next = NULL
Step 9: free(ptr)
Step 10:EXIT

d)After a particular value
Step 1: [INITIALIZE] temp ,ptr ,preptr

Step 2: SET ptr=START
Step 3: SET preptr=ptr
Step 4: Repeat step 5&6 while preptr->data != val
Step 5: SET preptr=ptr
Step 6: SET ptr=ptr->next
Step 7: SET temp=ptr
Step 8: SET preptr->next=temp->next
Step 9: free(temp)
Step 10:EXIT

e)Before a particular value
Step 1: [INITIALIZE] new_Node ,ptr ,preptr
Step 2: SET ptr=START
Step 3: SET preptr=ptr
Step 4: Repeat step 5&6 while ptr->data != val
Step 5: SET preptr=ptr
Step 6: SET ptr=ptr->next
Step 7: SET preptr->next=new_Node
Step 8:SET new_Node->next=ptr
Step 9:EXIT

4.UPDATE
a)Value at a given Position
Step 1: IF START == NULL
PRINT "Linked list is already empty"
Goto Step 7
Step 2: SET count = 1
Step 3: Repeat step 4&5 while count != position
Step 4: ptr = ptr->next
Step 5: count++
Step 6:SET ptr->data = data
Step 7: EXIT

b)Value at the beginning
Step 1: IF START == NULL
PRINT "Linked list is already empty"
Goto Step 3
Step 2: SET START->data = data
Step 3:EXIT

c)At the end
Step 1: IF START == NULL
PRINT "Linked list is already empty"
Goto Step 3
Step 2: [INITIALIZE] node ptr=START
Step 3:Repeat step 4 while ptr->next != NULL
Step 4: ptr = ptr->next
Step 5:SET ptr->data = data
Step 6:EXIT

d)After a particular value
Step 1: IF START == NULL

PRINT "Linked list is already empty"
Goto Step 3
Step 2: [INITIALIZE] node ptr=START , postptr
Step 3:Repeat step 4 while ptr->next != val
Step 4: ptr = ptr->next
Step 5: IF ptr->next == NULL
PRINT "There is no element after this!"
Step 6:ELSE
SET postptr = ptr->next
SET postptr->data = data
Step 7: EXIT

e)Before a particular value
Step 1: IF START == NULL
PRINT "Linked list is already empty"
Goto Step 3
Step 2: [INITIALIZE] node ptr=START , preptr
Step 3:Repeat step 4 while ptr->next != val
Step 4: ptr = ptr->next
Step 5: IF ptr->next == NULL
PRINT "There is no element after this!"
Step 6:ELSE
SET preptr = ptr
SET ptr = ptr->next
SET count++
Step 7: SET preptr->data = data;
Step 8:EXIT

5.SEARCH
Step 1: SET PTR = START
Step 2: Repeat Step 3 while PTR != NULL
Step 3: IF VAL = PTR->DATA
PRINT 'ELEMENT FOUND'
Go To Step 5
ELSE
SET PTR = PTR->NEXT
[END OF IF]
Step 4: PRINT 'ELEMENT NOT FOUND'
Step 5: EXIT

6.REVERSE
Step 1:[INITIALIZE] prev, ptr, next
Step 2:SET prev=NULL
Step 3:SET ptr=START
Step 4: Repeat step 5 to 8 while ptr!=NULL
Step 5: SET next=ptr->next
Step 6: SET ptr->next=prev
Step 7: SET prev=ptr
Step 8: SET ptr=next
Step 9:SET START=prev

Step 10:EXIT

7.COUNT NODES

Step 1: INITIALIZE count = 0,node current = START
Step 2:Repeat step3&4 while current != NULL
Step 3: SET count++
Step 4: SET current = current->next
Step 5 :RETURN count
Step 6:EXIT

8.DISPLAY

Step 1:Repeat step 2&3 while START != NULL
Step 2: PRINT (START->data)
Step 3: SET START = START->next
Step 4: EXIT

9.MERGE

Step 1: [INITIALIZE] ptr , ptr2
Step 2: SET ptr = START
Step 3:Repeat step 4 while ptr->next != NULL
Step 4: SET ptr = ptr->next
Step 5: SET ptr->next = START2
Step 6:[INITIALIZE] node traverse , min , temp
Step 7:Repeat step 8&9 while START->next
Step 8: SET min = START
Step 9: SET traverse = START->next
Step 10:Repeat step 11&12 while traverse is true
Step 11: IF min->data > traverse->data
SET min = traverse
Step 12: SET traverse = traverse->next
Step 13: SET temp = START->data
Step 14: SET START->data = min->data
Step 15: SET min->data = temp
Step 16: SET START = START->next
Step 17:EXIT

10.SORT

Step 1:[INITIALIZE] node traverse , min , temp
Step 2:Repeat step 3&4 while START->next
Step 3: SET min = START
Step 4: SET traverse = START->next
Step 5:Repeat step 6&7 while traverse is true
Step 6: IF min->data > traverse->data
SET min = traverse
Step 7: SET traverse = traverse->next
Step 8: SET temp = START->data
Step 9: SET START->data = min->data
Step 10: SET min->data = temp
Step 11: SET START = START->next
Step 12:EXIT

11.CONCATENATE TWO SLLS.

Step 1: [INITIALIZE] ptr , ptr2
Step 2: SET ptr = START
Step 3:Repeat step 4 while ptr->next != NULL
Step 4: SET ptr = ptr->next
Step 5: SET ptr->next = START2
Step 6:EXIT