

Python classes guide

 chatgpt.com/c/693319d5-7f74-8321-a597-24f5ed3c1869

classes in python all concept

Here is the **complete, beginner-to-advanced, interview-level guide to Python Classes and OOP concepts** — explained clearly with examples.

PYTHON CLASSES — COMPLETE GUIDE (Beginner → Advanced)

1. What is a Class?

A **class** is a blueprint/template for creating objects (instances).

python

```
class Student:  
    pass
```

2. What is an Object?

An **object** is an instance of a class.

python

```
s1 = Student()  
s2 = Student()
```

3. The `__init__` Constructor

Runs automatically when an object is created.

python

```
class Student:  
    def __init__(self, name, age):  
        self.name = name  
        self.age = age  
  
s = Student("Aamir", 21)
```

- ✓ `self` → refers to the current object
- ✓ attributes stored as `self.name`, `self.age`

4. Class Attributes vs Instance Attributes

✓ Instance Attribute

Different for each object.

python

```
class Car:  
    def __init__(self, color):  
        self.color = color
```

✓ Class Attribute

Shared by ALL objects.

python

```
class Car:  
    wheels = 4    # class attribute
```

5. Methods in Classes

✓ Instance Method

Works on object data.

python

```
class Car:  
    def start(self):  
        print("Car started")
```

✓ Class Method (uses `@classmethod`)

Works on class data.

python

```
class Car:  
    wheels = 4  
  
    @classmethod  
    def change_wheels(cls, w):  
        cls.wheels = w
```

✓ Static Method (uses `@staticmethod`)

Independent function inside class.

python

```
class Math:  
    @staticmethod  
    def add(a, b):  
        return a + b
```

6. Encapsulation (Hiding Data)

✓ Public

```
python
```

```
self.name
```

✓ Protected (variable)

```
python
```

```
self._age = 20
```

✓ Private (variable)

```
python
```

```
self.__salary = 50000
```

Private variables can be accessed using:

python

object._ClassName__variable

7. Getters and Setters

python

```
class Emp:  
    def __init__(self, salary):  
        self.__salary = salary  
  
    def get_salary(self):  
        return self.__salary  
  
    def set_salary(self, salary):  
        if salary > 0:  
            self.__salary = salary
```

8. Inheritance (Extending Classes)

✓ Single Inheritance

python

```
class A:  
    pass  
  
class B(A):  
    pass
```

✓ Multilevel Inheritance

python

```
class A: pass  
class B(A): pass  
class C(B): pass
```

✓ Multiple Inheritance

python

```
class A: pass  
class B: pass  
class C(A, B): pass
```

9. **super()** Keyword

Used to call parent class constructor or methods.

python

```
class A:  
    def __init__(self):  
        print("A constructor")  
  
class B(A):  
    def __init__(self):  
        super().__init__()  
        print("B constructor")
```

10. Method Overriding

Child class replaces parent method.

python

```
class A:  
    def show(self):  
        print("A show")  
  
class B(A):  
    def show(self):  
        print("B show")
```

11. Polymorphism

Same method, different behavior.

python

```
for obj in [A(), B()]:  
    obj.show()
```

12. Abstract Classes — `abc` Module

python

```
from abc import ABC, abstractmethod

class Animal(ABC):

    @abstractmethod
    def sound(self):
        pass
```

Cannot create object of abstract class.

13. Dataclasses (Python 3.7+)

Auto-creates `init`, `repr`, `eq`, etc.

python

```
from dataclasses import dataclass

@dataclass
class Student:
    name: str
    age: int
```

14. Magic/Dunder Methods

Special methods starting with `__`.

Method	Purpose
<code>__init__</code>	constructor

Method	Purpose
<code>__str__</code>	string representation
<code>__len__</code>	length
<code>__add__</code>	+ operator
<code>__getitem__</code>	indexing
<code>__call__</code>	make object callable

Example:

python

```
class Box:
    def __init__(self, volume):
        self.volume = volume

    def __add__(self, other):
        return self.volume + other.volume
```

15. Composition (HAS-A Relationship)

python

```
class Engine:
    pass

class Car:
    def __init__(self):
        self.engine = Engine() # Car HAS a Engine
```

16. Class Documentation (__doc__)

python

```
class A:  
    """This is class A"""
```

17. Nested Classes

python

```
class A:  
    class B:  
        pass
```

18. Private Methods

python

```
class A:  
    def __secret(self):  
        print("secret")
```

19. Property Decorator (Modern Getter/Setter)

python

```
class Student:  
    @property  
    def name(self):  
        return self._name  
  
    @name.setter  
    def name(self, value):  
        self._name = value
```

20. Singleton Class (Only 1 object allowed)

python

```
class Single:  
    _instance = None  
    def __new__(cls):  
        if cls._instance is None:  
            cls._instance = super().__new__(cls)  
        return cls._instance
```

 Done! This is the complete Python classes & OOP guide.

If you want, I can next provide:

- Python Classes — 100 Interview Questions
- Python OOP Practice Problems
- PDF version
- Explain with real-world examples (Bank, Library, ATM, etc.)

Just tell me!

regarding interview questions and ans with proper explanation

Great! Here are **TOP Python OOP/Class interview questions with answers + proper explanations** (Beginner → Advanced).

These are the most asked questions in **FAANG, product-based, and service-based** interviews.

PYTHON OOP & CLASSES — INTERVIEW Q&A (With Explanation)

1. What is a Class in Python?

Answer:

A class is a **blueprint** for creating objects. It defines the properties (variables) and behaviors (methods).

Explanation:

Just like a blueprint defines how a house looks, a class defines how objects behave.

python

```
class Student:  
    pass
```

2. What is an Object?

Answer:

An object is an **instance** of a class.

python

```
s = Student()
```

Explanation:

Object = real entity created from class.

Class = design, Object = actual product.

3. What is the `__init__` method?

Answer:

`__init__` is a constructor that initializes object attributes.

python

```
class Student:  
    def __init__(self, name):  
        self.name = name
```

Explanation:

Runs automatically when object is created.

4. What is the difference between a Class Variable and Instance Variable?

Answer:

Type	Stored where?	Shared?
Instance Variable	inside object	 No
Class Variable	inside class	 Yes (shared)

Example:

python

```
class Car:  
    wheels = 4 # class variable  
    def __init__(self, color):  
        self.color = color # instance var
```

5. What is `self` in Python?

Answer:

`self` refers to the **current object**.

Explanation:

Every object keeps its own data: `self.name`, `self.age`.

6. What is Inheritance?

Answer:

Inheritance allows a class (child) to get features of another class (parent).

python

```
class A:  
    pass  
  
class B(A):  
    pass
```

Explanation:

Used for code reuse & building hierarchies.

7. Types of Inheritance in Python

✓ Single

✓ Multiple

✓ Multilevel

✓ Hierarchical

✓ Hybrid

Python supports **all types**.

8. What is Method Overriding?

Answer:

When a child class redefines a method from parent.

python

```
class A:  
    def show(self):  
        print("A")  
  
class B(A):  
    def show(self):  
        print("B")
```

Explanation:

Used in polymorphism — different behavior for same method.

9. What is Polymorphism?

Answer:

Same function name but different behavior.

Example:

python

```
for obj in [A(), B()):  
    obj.show()
```

10. What is `super()` used for?

Answer:

`super()` is used to call parent class methods/constructor.

python

```
class B(A):
    def __init__(self):
        super().__init__()
```

Explanation:

Used in inheritance to avoid duplicating code.

11. What is Encapsulation?

Answer:

Encapsulation means **hiding internal data** using:

- Public
- Protected: `_var`
- Private: `__var`

python

```
self.__salary = 50000
```

12. What are Getters and Setters?

Example:

python

```
class Emp:  
    def get_salary(self):  
        return self.__salary  
  
    def set_salary(self, value):  
        self.__salary = value
```

Explanation:

Used to **control access** to private variables.

13. What is an Abstract Class?

Uses **ABC** module.

Example:

python

```
from abc import ABC, abstractmethod  
  
class Animal(ABC):  
    @abstractmethod  
    def sound(self):  
        pass
```

Explanation:

Cannot create object of abstract class.

Used for defining structure.

14. What is a Static Method?

python

```
class A:  
    @staticmethod  
    def add(a, b):  
        return a + b
```

- ✓ No `self`
- ✓ Works like normal function inside class

15. What is a Class Method?

python

```
class A:  
    count = 0  
  
    @classmethod  
    def increment(cls):  
        cls.count += 1
```

- ✓ uses `cls`
- ✓ works on class variables

16. What is Multiple Inheritance?

Example:

```
python
```

```
class A: pass  
class B: pass  
class C(A, B): pass
```

Python supports it using **MRO** (Method Resolution Order).

17. What is MRO in Python?

 **Answer:**

MRO = Order in which Python searches for methods in multiple inheritance.

Check using:

```
python
```

```
print(C.mro())
```

Python uses **C3 Linearization**.

18. What is Operator Overloading?

Example:

python

```
class Box:  
    def __init__(self, v):  
        self.v = v  
  
    def __add__(self, other):  
        return self.v + other.v
```

- ✓ Allows +, -, *, == to work for objects.

19. What are Magic/Dunder Methods?

Examples:

- `__init__`
- `__str__`
- `__len__`
- `__add__`
- `__getitem__`
- `__call__`

Explanation:

These allow objects to behave like built-in types.

20. What is a Dataclass?

Example:

python

```
from dataclasses import dataclass
@dataclass
class Student:
    name: str
    age: int
```

Provides:

- auto `__init__`
- auto `__repr__`
- auto `__eq__`

21. Difference between Composition & Inheritance?

✓ Inheritance (IS-A relationship)

Car **is a** Vehicle.

✓ Composition (HAS-A relationship)

Car **has an** Engine.

Example:

python

```
class Engine: pass
class Car:
    def __init__(self):
        self.engine = Engine()
```

22. What is a Singleton Class?

Allows only **one object**.

python

```
class Single:
    _inst = None
    def __new__(cls):
        if cls._inst is None:
            cls._inst = super().__new__(cls)
        return cls._inst
```

23. What is Duck Typing?

"If it walks like a duck and quacks like a duck, it is a duck."

python

```
class Bird:  
    def fly(self):  
        print("Flying")  
  
class Airplane:  
    def fly(self):  
        print("Airplane flying")
```

Both can be passed to a function expecting `.fly()`.

24. What is difference between `__str__` and `__repr__`?

python

```
__str__ → human readable  
__repr__ → developer/debug readable
```

25. Can Python have private constructors?

Yes using:

python

```
def __init__(self):  
    raise Exception("Cannot create object")
```

or
Singleton pattern.



Done!

These were the **top 25 OOP/Class interview questions** with clear explanations.

Want more?

I can generate:

- 50 questions**
- 100 questions**
- PDF version**
- Coding problems on OOP**

Just tell me what you want!

exception handling all concept explain

Here is the **complete, beginner → advanced guide to Python Exception Handling**, explained in a clear, interview-friendly way with examples.

This covers **ALL concepts** you may need for interviews, coding rounds, and real-world development.

PYTHON EXCEPTION HANDLING — FULL GUIDE (All Concepts)

1. What is an Exception?

An **exception** is an error that occurs at runtime and stops program execution.

Examples:

- ZeroDivisionError
- TypeError
- IndexError
- KeyError
- FileNotFoundError

python

```
a = 10 / 0    # ZeroDivisionError
```

2. Why Use Exception Handling?

- ✓ Prevent program crash
- ✓ Show proper error messages
- ✓ Continue program execution
- ✓ Handle unexpected situations gracefully

3. **try** and **except** — Basic Structure

python

```
try:  
    x = 10 / 0  
except ZeroDivisionError:  
    print("Cannot divide by zero")
```

4. Catching Multiple Exceptions

Method 1 — Separate blocks

python

```
try:  
    x = int("A")  
except ValueError:  
    print("Value error")  
except TypeError:  
    print("Type error")
```

Method 2 — Using a tuple

python

```
try:  
    x = 10 / 0  
except (ZeroDivisionError, ValueError):  
    print("Error occurred")
```

5. Generic Exception Handling

python

```
try:  
    x = 10 / 0  
except Exception as e:  
    print("Error:", e)
```

- ✓ `Exception` catches all errors
- ✓ Good for logging, debugging

6. `else` Block in Exceptions

Runs **only if no exception occurs.**

python

```
try:  
    print("No error")  
except:  
    print("Error")  
else:  
    print("Else block executed")
```

7. `finally` Block

Runs **always**, whether exception occurs or not.

Used for resource cleanup:

- closing file
- closing DB connection

python

```
try:  
    f = open("test.txt")  
except:  
    print("Error opening file")  
finally:  
    print("File handling complete")
```

8. Raising Exceptions Manually (`raise`)

python

```
def check_age(age):  
    if age < 18:  
        raise ValueError("Age must be 18+")  
    return "Valid age"
```

9. Custom User-Defined Exceptions

Step 1: Create class

python

```
class NegativeValueError(Exception):  
    pass
```

Step 2: Use it

python

```
def set_price(p):
    if p < 0:
        raise NegativeValueError("Price cannot be negative")
```

10. Nested try-except

python

```
try:
    try:
        x = 10 / 0
    except ZeroDivisionError:
        print("Inner exception")
except Exception:
    print("Outer exception")
```

11. Exception Chaining (`raise ... from`)

python

```
try:  
    int("abc")  
except ValueError as e:  
    raise RuntimeError("Failed to convert") from e
```

Useful for debugging, shows parent-child exception.

12. `assert` — Debugging Tool

python

```
x = -1  
assert x >= 0, "Number must be positive"
```

If condition fails → `AssertionError`.

13. Logging Exceptions (Best Practice)

python

```
import logging

try:
    x = 10 / 0
except Exception as e:
    logging.error("Error occurred: %s", e)
```

Used in production applications.

14. Handling File Exceptions

python

```
try:
    f = open("abc.txt")
    data = f.read()
except FileNotFoundError:
    print("File not found")
finally:
    f.close()
```

15. Exception Handling with Loops

python

```
for i in range(5):
    try:
        print(10 / i)
    except ZeroDivisionError:
        print("Cannot divide by zero")
```

16. Multiple Except + One Finally

python

```
try:
    x = int(input("Enter number: "))
except ValueError:
    print("Enter valid integer")
except Exception:
    print("Some other error")
finally:
    print("Always executed")
```

17. Avoiding Empty Exception Blocks (Bad Practice)

 Wrong:

python

```
try:  
    x = 10 / 0  
except:  
    pass
```

- ✓ Hides bugs
- ✓ Hard to debug

18. Exception vs Error (Difference)

Exception	Error
Recoverable	Non-Recoverable
Can catch using try	Cannot be caught
Example: ValueError	Example: MemoryError

19. Built-in Exception Hierarchy (Important for Interviews)

php

```
BaseException
├── SystemExit
├── KeyboardInterrupt
└── Exception
    ├── ArithmeticError
    │   └── ZeroDivisionError
    ├── LookupError
    │   ├── IndexError
    │   └── KeyError
    ├── ValueError
    ├── TypeError
    ├── FileNotFoundError
    └── ...
```

20. Best Practices in Exception Handling

- ✓ Catch specific exceptions
- ✓ Use finally to close resources
- ✓ Never use empty except
- ✓ Raise exceptions when input invalid
- ✓ Log errors for debugging
- ✓ Keep exception messages clear

 **Done! All Python Exception Handling concepts covered successfully.**

Want more?

I can provide:

- 50+ Exception Handling Interview Questions
- Practice Questions & Coding Problems
- Real-world example scenarios (Bank, File System, ATM, API)
- PDF notes

Just tell me!

read write all file handling

Here is the **complete, beginner → advanced explanation of Python File Handling**, including **read/write modes, all functions, examples, best practices, and interview-level concepts**.

✓ PYTHON FILE HANDLING — COMPLETE GUIDE

Python uses the built-in `open()` function to work with files.

1. Opening a File

`python`

```
file = open("data.txt", "r")
```

Syntax:

`python`

```
open(filename, mode)
```

2. File Modes (VERY IMPORTANT)

Mode	Meaning	use-case
r	read (file must exist)	reading
w	write (overwrites)	create new / replace
a	append	add data at end
x	create file (error if exists)	safe creation

Mode	Meaning	use-case
r+	read + write (no overwrite)	update file
w+	write + read (overwrite)	recreate + read
a+	append + read	add & read

3. Reading a File

✓ **read()** — Read entire file

python

```
f = open("data.txt", "r")
data = f.read()
print(data)
f.close()
```

✓ **read(n)** — Read n characters

python

```
f.read(5)
```

✓ **readline()** — Read one line

python

```
line = f.readline()
```

✓ **readlines()** — Read all lines into a list

python

```
lines = f.readlines()
```

4. Writing to File

✓ **write()**

python

```
f = open("data.txt", "w")
f.write("Hello World")
f.close()
```

w overwrites file.

✓ **writelines()** — write list of lines

python

```
f.writelines(["Aamir\n", "Hussain\n", "Azad\n"])
```

5. Append to a File

python

```
f = open("data.txt", "a")
f.write("New Line Added\n")
f.close()
```

- ✓ Does NOT overwrite
- ✓ Always adds at bottom

6. BEST PRACTICE — using **with open()**

No need to close file manually.

python

```
with open("data.txt", "r") as f:
    content = f.read()
```

Python automatically closes the file.

7. Reading File Line by Line (Efficient)

Method 1

python

```
with open("data.txt") as f:  
    for line in f:  
        print(line)
```

Method 2

python

```
while True:  
    line = f.readline()  
    if not line:  
        break
```

8. File Pointer / **tell()** and **seek()**

✓ **tell()** — current position

python

```
pos = f.tell()
```

✓ **seek()** — move pointer

python

```
f.seek(0) # move to beginning
```

Useful in large files and logs.

9. Working With Binary Files

Read binary

python

```
with open("image.jpg", "rb") as f:  
    data = f.read()
```

Write binary

python

```
with open("copy.jpg", "wb") as f:  
    f.write(data)
```

Binary = images, videos, PDF, MP3

10. Check If File Exists

Using `os.path`:

python

```
import os  
  
if os.path.exists("data.txt"):  
    print("File exists")
```

11. Delete a File

python

```
os.remove("data.txt")
```

12. Rename a File

python

```
os.rename("old.txt", "new.txt")
```

13. Exceptions in File Handling

python

```
try:  
    f = open("abc.txt")  
except FileNotFoundError:  
    print("File does not exist")
```

Very important for interviews.

14. JSON File Read/Write

python

```
import json

data = {"name": "Aamir", "age": 21}

# Write JSON
with open("data.json", "w") as f:
    json.dump(data, f)

# Read JSON
with open("data.json", "r") as f:
    result = json.load(f)
```

15. CSV File Read/Write

python

```
import csv

# Write CSV
with open("emp.csv", "w", newline="") as f:
    wr = csv.writer(f)
    wr.writerow(["Name", "Age"])
    wr.writerow(["Aamir", 21])

# Read CSV
with open("emp.csv") as f:
    rd = csv.reader(f)
    for row in rd:
        print(row)
```



16. File Handling Interview Questions (Quick List)

1. Difference between `read`, `readline`, `readlines`
2. What is the use of `seek()`?
3. What happens if file opened in `w` mode?
4. Difference between `w` and `a` mode
5. How to safely open file? (using `with`)
6. What is binary mode?
7. What is `tell()` used for?
8. What is file pointer?
9. How to handle file not found?
10. Read large files efficiently?

I can provide **answers to all these** if you want.



You now know ALL File Handling concepts in Python — beginner to advanced.

Want next?

- File Handling Interview Questions + Answers
- File Handling Practice Problems
- Real-world tasks (log reader, CSV analyzer, save user data, etc.)

Just tell me!