

background color property css

Great — `background-color` is one of the most important CSS properties 👍
Since you're learning CSS basics, let's understand it **clearly & deeply**.

background-color in CSS

The `background-color` property sets the **background color** of an element.

◆ Syntax

CSS

```
selector {  
  background-color: value;  
}
```

 Copy code

Example

HTML

html

```
<div class="box">Hello World</div>
```

 Copy code

CSS

CSS

```
.box {  
  background-color: red;  
}
```

Result → the div becomes **red**.

 Copy code

Where can it be used?

You can apply it to almost any HTML element:

CSS

```
body { background-color: lightblue; }  
p { background-color: yellow; }  
button { background-color: green; }
```

 Copy code

Ways to Write Colors

1 Color Name

CSS

```
background-color: blue;  
background-color: tomato;  
background-color: aqua;
```

 Copy code

2 HEX Code

CSS

```
background-color: #ff0000; /* red */  
background-color: #00ff00; /* green */  
background-color: #000000; /* black */
```

 Copy code

3 RGB

CSS

```
background-color: rgb(255, 0, 0);  
background-color: rgb(0, 255, 0);
```

RGBA (with opacity)

CSS

```
background-color: rgba(0, 0, 0, 0.5);
```

0.5 means 50% transparent

 Copy code

HSL

CSS

```
background-color: hsl(200, 100%, 50%);
```

 Copy code

Transparent Background

CSS

```
background-color: transparent;
```

 Copy code

Important Rules

◆ Default Value

CSS

```
background-color: transparent;
```

 Copy code

◆ It fills content + padding

(Not margin)

◆ Child elements appear above parent background



Real Example

CSS

```
.card {  
  background-color: #f2f2f2;  
  padding: 20px;  
}
```

Copy code



Background color vs background

CSS

```
background-color: red;    /* Only color */  
background: red;         /* Shorthand: color, image, repeat, etc */
```

Copy code



Multiple Examples Together

CSS

```
body {  
  background-color: #121212;  
}  
  
button {  
  background-color: green;  
}  
  
.box {  
  background-color: rgba(255, 0, 0, 0.3);  
}
```

If you'd like, next I can explain:

Copy code

- 👉 background-image
- 👉 background-repeat
- 👉 background-size
- 👉 background shorthand property
- 👉 OR give you CSS interview questions on background



color system name and rgb

Perfect 👍

Understanding **Color System (Name & RGB)** is very important in CSS.
I'll explain it in a very simple way.

CSS Color Systems

CSS mainly supports many color formats, but the **most basic & important** are:

- 1 Color Name System
- 2 RGB Color System

1) Color Name System

These are **predefined color names** in CSS.

Syntax

CSS

```
color: red;  
background-color: blue;
```

Common Color Names

 Copy code

Name	Color
red	
blue	
green	
black	
white	
yellow	
pink	
orange	
purple	
gray	
brown	
cyan	
lime	
navy	
gold	
tomato	

 Example

```
css

p {
  color: green;
}
```

```
div {
  background-color: tomato;
}
```

- ✓ Easy
- ✗ Limited control over shade

 Copy code

2) RGB Color System

RGB means:

R = Red, G = Green, B = Blue

Each value ranges from 0 to 255

Syntax

CSS

```
color: rgb(255, 0, 0);
background-color: rgb(0, 255, 0);
```

How it works

 Copy code

Color	RGB Value
Red	rgb(255, 0, 0)
Green	rgb(0, 255, 0)
Blue	rgb(0, 0, 255)
Black	rgb(0, 0, 0)
White	rgb(255, 255, 255)
Yellow	rgb(255, 255, 0)
Purple	rgb(128, 0, 128)
Gray	rgb(128, 128, 128)

 Example

CSS

```
h1 {  
  color: rgb(120, 30, 200);  
}  
  
div {  
  background-color: rgb(240, 240, 240);  
}
```

 RGB with Transparency → RGBA

 Copy code

CSS

```
background-color: rgba(255, 0, 0, 0.5);
```

Last value = opacity
0 = fully transparent
1 = fully visible

 Copy code

 Color Name vs RGB

Feature	Color Name	RGB
Easy to write	✓	✗
Many shades	✗	✓
Professional design	✗	✓
Transparency	✗	✓ (RGBA)

 Final Tip

💡 Designers prefer RGB / RGBA because it gives **full control over colors**.

If you want, next I can explain:

- ➡ HEX Color System
- ➡ HSL Color System
- ➡ Opacity property
- ➡ CSS Color interview questions



hex color

Great 😊

Now let's master the **HEX Color System** — this is *very important* for web design.

🧬 HEX Color System in CSS

HEX means **Hexadecimal color code**.

It is written using **#** and **6 characters**.

📄 Format

```
bash
```

```
#RRGGBB
```

📄 Copy code

Where:

- **RR** → Red
- **GG** → Green
- **BB** → Blue

(each pair goes from **00** → **FF**)

 Example

CSS

```
color: #ff0000; /* red */
background-color: #00ff00; /* green */
background-color: #0000ff; /* blue */
```

 Copy code

 How HEX Works

Hex values use:

0–9 and A–F

Hex	Decimal
0	0
9	9
A	10
F	15

So:

bash

```
#FF0000 → red
#00FF00 → green
#0000FF → blue
#000000 → black
#FFFFFF → white
```

 Common HEX Colors

 Copy code

Color	HEX
Black	#000000

Color	HEX
White	#FFFFFF
Red	#FF0000
Green	#00FF00
Blue	#0000FF
Yellow	#FFFF00
Purple	#800080
Gray	#808080
Orange	#FFA500
Pink	#FFC0CB

 Short HEX (3-digit)

When both digits are same, you can shorten:

Full	Short
#FFFFFF	#FFF
#000000	#000
#FF0000	#F00
#00FF00	#0F0
#0000FF	#00F

Example

CSS

```
background-color: #0f0; /* same as #00ff00 */
```

 Copy code

 HEX vs RGB

Feature	HEX	RGB
Popular in CSS	✓	✓
Readable	✗	✓
Compact	✓	✗
Opacity	✗	✗ (needs RGBA)

 Real Project Example

CSS

```
body {
  background-color: #121212;
}

.card {
  background-color: #f5f5f5;
  color: #333333;
}
```

If you'd like, next I can explain:

 Copy code

-  **HSL Color System**
-  **Opacity property**
-  **Gradient backgrounds**
-  **CSS color interview questions**



text alignn property

Good topic 👍

text-align is a very common & important CSS property.

text-align Property in CSS

The `text-align` property controls the **horizontal alignment of text** inside an element.

◆ Syntax

CSS

```
selector {  
  text-align: value;  
}
```

 Copy code

Main Values

Value	Meaning
left	Align text to left (default)
right	Align text to right
center	Align text to center
justify	Align text evenly on both sides

Examples

◆ Left (default)

CSS

```
p {  
  text-align: left;  
}
```

◆ Right

 Copy code

CSS

```
p {  
  text-align: right;  
}
```

◆ Center

 Copy code

CSS

```
h1 {  
  text-align: center;  
}
```

◆ Justify

 Copy code

CSS

```
div {  
  text-align: justify;  
}
```

 Copy code

HTML Example

html

```
<p class="left">Left aligned text</p>  
<p class="right">Right aligned text</p>  
<p class="center">Center aligned text</p>  
<p class="justify">
```

This paragraph is justified. The text spreads evenly on both sides.

</p>

CSS

```
.left { text-align: left; }  
.right { text-align: right; }  
.center { text-align: center; }  
.justify { text-align: justify; }
```

 Copy code

Important Notes

Default value

CSS

```
text-align: left;
```

(for LTR languages like English)

 Copy code

Works on inline content

(text, inline elements, images inside a block)

Does NOT move the element itself

It only aligns the **content** inside it.

Centering Image using text-align

CSS

```
div {  
  text-align: center;  
}
```

html

```
<div>
  
</div>
```

 Copy code

text-align VS align-items

Property	Purpose
text-align	Aligns text inside element
align-items	Aligns elements inside flexbox



Interview Question

Q: How do you center text in CSS?

A: Using `text-align: center;`

If you want, next we can cover:

-  vertical-align
-  line-height
-  font properties
-  complete **CSS text formatting** module



hex color

Sure 😊

Let's revise **HEX Color System** properly from **zero to advanced**.

HEX Color in CSS

HEX color is written using a # symbol followed by 6 hexadecimal characters.

Format

bash

#RRGGBB

- RR → Red
- GG → Green
- BB → Blue

 Copy code

Each pair ranges from 00 → FF

Hexadecimal Digits

Hex uses:

mathematica

0 1 2 3 4 5 6 7 8 9 A B C D E F

 Copy code

Common HEX Colors

Color	HEX
Black	#000000
White	#FFFFFF
Red	#FF0000
Green	#00FF00
Blue	#0000FF
Yellow	#FFFF00

Color	HEX
Gray	#808080
Orange	#FFA500
Purple	#800080
Pink	#FFC0CB

 Usage Example

CSS

```
h1 {
  color: #ff0000;
}

div {
  background-color: #f2f2f2;
}
```

 Short HEX (3-digit form)

 Copy code

When both digits in each pair are same:

Full	Short
#FFFFFF	#FFF
#000000	#000
#FF0000	#F00
#00FF00	#0F0
#0000FF	#00F

Example:

CSS

```
background-color: #0f0;
```

 Copy code

 HEX vs RGB

Feature	HEX	RGB
Easy to read	✗	✓
Short code	✓	✗
Popular in CSS	✓	✓
Transparency	✗	✗ (needs RGBA)

 Professional Tip

Designers prefer HEX for **themes and UI colors** because it's short and consistent.

If you'd like, next we can cover:

-  HSL Color System
-  Opacity & RGBA
-  Gradients
-  Complete CSS Color chapter summary

     

text font line height line spacing all concept explain with proper example

Excellent — this is a **very important CSS chapter** for real websites & interviews 👍
I'll explain **Text + Font + Line Height + Line Spacing** from **basic to advanced** with clear examples.



CSS Text & Font Formatting – Complete Guide

A 1. Font Properties

◆ font-family

Defines the typeface.

CSS

```
p {  
  font-family: Arial, Helvetica, sans-serif;  
}
```

◆ font-size

 Copy code

Controls text size.

CSS

```
h1 { font-size: 32px; }  
p { font-size: 16px; }
```

Units: px, em, rem, %

 Copy code

◆ font-weight

Controls thickness.

CSS

```
p { font-weight: normal; }  
h2 { font-weight: bold; }  
span { font-weight: 600; }
```

 Copy code

◆ font-style

Italic text.

CSS

```
p { font-style: italic; }
```

 Copy code

◆ font-variant

Small caps.

CSS

```
p { font-variant: small-caps; }
```

 Copy code

◆ Shorthand font

CSS

```
p {  
  font: italic bold 18px Arial;  
}
```

 Copy code

2. Text Properties

◆ color

CSS

```
p { color: blue; }
```

 Copy code

◆ text-align

CSS

```
h1 { text-align: center; }
```

 Copy code

◆ text-decoration

CSS

```
a { text-decoration: none; }
```

 Copy code

Values: underline , overline , line-through

◆ text-transform

CSS

```
p { text-transform: uppercase; }
```

 Copy code

Values: lowercase , capitalize

◆ text-indent

CSS

```
p { text-indent: 40px; }
```

 Copy code

◆ letter-spacing

Controls space between **letters**.

CSS

```
h1 { letter-spacing: 3px; }
```

 Copy code

3. Line Height & Line Spacing

◆ line-height

Controls vertical distance between text lines.

CSS

```
p {  
  line-height: 1.8;  
}
```

Units:

 Copy code

- number (1.5)
- px , em , %

◆ Example

CSS

```
p {  
  font-size: 16px;  
  line-height: 24px;  
}
```

 Copy code

Line Spacing Formula

Line spacing = line-height – font-size

Example:

arduino

```
font-size: 16px  
line-height: 24px  
spacing = 8px
```

[Copy code](#)

◆ word-spacing

Controls space between words.

CSS

```
p {  
  word-spacing: 5px;  
}
```

[Copy code](#)

Complete Example

html

```
<p class="text">  
This is a paragraph with full text formatting example.  
</p>
```

CSS

```
.text {  
  font-family: Verdana;  
  font-size: 18px;  
  font-weight: 500;  
  color: #333;  
  text-align: justify;  
  letter-spacing: 1px;  
  word-spacing: 4px;  
  line-height: 1.6;  
}
```



Interview Notes

Property	Use	Copy code
font-family	Change font	
font-size	Text size	
line-height	Line spacing	
letter-spacing	Space between letters	
word-spacing	Space between words	
text-transform	Change case	
text-align	Horizontal alignment	

If you want next lesson, I suggest:

- 👉 CSS Box Model
- 👉 CSS Display Property
- 👉 CSS Position Property



letter spacing line height font family

Great — these **three properties** are the *heart of good text design* in CSS.

Let's understand them **clearly with real examples** 📌

1. font-family

Controls **which font** is used.



Syntax

CSS

```
font-family: value;
```

Copy code



Example

CSS

```
p {  
  font-family: Arial, Helvetica, sans-serif;  
}
```



How it works

Copy code

The browser tries fonts from left to right.

If Arial is missing, it uses Helvetica, then any sans-serif.



2. letter-spacing

Controls space between **letters**.



Syntax

CSS

```
letter-spacing: value;
```

Copy code



Example

CSS

```
h1 {  
  letter-spacing: 3px;  
}
```



Use case

Copy code

Improves readability for headings.



3. line-height

Controls space between **lines of text** (vertical spacing).



Syntax

CSS

```
line-height: value;
```

Copy code



Example

CSS

```
p {  
  font-size: 16px;  
  line-height: 24px;  
}
```



Best Practice

CSS

```
line-height: 1.5;
```

Copy code

(1.5 × font-size)

Copy code



Complete Example Together

CSS

```
.text {  
  font-family: 'Segoe UI', Arial, sans-serif;  
  font-size: 18px;  
  letter-spacing: 1px;  
  line-height: 1.6;  
}
```

html

```
<p class="text">
This paragraph has custom font, letter spacing and line height.
</p>
```



Interview Points

Copy code

Property	Purpose
font-family	Selects font
letter-spacing	Space between letters
line-height	Space between text lines

If you'd like, next I can explain:

- word-spacing
- text-transform
- CSS Typography best practices



Font-size units in CSS

Absolute

px

pt

pc

cm

mm

in

Relative

%

em

rem

ch

vh

vw + many more explain it

Excellent topic — this is **core CSS knowledge** and often asked in interviews.

Let's explain **Font-size Units in CSS** from **basic** → **advanced** in a clean & simple way 📌



CSS Font-Size Units

Font size units are divided into **two main types**:

1 Absolute Units

2 Relative Units



1. Absolute Units

These are **fixed sizes** — they do NOT depend on screen or parent size.

Unit	Meaning
px	Pixel
pt	Point
pc	Pica
cm	Centimeter
mm	Millimeter
in	Inch

◆ px — Pixel (Most Used)

CSS

```
p { font-size: 16px; }
```

 Copy code

1px $\approx$ 1 screen dot

Best for screens & web.

◆ pt — Point (Mostly for print)

CSS

```
p { font-size: 12pt; }
```

 Copy code

1pt = 1/72 inch

◆ pc — Pica

CSS

```
p { font-size: 1pc; }
```

 Copy code

1pc = 12pt

◆ cm, mm, in

CSS

```
p { font-size: 1cm; }  
p { font-size: 10mm; }  
p { font-size: 0.5in; }
```

Used mainly for **printing**, not for websites.

 Copy code

2. Relative Units

These change **based on parent, root, or viewport**.

Unit	Based On
%	Parent size
em	Parent font size
rem	Root (html) font size
ch	Width of character "0"
vw	1% of viewport width
vh	1% of viewport height
vmin	Smaller of vw or vh
vmax	Larger of vw or vh

◆ %

CSS

```
div { font-size: 150%; }
```

If parent = 16px → 150% = 24px

 Copy code

◆ em

CSS

```
p { font-size: 2em; }
```

If parent = 16px → 2em = 32px

 Copy code

⚠ Can compound when nested.

◆ rem (Best Practice)

CSS

```
html { font-size: 16px; }
p { font-size: 1.5rem; }
```

Always based on **root**, never compounds.

 Copy code

◆ ch

CSS

```
p { font-size: 10ch; }
```

Width equals approx 10 characters.

 Copy code

◆ vw & vh

CSS

```
h1 { font-size: 5vw; }
```

Responsive text based on screen size.

 Copy code

 Quick Comparison

Unit	Responsive	Stable	Recommended
px	✗	✓	⚠
em	✓	✗	⚠
rem	✓	✓	★ ★ ★
%	✓	⚠	★ ★
vw/vh	✓	✗	★ ★



Interview Tip

Use `rem` for font sizes

Use `px` for borders

Use `vw/vh` for responsive headings

If you want, next I can explain:

- 👉 CSS Box Model
- 👉 Display Property
- 👉 Position Property
- 👉 Flexbox / Grid



Practice Qs

Design the given Apna College logo using CSS instructions

- set the font-family to League spartan
- set the color of text to #ffa511
- center align the text
- make the text size 55px & font-weight 900
- set spacing between letters to 2px
- set the line height to 1.5x the normal value
- add a teal double underline
- uppercase all the letters only using css (use Google)

APNA

COLLEGE

Perfect practice question — this uses **real CSS typography concepts** 👍

Below is the **complete working solution** with explanation.



Final Output Text

nginx

APNA

COLLEGE

 Copy code

HTML

html

```
<!DOCTYPE html>
<html>
<head>
  <title>Apna College Logo</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=League+Spartan:wght@400;900" rel="stylesheet">
</head>
<body>

  <h1 class="logo">
    Apna <br>
    College
  </h1>

</body>
</html>
```

CSS (style.css)

CSS

```
body {
  background: #fff;
}
```

```
.logo {  
  font-family: 'League Spartan', sans-serif;  
  color: #ffa511;  
  text-align: center;  
  font-size: 55px;  
  font-weight: 900;  
  letter-spacing: 2px;  
  line-height: 1.5;  
  text-decoration: underline double teal;  
  text-transform: uppercase;  
}
```



How each instruction is applied

Requirement	CSS Used
Font family	font-family: 'League Spartan'
Color	#ffa511
Center align	text-align: center
Size	font-size: 55px
Bold	font-weight: 900
Letter spacing	letter-spacing: 2px
Line height	line-height: 1.5
Teal double underline	text-decoration: underline double teal
Uppercase	text-transform: uppercase

[Copy code](#)

Interview Bonus Tip

text-transform: uppercase;

is used when you want to **change text case using only CSS** (no HTML editing).

If you want, I can also show:

- ✓ how to animate this logo
- ✓ how to make it responsive
- ✓ how to build the full Apna College homepage UI

