

pseudo element all concept

Great topic, Aamir — **pseudo-elements** are very important for CSS design & interviews. Here is the **complete concept** from beginner to advanced 📌

CSS Pseudo-Elements – Full Concept

◆ What is a Pseudo-Element?

A **pseudo-element** allows you to style a **specific part of an element**.

It is written with `::`

(older CSS used `:` but modern CSS uses `::`)

CSS

```
selector::pseudo-element {  
  property: value;  
}
```

 Copy code

Difference: Pseudo-Class vs Pseudo-Element

Pseudo-Class	Pseudo-Element
Targets state	Targets part of element
<code>:hover</code>	<code>::before</code>
<code>:active</code>	<code>::after</code>
<code>:checked</code>	<code>::first-letter</code>



All Important Pseudo-Elements

1 ::before

Adds content **before** the element's content.

CSS

```
p::before {  
  content: "👉";  
  color: red;  
}
```

html

```
<p>Hello World</p>
```

Output: 👉 Hello World

Copy code

📌 content property is **mandatory**

2 ::after

Adds content **after** the element.

CSS

```
p::after {  
  content: " ✓";  
  color: green;  
}
```

Copy code

3 ::first-letter

Styles the **first letter** of text.

CSS

```
p::first-letter {  
  font-size: 40px;  
  color: blue;  
}
```

 Copy code

4 ::first-line

Styles the **first line** of text.

CSS

```
p::first-line {  
  color: red;  
  font-weight: bold;  
}
```

 Copy code

5 ::selection

Styles the text when user selects it.

CSS

```
::selection {  
  background: yellow;  
  color: black;  
}
```

 Copy code

6 ::placeholder

Styles placeholder text in input fields.

CSS

```
input::placeholder {  
  color: gray;
```

```
font-style: italic;
}
```

[Copy code](#)

7 ::marker

Styles bullet or numbering of lists.

CSS

```
li::marker {
  color: red;
  font-size: 20px;
}
```

[Copy code](#)

8 ::file-selector-button

Styles upload button.

CSS

```
input::file-selector-button {
  background: black;
  color: white;
}
```

[Copy code](#)

9 ::backdrop

Used for fullscreen / dialog background.

CSS

```
::backdrop {
  background: rgba(0,0,0,0.6);
}
```

[Copy code](#)



Important Rules

- ✓ content property required for ::before and ::after

CSS

```
div::before { content: ""; }
```

Copy code

- ✓ They are not real HTML elements

They exist only in CSS.

- ✓ Cannot be used on replaced elements

(ex: , <input> etc except special cases)



Common Interview Questions



Why use pseudo-elements?

To add decoration or design without changing HTML.



Can we use multiple pseudo-elements?

Yes.

CSS

```
div::before { ... }  
div::after { ... }
```

Copy code



Difference between :hover and ::before?

:hover is a state, ::before is a part of element.



Real-World Example

CSS

```
button::before {  
  content: "🚀";  
}
```

 Copy code

html

<button>Launch</button>

Output: 🚀 Launch

 Copy code

If you want, next I can give you:

- ✓ Advanced UI tricks using pseudo-elements
- ✓ Interview MCQs on pseudo-elements
- ✓ Mini project using only pseudo-elements

Just tell me 👍



first letter first line selection

Great — these **three pseudo-elements** are very important 👍

Here is the **clear, simple & exam-ready explanation** of:

 **::first-letter | ::first-line | ::selection**

::first-letter

What it does:

Styles **only the first letter** of a text block.

Syntax

```
selector::first-letter {  
  property: value;  
}
```

Example

html

```
<p>This is a paragraph.</p>
```

CSS

```
p::first-letter {  
  font-size: 40px;  
  color: red;  
  font-weight: bold;  
}
```

Output

This is a paragraph.

 Copy code

Common Uses

- ✓ Drop caps
- ✓ Magazine style paragraphs
- ✓ Decorative text

::first-line

What it does:

Styles only the first line of the text (depends on screen width).

Syntax

CSS

```
selector::first-line {  
  property: value;  
}
```

 Copy code

Example

CSS

```
p::first-line {  
  color: blue;  
  font-weight: bold;  
}
```

Properties allowed

 Copy code

Only text properties:

color , font , word-spacing , letter-spacing , text-decoration , etc.

::selection

What it does:

Styles text when user selects it with mouse or keyboard.

Syntax

CSS

```
::selection {  
  property: value;  
}
```

Example

 Copy code

CSS

```
::selection {  
  background: yellow;
```

```
color: black;
}
```

 Copy code

 Effect

When user selects text → it becomes **yellow with black text**

 Combined Example

CSS

```
p::first-letter {
  font-size: 36px;
  color: crimson;
}

p::first-line {
  color: blue;
}

::selection {
  background: orange;
  color: white;
}
```

 Interview Points

Feature	::first-letter	::first-line	::selection
Works on	First letter	First line	Select  Copy code
Depends on screen size	✗	✓	✗
Common use	Drop cap	Highlight intro	Custom selection

If you'd like, I can also explain:

- 👉 Difference between `::first-letter` and `::first-line`
- 👉 Limitations & browser support
- 👉 Real design examples using them

