

html entities all concept

Great topic 👍

HTML Entities are *very important* for web development and interviews.

I'll explain **ALL concepts from basic → advanced**, with clear examples.



What are HTML Entities?

HTML Entity = Special code used to display reserved or special characters in HTML.

Some characters **cannot be written directly** in HTML because they are used by the browser as syntax.

So we use **entities** to show them.



Why HTML Entities are needed?

Because these characters have special meaning:

Character	Meaning in HTML
<	Start of tag
>	End of tag
&	Start of entity
"	Attribute value
'	Attribute value

If you write them directly, the browser may break your page.

Types of HTML Entities

There are 3 main ways to write an entity:

1 Named Entity

markdown

<

>

&

2 Decimal Number Entity

 Copy code

csharp

<

>

&

3 Hexadecimal Entity

 Copy code

csharp

<

>

&

All three do the same job.

 Copy code

Most Important HTML Entities

Symbol	Named	Decimal	Hex	Meaning
(space)	 	 	 	Non-breaking space

Symbol	Named	Decimal	Hex	Meaning
<	<	<	<	Less than
>	>	>	>	Greater than
&	&	&	&	Ampersand
"	"	"	"	Double quote
'	'	'	'	Single quote
©	©	©	©	Copyright
®	®	®	®	Registered
₹	₹			Indian Rupee
€	€	€		Euro
£	£	£		Pound
¥	¥	¥		Yen

Non-Breaking Space ()

Used to prevent line break and add spacing.

markdown

```
Hello&nbsp;&nbsp;&nbsp;&nbsp;World
```

👉 Output:

Hello World

 Copy code

Reserved Character Example

✗ Wrong:

CSS

```
<p> 5 < 10 </p>
```

Browser breaks.

 Copy code

✓ Correct:

php-template

```
<p> 5 &lt; 10 </p>
```

Output:

 Copy code

5 < 10

 Copy code

 Currency Entities

Symbol	Entity
₹	₹
\$	$
€	€
£	£
¥	¥

 Mathematical Entities

Symbol	Entity
×	×
÷	÷
±	±
≤	≤
≥	≥

Symbol	Entity
∞	∞
π	π

 Greek Letters

Symbol	Entity
α	α
β	β
γ	γ
Ω	Ω

 Emoji using Entity

csharp

- 😀 → 
- 😍 → 
- 😂 → 

 Copy code

 Example Page

html

```
<!DOCTYPE html>
<html>
<body>

<p>5 &lt; 10</p>
```

```
<p>Copyright &copy; 2025</p>
```

```
<p>Price: &#8377;500</p>
```

```
<p>Smile: &#128512;</p>
```

```
</body>
```

```
</html>
```



Interview Notes

- ✓ Entities start with & and end with ;
- ✓ Used for reserved characters and special symbols
- ✓ Browser converts them to actual characters
- ✓ Prevents HTML parsing errors

 Copy code

If you want, next I can give you

 **Complete printable HTML Entities cheat sheet**

or **MCQ interview questions on HTML Entities.**

     ... [Compare with Claude](#) ▼