

Child: >

```
nav>ul>li
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Sibling: +

```
div+p+bq
<div></div>
<p></p>
<blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
<div></div>
<div>
  <p><span></span><em></em></p>
<blockquote></blockquote>
</div>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
<div>
  <header>
    <ul>
      <li><a href=""></a></li>
      <li><a href=""></a></li>
    </ul>
  </header>
  <footer>
    <p></p>
  </footer>
</div>
```

Multiplication: *

```
ul>li*5
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Item numbering: \$

```
div+div>p>span+em^bq
<div></div>
<div>
  <p><span></span><em></em></p>
</div>
<blockquote></blockquote>

(div>d1>(dt+dd)*3)+footer>p
<div>
  <d1>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
  </d1>
</div>
<footer>
  <p></p>
</footer>
```

ul>li.item\$*5	h5[title=item\$]{Header \$}*3	ul>li.item\$\$\$5
	<h1 title="item1">Header 1</h1>	
<li class="item1">	<h2 title="item2">Header 2</h2>	<li class="item001">
<li class="item2">	<h3 title="item3">Header 3</h3>	<li class="item002">
<li class="item3">		<li class="item003">
<li class="item4">		<li class="item004">
<li class="item5">		<li class="item005">
ul>li.item\$@-*5	ul>li.item\$@3*5	
<li class="item5">	<li class="item3">	
<li class="item4">	<li class="item4">	
<li class="item3">	<li class="item5">	
<li class="item2">	<li class="item6">	
<li class="item1">	<li class="item7">	
	.title	form#search.wide
	<div id="header"></div>	<form id="search" class="wide"></form>
p.class1.class2.class3		
<p class="class1 class2 class3"></p>		

Custom attributes

p[title="Hello world"]
<p title="Hello world"></p>

Text: {}

a{Click me}
Click me

Implicit tag names

.class
<div class="class"></div>

table>.row>.col
<table>
<tr class="row">
<td class="col"></td>
</tr>
</table>

HTML

All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.

td[rowspan=2 colspan=3 title]
<td rowspan="2" colspan="3" title=""></td>

p{Click }+a{here}{ to continue}
<p>Click here to continue</p>

em>.class

ul>.class

<li class="class">

[a='value1' b='value2']
<div a="value1" b="value2"></div>

!	Alias of <code>html:5</code>	<code>a</code>	<code></code>
	<code><!DOCTYPE html></code>	<code>a:mail</code>	<code></code>
	<code><html lang="en"></code>	<code>acronym, acr</code>	<code><acronym title="#"></acronym></code>
	<code><head></code>	<code>basefont</code>	<code><basefont /></code>
	<code><title>Document</title></code>	<code>base</code>	<code><base href="#" /></code>
	<code></head></code>	<code>br</code>	<code>
</code>
	<code><body></code>	<code>hr</code>	<code><hr /></code>
	<code></body></code>	<code>bdo:r</code>	<code><bdo dir="rtl"></bdo></code>
	<code></html></code>	<code>link</code>	<code><link rel="stylesheet" href="#" /></code>
		<code>link:css</code>	<code><link rel="stylesheet" href="style.css" /></code>
		<code>link:touch</code>	<code><link rel="apple-touch-icon" href="favicon.png" /></code>
		<code>link:import, link:im</code>	<code><link rel="import" href="component.html" /></code>
		<code>meta:win</code>	<code><meta http-equiv="Content-Type" content="text/html; charset=windows-1251" /></code>
		<code>script</code>	<code><script></script></code>
		<code>img:srcset, img:s</code>	<code></code>
		<code>source, src</code>	<code><source /></code>
		<code>source:media, src:m</code>	<code><source media="(min-width:)" srcset="#" /></code>
		<code>source:media:sizes, src:mz</code>	<code><source media="(min-width:)" sizes="#" srcset="#" /></code>
		<code>source:media:type, src:mt</code>	<code><source media="(min-width:)" srcset="#" type="#" /></code>
		<code>source:sizes, src:sz</code>	<code><source sizes="#" srcset="#" /></code>
		<code>source:src, src:sc</code>	<code><source src="#" type="#" /></code>
		<code>source:type, src:t</code>	<code><source srcset="#" type="image/" /></code>
		<code>source:typesize, src:zt</code>	<code><source sizes="#" srcset="#" type="image/" /></code>
		<code>style</code>	<code><style></style></code>
		<code>img</code>	<code></code>
		<code>picture</code>	<code><picture></picture></code>
		<code>source:srcset, src:s</code>	<code><source srcset="#" /></code>
		<code>source:sizes, src:sz</code>	<code><source sizes="#" srcset="#" /></code>
		<code>source:media:type, src:mt</code>	<code><source media="(min-width:)" srcset="#" type="#" /></code>
		<code>iframe</code>	<code><iframe src="#" frameborder="0"></iframe></code>
		<code>link:favicon</code>	<code><link rel="shortcut icon" type="image/x-icon" href="favicon.ico" /></code>
		<code>link:atom</code>	<code><link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" /></code>
		<code>meta:utf</code>	<code><meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /></code>
		<code>meta:compat</code>	<code><meta http-equiv="X-UA-Compatible" content="IE=7" /></code>
		<code>style</code>	<code><style></style></code>
		<code>img</code>	<code></code>
		<code>picture</code>	<code><picture></picture></code>
		<code>source:srcset, src:s</code>	<code><source srcset="#" /></code>
		<code>source:sizes, src:sz</code>	<code><source sizes="#" srcset="#" /></code>
		<code>source:media:type, src:mt</code>	<code><source media="(min-width:)" srcset="#" type="#" /></code>
		<code>iframe</code>	<code><iframe src="#" frameborder="0"></iframe></code>

embed	<code><embed src=" " type=" " /></code>	object	<code><object data=" " type=" "></object></code>	param	<code><param name=" " value=" " /></code>
map	<code><map name=" "></map></code>	area	<code><area shape=" " coords=" " href=" " alt=" " /></code>	area:d	<code><area shape="default" href=" " alt=" " /></code>
area:c	<code><area shape="circle" coords=" " href=" " alt=" " /></code>	area:r	<code><area shape="rect" coords=" " href=" " alt=" " /></code>	area:p	<code><area shape="poly" coords=" " href=" " alt=" " /></code>
form:post	<code><form action=" " method="post"></form></code>	form	<code><form action=" "></form></code>	form:get	<code><form action=" " method="get"></form></code>
inp	<code><input type="text" name=" " id=" " /></code>	label	<code><label for=" "></label></code>	input	<code><input type="text" /></code>
input:search	Alias of <code>inp[type=search]</code>	input:hidden	Alias of <code>input[type=hidden name]</code>	input:text, input:t	Alias of <code>inp</code>
input:password, input:p	<code><input type="search" name=" " id=" " /></code>	input:email	<code><input type="hidden" name=" " /></code>	input:url	<code><input type="text" name=" " id=" " /></code>
input:datetime-local	Alias of <code>inp[type=password]</code>	input:datetime	Alias of <code>inp[type=email]</code>	input:date	Alias of <code>inp[type=url]</code>
input:datetime-local	<code><input type="password" name=" " id=" " /></code>	input:month	<code><input type="email" name=" " id=" " /></code>	input:week	<code><input type="date" name=" " id=" " /></code>
input:time	Alias of <code>inp[type=datetime-local]</code>	input:tel	Alias of <code>inp[type=month]</code>	input:number	Alias of <code>inp[type=date]</code>
input:color	<code><input type="time" name=" " id=" " /></code>	input:checkbox, input:c	<code><input type="tel" name=" " id=" " /></code>	input:radio, input:r	<code><input type="week" name=" " id=" " /></code>
input:range	Alias of <code>inp[type=color]</code>	input:file, input:f	Alias of <code>inp[type=checkbox]</code>	input:submit, input:s	Alias of <code>inp[type=number]</code>
input:button, input:b	<code><input type="color" name=" " id=" " /></code>	isindex	<code><input type="checkbox" name=" " id=" " /></code>	input:image, input:i	Alias of <code>inp[type=radio]</code>
select	<code><select name=" " id=" "></select></code>		Alias of <code>inp[type=file]</code>	input:reset	<code><input type="submit" value=" " /></code>
			<code><input type="file" name=" " id=" " /></code>		<code><input type="image" src=" " alt=" " /></code>
			<code><input type="button" value=" " /></code>		Alias of <code>input:reset</code>
					Alias of <code>input:button[type=reset]</code>

select:disabled, select:d
Alias of select[disabled.]
<select name="" id="" disabled="disabled">
</select>

menu:toolbar, menu:t
Alias of menu[type=toolbar]>
<menu type="toolbar"> </menu>

button:submit, button:s, btn:s
Alias of button[type=submit]
<button type="submit"> </button>
fieldset:disabled, fieldset:d, fset:d, fst:d
Alias of fieldset[disabled.]
<fieldset disabled="disabled"> </fieldset>

figc
Alias of figcaption
<figcaption> </figcaption>
emb
Alias of embed
<embed src="" type="" />

colg
Alias of colgroup
<colgroup> </colgroup>
optg
Alias of optgroup
<optgroup> </optgroup>

art
Alias of article
<article> </article>

option, opt
<option value=""> </option>
marquee
<marquee behavior="" direction=""> </marquee>
video
<video src=""> </video>
html:xml
<html xmlns="http://www.w3.org/1999/xhtml">
</html>

button:reset, button:r, btn:r
Alias of button[type=reset]
<button type="reset"> </button>
bq
Alias of blockquote
<blockquote> </blockquote>

pic
Alias of picture
<picture> </picture>
obj
Alias of object
<object data="" type=""> </object>

fst, fset
Alias of fieldset
<fieldset> </fieldset>
tarea
Alias of textarea
<textarea name="" id="" cols="" rows="">
> </textarea>

hdr
Alias of header
<header> </header>

textarea
<textarea name="" id="" cols="" rows="">
> </textarea>
menu:context, menu:c
Alias of menu[type=context]>
<menu type="context"> </menu>
audio
<audio src=""> </audio>
keygen
<keygen />
command
<command />

button:disabled, button:d, btn:d
Alias of button[disabled.]
<button disabled="disabled"> </button>
fig
Alias of figure
<figure> </figure>
ifr
Alias of iframe
<iframe src="" frameborder="0"> </iframe>

cap
Alias of caption
<caption> </caption>
btn
Alias of button
<button> </button>
leg
Alias of legend
<legend> </legend>

sect
Alias of section
<section> </section>
ftr
Alias of footer
<footer> </footer>

<https://docs.emmet.io/cheat-sheet/>

html:4t

Alias of `!!!4t+doc4[lang=${lang}]`

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"

"http://www.w3.org/TR/html4/loose.dtd">

<html lang="en">

<head>

<meta http-equiv="Content-Type"

content="text/html; charset=UTF-8" />

<title>Document</title>

</head>

<body>

</body>

</html>

html:4s

Alias of `!!!4s+doc4[lang=${lang}]`

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"

"http://www.w3.org/TR/html4/strict.dtd">

<html lang="en">

<head>

<meta http-equiv="Content-Type"

content="text/html; charset=UTF-8" />

<title>Document</title>

</head>

<body>

</body>

</html>

html:xt

Alias of

!!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml]

xml:lang=\${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml"

xml:lang="en">

<head>

<meta http-equiv="Content-Type"

content="text/html; charset=UTF-8" />

<title>Document</title>

</head>

<body>

</body>

</html>

html:xs

Alias of

!!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml]

xml:lang=\${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml"

xml:lang="en">

<head>

<meta http-equiv="Content-Type"

content="text/html; charset=UTF-8" />

<title>Document</title>

</head>

<body>

</body>

</html>

html:xxs

Alias of

!!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml]

1 xml:lang=\${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"

"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml"

xml:lang="en">

<head>

<meta http-equiv="Content-Type"

content="text/html; charset=UTF-8" />

<title>Document</title>

</head>

<body>

</body>

</html>

html:x

Alias of `!!!+doc[lang=${lang}]`

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<title>Document</title>

</head>

<body>

</body>

</html>

ul+

Alias of `ul>li`

dl+

Alias of `dl>dt+dd`

<dl>

<dt></dt>

<dd></dd>

</dl>

map+ Alias of map>area <map name=" " id=" " "> <area shape=" " coords=" " href=" " alt=" " /> </map>	table+ Alias of table>tr>td <table> <tr> <td> </td> </tr> </table>	colgroup+, colg+ Alias of colgroup>col <colgroup> <col /> </colgroup> tr+ Alias of tr>td <tr> <td> </td> </tr>
select+ Alias of select>option <select name=" " id=" " "> <option value=" " "> </option> </select>	optgroup+, optg+ Alias of optgroup>option <optgroup> <option value=" " "> </option> </optgroup>	pic+ Alias of picture>source:srcset+img <picture> <source srcset=" " /> </picture>
!!! <!DOCTYPE html>	!!!4t <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">	!!!4s <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
!!!xs <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">	!!!xxs <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">	c <!-- \${child} --> cc:ie6 <!-- [if lte IE 6]> \${child} <![endif]-->

```
cc:ie
<!-- [if IE]>
  ${child}
<![endif]-->
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov:h == oh.
If abbreviation wasn't found, it is transformed into property name: foo-bar → foo-bar | ;
You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

pos	position: relative ;	pos:s	position:static;	pos:a	position:absolute;
t	top: ! ;	pos:r	position:relative;	pos:f	position:fixed;
r:a	right:auto;	t:a	top:auto;	r	right: ! ;
l	left: ! ;	b	bottom: ! ;	b:a	bottom:auto;
z:a	z-index:auto;	l:a	left:auto;	z	z-index: ! ;
fl:r	float:right;	fl	float: left ;	fl:n	float:none;
cl:r	clear:right;	cl	clear: both ;	fl:l	float:left;
d:n	display:none;	cl:b	clear:both;	cl:n	clear:none;
d:if	display:inline-flex;	d:b	display:block;	cl:l	clear:left;
d:li	display:list-item;	d:i	display:inline;	d	display: block ;
d:tb	display:table;	d:ri	display:run-in;	d:f	display:flex;
d:tbc1	display:table-column;	d:itb	display:inline-table;	d:ib	display:inline-block;
d:tbfg	display:table-footer-group;	d:tbc1g	display:table-column-group;	d:cp	display:compact;
d:tbc	display:table-cell;	d:tbr	display:table-row;	d:tbcp	display:table-caption;
d:rbbg	display:ruby-base-group;	d:rb	display:ruby;	d:tbhg	display:table-header-group;
v	visibility: hidden ;	d:rbt	display:ruby-text;	d:tbrg	display:table-row-group;
ov:v	overflow:visible;	v:v	visibility:visible;	d:rbb	display:ruby-base;
ov:a	overflow:auto;	v:c	visibility:collapse;	d:rbtg	display:ruby-text-group;
ov:s	overflow:scroll;	ov:h	overflow:hidden;	v:h	visibility:hidden;
ovx:s	overflow-x:scroll;	ovx	overflow-x: hidden ;	ov	overflow: hidden ;
ovy:v	overflow-y:visible;	ovx:a	overflow-x:auto;	ov:s	overflow:scroll;
ovy:a	overflow-y:auto;	ovy:h	overflow-y:hidden;	ovx:v	overflow-x:visible;
ovs:p	overflow-style:panner;	ovs	overflow-style: scrollbar ;	ovy	overflow-y: hidden ;
zoo, zm	zoom:1;	ovs:m	overflow-style:move;	ovy:s	overflow-y:scroll;
cp:r	clip:rect(top right bottom left);	cp	clip: ! ;	ovs:a	overflow-style:auto;
		rsz	resize: ! ;	ovs:s	overflow-style:scrollbar;
		rsz:b	resize:both;	ovs:mq	overflow-style:marquee;
				cp:a	clip:auto;
				rsz:n	resize:none;
				rsz:h	resize:horizontal;

rsz:v	resize:vertical;	cur	cursor:\${pointer};	cur:a	cursor:auto;
cur:d	cursor:default;	cur:c	cursor:crosshair;	cur:ha	cursor:hand;
cur:he	cursor:help;	cur:m	cursor:move;	cur:p	cursor:pointer;
cur:t	cursor:text;				

Margin & Padding

m	margin: !;	m: a	margin: auto;	mt	margin-top: !;
mt: a	margin-top: auto;	mr	margin-right: !;	mr: a	margin-right: auto;
mb	margin-bottom: !;	mb: a	margin-bottom: auto;	m1	margin-left: !;
m1: a	margin-left: auto;	p	padding: !;	pt	padding-top: !;
pr	padding-right: !;	pb	padding-bottom: !;	p1	padding-left: !;

Box Sizing

bxz	box-sizing: border-box;	bxz: cb	box-sizing: content-box;	bxz: bb	box-sizing: border-box;
bxsh: ra	box-shadow: inset h v blur spread rgba (0 , 0 , 0 , .5);	bxsh	box-shadow: inset hoff voff blur color ;	bxsh: r	box-shadow: inset hoff hoff blur spread rgb (0 , 0 , 0);
h: a	height: auto;	w: a	width: auto;	w	width: !;
maw	max-width: !;	h	height: auto;	h	height: !;
mah	max-height: !;	maw: n	max-width: !;	maw: n	max-width: none;
mih	min-height: !;	mah: n	max-height: none;	miw	min-width: !;

Font

f	font: !;	f+	font: 1em Arial, sans-serif ;	fw	font-weight: !;
fw: b	font-weight: bold;	fw: br	font-weight: bolder;	fw: n	font-weight: normal;
fs	font-style: {italic};	fs: n	font-style: normal;	fw: 1r	font-weight: lighter;
fs: o	font-style: oblique;	fv	font-variant: !;	fs: i	font-style: italic;
fv: sc	font-variant: small-caps;	fz	font-size: !;	fv: n	font-variant: normal;
fza: n	font-size-adjust: none;	ff	font-family: !;	fza	font-size-adjust: !;
ff: ss	font-family: sans-serif;	ff: c	font-family: cursive;	ff: s	font-family: serif;
ff: m	font-family: monospace;	ff: a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;	ff: f	font-family: fantasy;
ff: v	font-family: Verdana, Geneva, sans-serif;	fef	font-effect: !;	ff: t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;
fef: o	font-effect: outline;	fef: eg	font-effect: engrave;	fef: n	font-effect: none;
femp: b	font-emphasis-position: before;	fem	font-emphasize: !;	fef: eb	font-effect: emboss;
fems: n	font-emphasis-style: none;	femp: a	font-emphasis-position: after;	femp	font-emphasize-position: !;
fems: c	font-emphasis-style: circle;	fems: ac	font-emphasis-style: accent;	fems	font-emphasize-style: !;
fsm: a	font-smooth: auto;	fems: ds	font-emphasis-style: disc;	fems: dt	font-emphasis-style: dot;
fst	font-stretch: !;	fsm: n	font-smooth: never;	fsm	font-smooth: !;
		fst: n	font-stretch: normal;	fsm: aw	font-smooth: always;
				fst: uc	font-stretch: ultra-condensed;

Cheat Sheet

fst:ec	font-stretch:extra-condensed;	fst:c	font-stretch:condensed;	fst:sc	font-stretch:semi-condensed;
fst:se	font-stretch:semi-expanded;	fst:e	font-stretch:expanded;	fst:ee	font-stretch:extra-expanded;
fst:ue	font-stretch:ultra-expanded;				

Text

va	vertical-align: top ;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: left ;	ta:l	text-align:left;
		ta:c	text-align:center;	ta:c	text-align:center;
ta:r	text-align:right;	ta:j	text-align:justify;	ta-lst	text-align-last: left ;
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: none ;	td:n	text-decoration:none;
		td:l	text-decoration:line-through;	td:u	text-decoration:underline;
td:o	text-decoration:overline;			te	text-emphasis: left ;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: left ;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: left ;	ti:-	text-indent:-9999px;	tj	text-justify: left ;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	text-justify:tibetan;	to	text-outline: left ;	to+	text-outline: left 0 0 #000 ;
to:n	text-outline:none;	tr	text-replace: left ;	tr:n	text-replace:none;
tt	text-transform: uppercase ;	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	text-transform:uppercase;	tt:l	text-transform:lowercase;
tw	text-wrap: left ;	tw:n	text-wrap:normal;	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	text-shadow: hoffset voffset blur #000 ;
					text-shadow: 0 0 0 #000 ;
tsh:r	text-shadow: h v blur 0 , 0 , 0) ;	tsh:ra	text-shadow: h v blur 0 , 0 , 0 , 5) ;	tsh+	text-shadow: 0 0 0 #000 ;
				tsh:n	text-shadow:none;
lh	line-height: left ;	lts	letter-spacing: left ;	lts-n	letter-spacing:normal;
whs	white-space: left ;	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:nw	white-space:nowrap;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse: left ;	whsc:n	white-space-collapse:normal;	whsc:k	white-space-collapse:keep-all;
whsc:l	white-space-collapse:loose;	whsc:bs	white-space-collapse:break-strict;	whsc:ba	white-space-collapse:break-all;
wob	word-break: left ;	wob:n	word-break:normal;	wob:k	word-break:keep-all;

wob:ba	word-break:break-all;	wos	word-spacing: !;	wow	word-wrap: !;
wow:nm	word-wrap:normal;	wow:n	word-wrap:none;	wow:u	word-wrap:unrestricted;
wow:s	word-wrap:suppress;	wow:b	word-wrap:break-word;		

Background

bg	background:#000;	bg+	background:#fff url(l) 0 0 no-repeat;	bg:n bgc bgi:n bgr:x bgr:rd bga:s bgpy bgbk:bb bgcp bgcp:cb bgo:pb bgsz bgsz:cv	background:none; background-color:#fff; background-image:none; background-repeat:repeat-x; background-repeat:round; background-attachment:scroll; background-position:0 0; background-break:bounding-box; background-clip:padding-box; background-clip:content-box; background-origin:padding-box; background-size:cover;
bgc:t	background-color:transparent;	bgi	background-image:url(l);	c:r	color:rgb(0, 0, 0);
bgr	background-repeat:;	bgr:n	background-repeat:no-repeat;	cnt:n, ct:n	content:normal;
bgr:y	background-repeat:repeat-y;	bgr:sp	background-repeat:space;	cnt:cq, ct:cq	content:close-quote;
bga	background-attachment:;	bga:f	background-attachment:fixed;	cnt:c, ct:c	content:counter(l);
bgp	background-position:0 0;	bgpx	background-position-x:;	q	quotes:;
bgbk	background-break:each-box;	bgbk	background-break:;	q:en	quotes:'\00AB' '\00BB' '\201E' '\201C';
bgcp:eb	background-clip:border-box;	bgbk:c	background-break:continuous;	ol:n	outline:;
bgcp:bb	background-clip:border-box;	bgcp:pb	background-clip:padding-box;	olw:tn	outline-width:;
bgcp:nc	background-clip:no-clip;	bgo	background-origin:;	ols	outline-width:thick;
bgo:bb	background-origin:border-box;	bgo:cb	background-origin:content-box;	ols:ds	outline-style:dashed;
bgsz:a	background-size:auto;	bgsz:ct	background-size:contain;	ols:g	outline-style:dotted;

Color

c	color:#000;	color:rgb(0, 0, 0);	c:ra	color:rgba(0, 0, 0, .5);
---	-------------	---------------------	------	--------------------------

Generated content

cnt	content:'';	cnt:n, ct:n	content:normal;	cnt:oq, ct:oq	content:open-quote;
cnt:noq, ct:noq	content:no-open-quote;	cnt:cq, ct:cq	content:close-quote;	cnt:ncq, ct:ncq	content:no-close-quote;
cnt:a, ct:a	content:attr(l);	cnt:c, ct:c	content:counter(l);	cnt:cs, ct:cs	content:counters(l);
ct	content:;	q	quotes:;	q:n	quotes:none;
q:ru	quotes:'\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:'\201C' '\201D' '\2018' '\2019';	coi	counter-increment:;
				cor	counter-reset:;

Outline

ol	outline:;	ol:n	outline:none;	olo	outline-offset:;
olw	outline-width:;	olw:tn	outline-width:thin;	olw:m	outline-width:medium;
olw:tc	outline-width:thick;	ols	outline-style:;	ols:n	outline-style:none;
ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:#000;
olc:i	outline-color:invert;				

Tables

tbl table-layout: **l** ;
cps caption-side: **l** ;
ec empty-cells: **l** ;

tbl:a table-layout:auto;
cps:t caption-side:top;
ec:s empty-cells:show;

tbl:f table-layout:fixed;
cps:b caption-side:bottom;
ec:h empty-cells:hide;

Border

bd	border: ! ;	bd+	border: 1px solid #000 ;	bd:n	border:none;
bdbk:c	border-break:close;	bdc	border-collapse: ! ;	bdbk	border-break: close ;
bdc:l:s	border-collapse:separate;	bdc	border-color: #000 ;	bdc:l:c	border-collapse:collapse;
bdi:n	border-image:none;	bdti	border-top-image: url(!) ;	bdc:t	border-color:transparent;
bdr:i	border-right-image: url(!) ;	bdr:i:n	border-right-image:none;	bdi	border-image: url(!) ;
bdbi:n	border-bottom-image:none;	bdbli	border-left-image: url(!) ;	bdti:n	border-top-image:none;
bdc:i	border-corner-image: url(!) ;	bdc:i:n	border-corner-image:none;	bdbi	border-bottom-image: url(!) ;
bdtli	border-top-left-image: url(!) ;	bdtli:n	border-top-left-image:none;	bdbli:n	border-left-image:none;
bdrtri	border-top-right-image: url(!) ;	bdrtri:n	border-top-right-image:none;	bdc:i:c	border-corner-image:continue;
bdbtri	border-bottom-right-image: url(!) ;	bdbtri:n	border-bottom-right-image:none;	bdtli:c	border-top-left-image:continue;
bdbli	border-bottom-left-image: url(!) ;	bdbli:n	border-bottom-left-image:none;	bdrtri:c	border-top-right-image:continue;
bdf	border-fit: repeat ;	bdf:c	border-fit:clip;	bdbtri:c	border-bottom-right-image:continue;
bdf:ow	border-fit:overwrite;	bdf:sc	border-fit:scale;	bdbli:c	border-bottom-left-image:continue;
bdlen	border-length: ! ;	bdf:of	border-fit:overflow;	bdf:r	border-fit:repeat;
bds	border-style: ! ;	bdlen:a	border-length:auto;	bdf:st	border-fit:stretch;
bds:dt	border-style:dotted;	bds:n	border-style:none;	bdf:sp	border-fit:space;
bds:db	border-style:double;	bds:ds	border-style:dashed;	bds:p	border-spacing: ! ;
bds:w	border-style:wavy;	bds:ds	border-style:dotted;	bds:h	border-style:hidden;
bds:i	border-style:inset;	bds:dt	border-style:dot-dash;	bds:s	border-style:solid;
bdt, bt	border-top: ! ;	bds:dt	border-style:dot-dash;	bds:dt	border-style:dot-dot-dash;
		bds:g	border-style:groove;	bds:r	border-style:ridge;
		bds:o	border-style:outset;	bdtw	border-width: ! ;
		bdt+	border-top: 1px solid #000 ;	bdt:n	border-top:none;
bds	border-top-style: ! ;	bds:n	border-top-style:none;	bdtw	border-top-width: ! ;
bdtc:t	border-top-color:transparent;	bdr, br	border-right: ! ;	bdtc	border-top-color: #000 ;
bdr:n	border-right:none;	bdrw	border-right-width: ! ;	bdr+	border-right: 1px solid #000 ;
bdrst:n	border-right-style:none;	bdr:c	border-right-color: #000 ;	bdrst	border-right-style: ! ;
				bdr:c:t	border-right-color:transparent;
bdb+	border-bottom: 1px solid #000 ;	bdb:n	border-bottom:none;	bdb, bb	border-bottom: ! ;
		bdbw	border-bottom-width: ! ;	bdbw	border-bottom-width: ! ;
		bdbbs	border-bottom-style: ! ;	bdbbs:n	border-bottom-style:none;

bdbc	border-bottom-color:#000;	bdbc:t	border-bottom-color:transparent;	bdl, b1	border-left:;
		bdl+	border-left:1px solid #000;	bdl:n	border-left:none;
				bdlw	border-left-width:;
bdls	border-left-style:;	bdls:n	border-left-style:none;	bdlc	border-left-color:#000;
bdlc:t	border-left-color:transparent;	bdrs	border-radius:;	bdtrrs	border-top-right-radius:;
bdtlrs	border-top-left-radius:;	bdbrrs	border-bottom-right-radius:;	bdbllrs	border-bottom-left-radius:;

Lists

lis	list-style: !;	lis:n	list-style:none;	lisp	list-style-position: !;
lisp:i	list-style-position:inside;	lisp:o	list-style-position:outside;	list	list-style-type: !;
list:n	list-style-type:none;	list:d	list-style-type:disc;	list:c	list-style-type:circle;
list:s	list-style-type:square;	list:dc	list-style-type:decimal;	list:dc z	list-style-type:decimal-leading-zero;
list:lr	list-style-type:lower-roman;	list:ur	list-style-type:upper-roman;	list	list-style-image: !;
list:n	list-style-image:none;				

Print

pgbb	page-break-before: !;	pgbb:au	page-break-before:auto;	pgbb:a	page-break-before:always;
pgbb:l	page-break-before:left;	pgbb:r	page-break-before:right;	pgbi	page-break-inside: !;
pgbi:au	page-break-inside:auto;	pgbi:av	page-break-inside:avoid;	pgba	page-break-after: !;
pgba:au	page-break-after:auto;	pgba:a	page-break-after:always;	pgba:l	page-break-after:left;
pgba:r	page-break-after:right;	orp	orphans: !;	wid	widows: !;

Others

!	!important	@f	@font-face { font-family: !; src:url(!); }	@f+	@font-face { font-family: 'FontName'; src: url('!FontName.eot'); src: url('!FontName.eot?#iefix') format('!embedded-opentype'), url('!FontName.woff') format('woff'), url('!FontName.ttf') format('truetype'), url('!FontName.svg#FontName') format('svg'); font-style: normal; font-weight: normal; }
@i, @import	@import url(!);				

@kf	@webkit-keyframes { from { } to { } }	@m, @media { screen { } }	ac ac:c ac:fe ac:s ac:sb ai:b ai:fe ai:s anim-	align-content: ; align-content:center; align-content:flex-end; align-content:stretch; align-content:space-between; align-items:baseline; align-items:flex-end; align-items:stretch; animation:{ name duration timing-function delay iteration-count direction fill-mode } animation-direction:alternate; animation-direction:alternate-reverse; animation-duration:0s; animation-fill-mode:both; animation-iteration-count:1; animation-play-state:running; animation-timing-function:linear; animation-timing-function:ease-in; animation-timing-function:ease-out; animation-timing-function:linear; align-self:auto; align-self:flex-end; backface-visibility: ; filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src='x.png',sizingMethod='crop');
	@o-keyframes { from { } to { } }	ac:fs ac:sa ai ai:c ai:fs anim		
	@moz-keyframes { from { } to { } }			
	@keyframes { from { } to { } }			
animdel	animation-delay:time;	animdir		animation-direction:normal;
animdir:n	animation-direction:normal;	animdir:r		animation-direction:reverse;
animfm	animation-fill-mode:both;	animfm:b		animation-fill-mode:backwards;
		animfm:f		animation-fill-mode:forwards;
animic:i	animation-iteration-count:infinite;	animn		animation-name:none;
animps:p	animation-play-state:paused;	animps:r		animation-play-state:running;
animtf:cb	animation-timing-function:cubic-bezier(0.1, 0.7, 1.0, 0.1);	animtf:e		animation-timing-function:ease;
		animtf:eio		animation-timing-function:ease-in-out;
ap	appearance:\${none};	as		align-self: ;
as:b	align-self:baseline;	as:c		align-self:center;
as:fs	align-self:flex-start;	as:s		align-self:stretch;
bfv:h	backface-visibility:hidden;	bfv:v		backface-visibility:visible;
cm	/* \${child} */	colm		columns: ;
colmf	column-fill: ;	colmg		column-gap: ;
colmrc	column-rule-color: ;	colmrs		column-rule-style: ;
colms	column-span: ;	colmw		column-width: ;
		d:ib+		display:inline-block; *display:inline; *zoom:1;

fx	flex: !;	fxb	flex-basis: !;	fxd	flex-direction: !;
fxd:c	flex-direction: column;	fxd:cr	flex-direction: column-reverse;	fxd:r	flex-direction: row;
fxd:rr	flex-direction: row-reverse;	fxf	flex-flow: !;	fxg	flex-grow: !;
fxsh	flex-shrink: !;	fxw	flex-wrap: !;	fxw:n	flex-wrap: nowrap;
fxw:w	flex-wrap: wrap;	fxw:wr	flex-wrap: wrap-reverse;	jc	justify-content: !;
jc:c	justify-content: center;	jc:fe	justify-content: flex-end;	jc:fs	justify-content: flex-start;
jc:sa	justify-content: space-around;	jc:sb	justify-content: space-between;	mar	max-resolution: res ;
mir	min-resolution: res ;	op+	opacity: !; filter: alpha(opacity= !;);	op:ie	filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
op:ms	-ms-filter: 'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';	ord	order: !;	ori	orientation: !;
tov:e	text-overflow: ellipsis;	ori:l	orientation: landscape;	ori:p	orientation: portrait;
trf:rx	transform: rotate(angle);	tov	text-overflow: \${ellipsis} ;	tov:c	text-overflow: clip;
trf:sc	transform: scale(x , y);	trf	transform: !;	trf:r	transform: rotate(angle);
trf:scy	transform: scaleY(y);	trf:ry	transform: rotateY(angle);	trf:rz	transform: rotateZ(angle);
trf:sky	transform: skewY(angle);	trf:sc3	transform: scale3d(x , y , z);	trf:scx	transform: scaleX(x);
trf:tx	transform: translate(x);	trf:scz	transform: scaleZ(z);	trf:skx	transform: skewX(angle);
trfo	transform-origin: !;	trf:t	transform: translate(x , y);	trf:t3	transform: translate3d(tx , ty , tz);
trsd	transition-delay: time ;	trf:ty	transform: translateY(y);	trf:tz	transform: translateZ(z);
trstf	transition-timing-function: tfunc ;	trfs	transform-style: preserve-3d ;	trs	transition: prop time ;
wfsm:a	-webkit-font-smoothing: antialiased;	trsd	transition-duration: time ;	trsp	transition-property: prop ;
wfsm	writing-mode: lr-tb ;	us	user-select: \${none} ;	wfsm	-webkit-font-smoothing: \${antialiased} ;
wm	writing-mode: lr-tb ;	wfsm:n	-webkit-font-smoothing: none;	wfsm:s, wfsm:sa	-webkit-font-smoothing: subpixel-antialiased;
wm:rlb	writing-mode: rl-bt;	wm:bt1	writing-mode: bt-lr;	wm:btr	writing-mode: bt-rl;
wm:tbr	writing-mode: tb-rl;	wm:lr1b	writing-mode: lr-bt;	wm:lrt	writing-mode: lr-tb;
XSL		wm:rlt	writing-mode: rl-tb;	wm:tbl	writing-mode: tb-rl;
tmatch, tm	<xsl:template match=" ! " mode=" ! "> !</xsl:template>	tname, tn	<xsl:template name=" ! "> !</xsl:template>	call	<xsl:call-template name=" ! " />
ap	<xsl:apply-templates select=" ! " mode=" ! " />	api	<xsl:apply-imports />	imp	<xsl:import href=" ! " />

inc	<xml:include href=" " />	ch	<xsl:choose></xsl:choose>	xsl:when, wh	<xsl:when test=" "></xsl:when>
ot	<xsl:otherwise></xsl:otherwise>	if	<xsl:if test=" "></xsl:if>	par	<xsl:param name=" "></xsl:param>
pare	<xsl:param name=" " select=" " />	var	<xsl:variable name=" "></xsl:variable>	vare	<xsl:variable name=" " select=" " />
wp	<xsl:with-param name=" " select=" " />	key	<xsl:key name=" " match=" " use=" " />	elem	<xsl:element name=" "></xsl:element>
attr	<xsl:attribute name=" "></xsl:attribute>	attrs	<xsl:attribute-set name=" "></xsl:attribute-set>	cp	<xsl:copy select=" " />
co	<xsl:copy-of select=" " />	val	<xsl:value-of select=" " />	each, for	<xsl:for-each select=" "></xsl:for-each>
tex	<xsl:text></xsl:text>	com	<xsl:comment></xsl:comment>	msg	<xsl:message terminate="no"></xsl:message>
fall	<xsl:fallback></xsl:fallback>	num	<xsl:number value=" " />	nam	<namespace-alias stylesheet-prefix=" " result-prefix=" " />
pres	<xsl:preserve-space elements=" " />	strip	<xsl:strip-space elements=" " />	proc	<xsl:processing-instruction name=" "></xsl:processing-instruction>
sort	<xsl:sort select=" " order=" " />	choose+	Alias of xsl:choose>xsl:when+xsl:otherwise<xsl:choose><xsl:when test=" "></xsl:when><xsl:otherwise></xsl:otherwise></xsl:choose>	xsl	Alias of !!!+xsl:stylesheet[version=1.0xml:ns:xsl=http://www.w3.org/1999/XSL/Transform]>{</xsl:stylesheet version="1.0">xml:ns:xsl="http://www.w3.org/1999/XSL/Transform"></xsl:stylesheet>
!!!	<?xml version="1.0" encoding="UTF-8"?>				