Design and implement console-based Java application for the following requirements.

1. Write a login program. Read stored user credentials from a text file (login.txt) and authenticate the user. For a valid user, load main program or else display invalid user. Give three chances to provide credentials.
2. For a valid user, load main program which contains menu items such as insert, delete, display.
3. On selecting **Insert** menu item, write a new student details into a text file (“**student_details.txt**”).
4. On selecting **Delete** menu item, display only students’ name. On selecting a specific student’s name, remove specific record from **student_details text** file.
5. On selecting **Display** menu item, display all the records from **student_details text** file.

Consider the following database schema for a banking enterprise.

Branch(branchName,branchCity, assets)
Customer(customerName,customerStreet,customerCity)
Loan(branchName,loanNumber,amount)
Borrower(customerName,loanNumber)
Account(branchName,accountNumber,balance)
Depositor(customerName,accountNumber)

Following are the list of tables along with records

Branch

Branch	Branch-city	Assets
Downtown	Brooklyn	9000000
Redwood	Palo Alto	2100000
Perryridge	Horseneck	1700000
Mianus	Horseneck	400000
Round Hill	Horseneck	8000000
Pownal	Bennington	300000

North Town	Rye	3700000
Brighton	Brooklyn	7100000

Customer

Customer-name	**Customer-street**	**Customer-city**
Jones	Main	Harrison
Smith	North	Rye
Hayes	Main	Harrison
Curry	North	Rye
Lindsay	Park	Pittsfield
Turner	Putnam	Stamford
Williams	Nassau	Princeton
Adams	Spring	Pittsfield
Johnson	Alma	Palo Alto
Glenn	Stand Hill	Woodside
Brooks	Senator	Brooklyn
Green	Walnut	Stamford

Loan

Branch-name	**Loan-number**	**Amount**
Downtown	L-17	1000
Redwood	L-23	2000
Perryridge	L-15	1500
Downtown	L-14	1500
Mianus	L-93	500
Round Hill	L-11	900
Perrryridge	L-16	1300

Borrower

Customer-name	Loan-number
Jones	L-17
Smith	L-23
Hayes	L-15
Jackson	L-14
Curry	L-93
Smith	L-11
Williams	L-17
Adams	L-16

Account

Branch-name	Account-number	Balance
Downtown	A-101	500
Mianus	A-215	700
Perryridge	A-102	400
Round Hill	A-305	350
Brighton	A-201	900
Redwood	A-222	700
Brighton	A-217	750

Depositor

Customer-name	Account-number
Johnson	A-101
Smith	A-215
Hayes	A-102

Turner	A-305
Johnson	A-201
Jones	A-217
Lindsey	A-222

Now write and execute proper SQL queries to solve following problems

1. Find the names of all branches in Loan relation
2. Find all loan numbers for loans made at the Perryridge branch with loan amounts greater than $1200
3. Find all loan numbers for loans made at the Perryridge branch with loan amounts greater than $90000 and less than $100000
4. For all customers who have a loan from the bank, find their names and loan numbers
5. Find the names and loan numbers of all customers who have a loan at the Periridge branch
6. Find the names of all branches that have assets greater than at least one branch in Brooklyn