LAPORAN TUGAS PRAKTIKUM
PENGEMBANGAN APLIKASI WEB
TP MODUL 1



Disusun Oleh:
Nama:Abdul Rahman Malik
NIM:
Kelas:2504 11100113
Dosen Pengampu:
Nama: Moch. Kautsar Sophan, S.kom.,M.MT.
NIP: 197707132 002121004
Asisten Praktikum :

Nama:Moh
ammad
Elgifary
NIM:24041
1100108

PRODI TEKNIK INFORMATIKA

JURUSAN TEKNIK INFORMATIKA

FAKULTAS TEKNIK

UNIVERSITAS TRUNODJOYO MADURA

2026

1. Code Program


```
<?php echo "hello world"; ?>
```

Penjelasan Code Program:

<?php; ?>:penanda code dari php, `echo:menampilkan data atau tulisan atau apapun itu yang mirip seperti print di dalam html`

Hasil Running Program:

[Gambar]



2. Code Program

```
<1<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <link rel="stylesheet">

</head>

<body>




<?php

echo "Hallo world";

echo "Hillo world";

echo "Hullo world";

echo "Hello world";

echo "Hollo world";
```

```
?>




</body>


</html>
```

Penjelasan Code Program:

<1<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Document</title>

<link rel="stylesheet">

</head>

<body>

</body>

</html>: Code html

<?php: penanda code php

echo "Hallo world"; :menampilakn hallo word

echo "Hillo world";

echo "Hullo world";


echo "Hello world";

echo "Hollo world";

?>

Hasil Running Program:

[Gambar]



<1 Hallo worldHillo worldHullo worldHello worldHollo world

3. Code Program

```
<1<!DOCTYPE html>


<html lang="en">


<head>


    <meta charset="UTF-8">


    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
```

```
    <title>Document</title>

    <link rel="stylesheet">

</head>

<body>

<!-- ini non-embeded script -->

<?php echo "hello world"; ?>




<!-- ini embeded script -->

<?php

echo "Hallo world";

echo "Hillo world";

echo "Hullo world";

echo "Hello world";

echo "Hollo world";

?>
```

```
</body>


</html>
```

Penjelasan Code Program:

<1<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Document</title>

<link rel="stylesheet">

</head>

<body>

</body>

</html>: Code html

<?php echo "hello world"; ?>

<?php: penanda code php

```
echo "Hallo world"; :print hasil hallo word

echo "Hillo world";

echo "Hullo world";


echo "Hello world";

echo "Hollo world";

?>
```

Hasil Running Program:

[Gambar]



4. Code Program

```
<?php


$color = "silver";


$COLOR = "white";




echo "My car is " . $color . "<br>";
```

```
echo "My house is " . $COLOR;


?>
```

Penjelasan Code Program:

<?php:penanda php

$color = "silver"; :membuat variable teks berwarna seperti silver

$COLOR = "white"; :membuat variable teks berwarna seperti white


echo "My car is " . $color . "
"; :menggabungkan hasil tampilan berwana silver dan di tambahkan br atau garis di tulisan My car is

echo "My house is " . $COLOR; :menggabungkan hasil tampilan berwana white dan di tambahkan br atau garis di tulisan My house is

?>

Hasil Running Program:

[Gambar]



5. Code Program

```
<?php


$greeting = "Hello world";
```

```
echo $greeting;


?>
```

Penjelasan Code Program:

<?php:penanda php


$greeting = "Hello world"; :membuat variable dengan menambahkan nilai dengan $greeting

echo $greeting;:tampilkan $greeting

?>

Hasil Running Program:

[Gambar]



6. Code Program

```
<?php


$txt = "W3schools.com";


echo "i love " . $txt . "!";


?>
```

Penjelasan Code Program:

<?php:penanda php


$txt = "W3schools.com";:mebuat variable dengan teks isinya W3schools.com

echo "i love " . $txt . "!";:lalu tampilkan dan digabungkan dengan teks I love lalu mengambil variable dari W3schools.com dengan menambahkan tanda seru

?>

Hasil Running Program:

[Gambar]



i love W3schools.com!

7. Code Program

```
<?php


$x = 5;


$y = 7;


echo $x + $y;


?>
```

Penjelasan Code Program:

<?php:penanda php

$x = 5;:penanda variable dengan nilai 5

$y = 7;:penanda variable dengan nilai 7

echo $x + $y; :variable x + y atau nilai dari 5 +7 dengan hasil

?>

Hasil Running Program:

[Gambar]



12

8. Code Program

```
<?php


echo strlen("Hello world!");


?>
```

Penjelasan Code Program:


<?php: penanda php

echo strlen("Hello world!");:menampilkan jumlah karakter contoh Hello world! Dengan jumlah karakter 12 itu udah termasuk spasi

?>

Hasil Running Program:

[Gambar]



12

9. Code Program

```
<?php


echo str_word_count("Hello world!");


?>
```

Penjelasan Code Program:


<?php:penanda php

echo str_word_count("Hello world!");:menampilkan jumlah kata yang ada di situ contoh kata yang aku masukkan itu Adalah Hello world! Jadi jumlahnya 2 kata

?>

Hasil Running Program:

[Gambar]



2

10. Code Program

```
<?php


echo strrev("Hello world!");


?>
```

Penjelasan Code Program:

<?php :penanda php

echo strrev("Hello world!");:menampilkan kata dan membalikkan kata

?>

Hasil Running Program:

[Gambar]



!dlrow olleH

11. Code Program

```php
<?php


echo strpos("Hello world!", "world");


?>
```

Penjelasan Code Program:


<?php:penanda php

echo strpos("Hello world!", "world");: menampilkan dan mencari posisi sebuah kata

?>

Hasil Running Program:

[Gambar]



6

12. Code Program

```php
<?php


echo str_replace("world", "Dolly", "Hello world!");


?>
```

Penjelasan Code Program:


<?php:penanda php

echo str_replace("world", "Dolly", "Hello world!");:menampilkan dan mennggganti teksnya

?>

Hasil Running Program:

[Gambar]



Hello Dolly!

13. Code Program

```
<?php


function writeMsg() {


    echo "Hello world!";


}


writeMsg();


?>
```

Penjelasan Code Program:

<?php:penanda php

function writeMsg() {:membuat fungsi Bernama writeMsg


    echo "Hello world!";dan ditampilkan

}

writeMsg();:memanggil fungsinya

?>

Hasil Running Program:



Hello world!

14. Code Program

```
<?php

function familyName($fname) {

    echo $fname . "<br>";

}




familyName("Jani");

familyName("Hege");

familyName("Stale");

familyName("Kai Jim");

familyName("Borge");

?>
```

Penjelasan Code Program:

<?php:penanda php

function familyName($fname) {:membuat fungsi familyName dengan tempat untuk dapat nilainya


echo $fname . "
";:menampilkan nilainya

}

familyName("Jani");:Namanya

```
familyName("Hege");
familyName("Stale");
familyName("Kai Jim");
familyName("Borge");
?>
```

Hasil Running Program:



Jani
Hege
Stale
Kai Jim
Borge

15. Code Program

```
<?php

function familyName($fname, $year) {

    echo $fname . " born in " . $year . "<br>";

}



familyName("Hege", "1975");

familyName("Stale", "1978");

familyName("Kai Jim", "1983");

?>
```

Penjelasan Code Program:

<?php:penanda php

function familyName($fname, $year) {:membuat fungsi Bernama familyName dengan berfungsi menimpan nama dan tahun

    echo $fname . " born in " . $year . "
";

}

familyName("Hege", "1975");

familyName("Stale", "1978");

familyName("Kai Jim", "1983");

?>

Hasil Running Program:

[Gambar]



Hege born in 1975
Stale born in 1978
Kai Jim born in 1983

16. Code Program

```
<?php


function setheight($minheight = 50) {


    echo "The height is : " . $minheight;


}




setheight();
```

```
?>
```

Penjelasan Code Program:

<?php:penanda php

function setheight($minheight = 50) {:membuat fungsi Bernama setheight dengan membuat minheight dengan nilai 50

    echo "The height is : " . $minheight;:dan menampilkan


}

setheight();

?>

Hasil Running Program:

[Gambar]



The height is : 50

17. Code Program

```
<?php


function sum($x, $y) {


    $z = $x + $y;


    return $z;


}
```

```
echo "5 + 10 = " . sum(5, 10) . "<br>";


echo "7 + 13 = " . sum(7, 13) . "<br>";


echo "2 + 4 = " . sum(2, 4);


?>
```

Penjelasan Code Program:

<?php:penanda php

function sum($x, $y) {:membuat fungsi Bernama sum dan variable Bernama x dan y

$z = $x + $y;:menjumlah x dan y akan menghasilkan hasil dari z

return $z;

}

echo "5 + 10 = " . sum(5, 10) . "
";:menampilkan

echo "7 + 13 = " . sum(7, 13) . "
";

echo "2 + 4 = " . sum(2, 4);

?>

Hasil Running Program:

[Gambar]

