Sibyl: Product

Sibyl

14 October 2026

CONTENTS

Sibyl — Product Document 4

1. Product overview 4

2. The problem 4

3. Personas and buyers 6

4. Core capabilities 6

5. Functionality catalogue (built in Phase 1 unless marked) 7

Registry 7

Capture and privacy 8

Health and detection 8

Leading indicators (statistical) 8

Continuity and failover 8

Human handoff 9

Kill switch and emergency access 9

Alerts and verdicts 9

Audit and evidence 9

Governance 9

Identity and access 10

Action Gate (built) 10

Plug-and-play monitoring (built) 11

Model drift detection (built) 12

External monitor agents (built) 12

6. Console experience 12

7. Integration paths 41

7a. Sibyl Sentinel: an advisory monitoring agent (built) 42

7b. External monitor agents: bring your own monitor (built) 43

7c. Two ways to run: demo and real (built) 46

8. Security, privacy and compliance 47

9. Architecture and deployment 48

10. Recovery: what Sibyl owns and what it doesn't 48

11. Honest assessment: questions we must answer 48

Known limits (release 1.0.0) 50

12. Roadmap 53

13. Packaging, metrics and messaging 55

Sibyl — Product Document

As of 2026-10-14, release 1.0.0. Use this document as the source for marketing, go-to-market and business material. Every claim here is either built and tested, or explicitly marked as planned or as a research goal.

1. Product overview

Sibyl lets companies give AI agents more autonomy safely. It controls what agents are allowed to do, keeps them working when models and providers fail, and records every decision as evidence an auditor can verify.

Positioning line: **the control layer for the AI workforce: autonomy with guardrails, continuity and proof.**

- **What it is.** One self-hosted control plane:
  - an inventory of every agent, model and owner
  - enforcement points in the request path (a gateway that speaks the OpenAI, Anthropic and Gemini APIs, and a Python SDK that instruments an agent in one line)
  - signed policy, approvals, automatic failover and human handoff
  - a tamper-evident audit log
- **Who it is for.** Companies moving agents into workflows with real consequences (payments, claims, orders, customer communication), usually regulated or quasi-regulated firms with 10 to 60 production agent workflows on two or more model providers.
- **What makes it different.** Observability tools show what happened. Sibyl decides what is allowed to happen, acts when something fails, and proves it.
- **Form factor.** Self-hosted, multi-tenant, open-source dependencies only. The Python SDK is Apache-2.0; the core is proprietary.

2. The problem

Agents now do real work. Two things go wrong, and today nobody owns either.

The agent fails.

Failure	What happens today
Provider outage or rate limit	Someone notices, edits config, redeploys
Silent quality loss (refusals, truncation, malformed tool calls)	Found days later through complaints
The provider serves a new model snapshot, or behaviour shifts with no error	Nobody notices until outputs look wrong
Runaway cost or tool loops	Found on the invoice
Work abandoned mid-task	Lost or duplicated

The agent works perfectly and does something it should not.

Example	Why monitoring misses it
Transfers $100,000 when authorised for $10,000	Every call succeeded; nothing looks unhealthy
Sends customer data to an external tool after a prompt injection	Normal latency, normal tokens
Issues 40 refunds in a minute, each individually valid	No single call breaks a rule

The second class is the larger risk, and it is what stops companies from giving agents more autonomy.

3. Personas and buyers

Persona	Role in Sibyl	The job Sibyl does for them
Platform Admin	Admin	Registers agents, connects them through the gateway or SDK, sets action policies, continuity plans and fallback chains, mints keys
On-call Operator	Operator + Security admin	Approves or denies held actions and risky failovers, works the handoff queue, undoes automation, pulls the kill switch
Compliance Auditor	Auditor (read-only)	Reads every decision record, verifies the audit chain offline, exports evidence, confirms erasures
Head of AI	Economic buyer	Ships more autonomous workflows without more incidents
CISO	Approver / veto	Independent enforcement, isolation, no stored provider secrets, kill switch
Risk / compliance officer	Approver	Human oversight with approvals, evidence, legal holds, erasure certificates

4. Core capabilities

1. **Registry.** Every agent, model, provider and owner, with risk tier, risk class and dependencies.
2. **Enforcement in the path.** All model traffic goes through the gateway; the SDK wraps tool calls. Policy is signed, so it can’t be altered at the enforcement point.
3. **Action control: the Action Gate.** Allow, block or escalate a proposed action before it executes. The policy evaluator, enforcement in the gateway and SDK, and the approval workflow (held actions, four-eyes, deny on timeout, spending caps) and the console screens are built (section 12).
4. **Explainable health.** A 0–100 score per agent where every lost point names its cause.

5. **Leading indicators.** Trend and change-point statistics raise warnings before a failure. This is statistics today, not learned prediction (section 11).
6. **Automatic failover by risk tier.** Automatic where safe, approval-gated where not, with undo and a hold.
7. **Human handoff.** Unfinished work moves to a person as a structured packet, so nothing is lost or done twice.
8. **Kill switch.** Stop an agent, a provider or a tenant in seconds, including through an emergency key.
9. **Evidence.** A hash-chained, signed audit log, verifiable offline.
10. **Governance.** Legal holds, right-to-erasure with certificates, retention, per-tenant isolation.
11. **Plug-and-play monitoring.** One line of code, or none, instruments the model clients and agent frameworks an app already uses. Multi-agent systems report a run tree.
12. **Model drift detection.** Sibyl notices when a provider serves a different model than before, or when an agent's behaviour shifts against its own baseline. Plain statistics, watch-only.
13. **Sibyl Sentinel.** An optional advisory agent on the tenant's own model key. It explains and recommends. It never enforces (section 7a).
14. **External monitor agents.** Bring your own monitor: a customer's Claude, OpenAI or Gemini agent, an MCP assistant or a plain script reads the fleet and reports advisory findings next to Sentinel's. Monitors never enforce either (section 7b).

5. Functionality catalogue (built in Phase 1 unless marked)

REGISTRY

- Agents with owner, group, tier (1 critical, 2 important, 3 routine), declared risk class, tags and lifecycle.
- Versions, models and providers catalogue, dependency graph.

- Auto-discovery of unknown agents seen in traffic: a gateway header, a span attribute, or a handoff target inside a run tree. A discovered agent is recorded and watched, but it is never routed or failed over until an admin confirms it. The kill switch and quarantine still apply to it.
- Tier-1 agents must use agent-bound keys.

CAPTURE AND PRIVACY

- Capture mode per tenant: full, redacted or metadata only.
- Secrets scrubbed at three points (SDK, gateway, ingest), with 23 detectors that also catch JSON-escaped, URL-encoded and base64-wrapped secrets.
- Content encrypted per tenant (AES-256-GCM envelope encryption). Payloads expire after the tenant's retention period.

HEALTH AND DETECTION

- A score every 10 seconds per agent: 100 minus the penalty of each failing signal, with the arithmetic shown.
- Detected rules:
  - consecutive failures, error rate, latency, provider status, budget
  - refusals, truncation, malformed tool calls
  - missing heartbeat, tool loops
- Hysteresis, cooldowns and flap protection.
- Correlated failures on one provider collapse into one provider incident.

LEADING INDICATORS (STATISTICAL)

- Error and latency trends (EWMA, CUSUM), rate-limit headroom running out, budget burn, provider status.
- Probability bands for 15 minutes, 1 hour and 24 hours, with contributing factors.
- In simulated ramp scenarios, warnings fired 5 to 39 minutes before the failure. A single weak signal never triggers automation.

CONTINUITY AND FAILOVER

- Continuity plan per agent: recovery-time target (15 min / 1 h / 4 h by tier), recovery-point target, degraded mode, approval timeout.

- Fallback chain per agent: alternate model, alternate provider, backup agent, human queue. Chains are approved; four-eyes for tier 1.
- Failover rules:
  - **Detected failure:** automatic failover.
  - **Predicted failure:** automatic for tier 3, degrade-then-switch for tier 2, approval-only for tier 1.
- Undo restores the route and pauses automation for 30 minutes.
- The viability check refuses failover targets that share the failed provider.
- Per-agent breaker: two undone automated moves in 7 days switch the agent to approval-only.

HUMAN HANDOFF

- A handoff packet holds the reason, the next action, the original input (marked untrusted), the steps done and pending, the side effects, and the cost so far.
- Operator queue actions: claim, extend, release, complete, return to agent.

KILL SWITCH AND EMERGENCY ACCESS

- Agent, provider or tenant scope, enforced through signed policy at the gateway and SDK.
- A break-glass key can only stop agents, and works when single sign-on is down.

ALERTS AND VERDICTS

- Closing an alert requires a verdict (true positive, false positive, unsure). Verdicts are the training labels for any future learned model.

AUDIT AND EVIDENCE

- Per-tenant hash chain with hourly signed anchors.
- Decision records show the rule, the score arithmetic and who approved.
- `sibyl audit verify` checks an exported chain offline.

GOVERNANCE

- Legal holds; crypto-shred erasure approved by a second owner, with a certificate.

- Personal data in user records is pseudonymised on erasure.
- A signed erasure ledger is re-applied after any backup restore.

IDENTITY AND ACCESS

- OIDC single sign-on with step-up re-authentication.
- Seven roles, agent groups, and scoped API keys with expiry and rotation.

ACTION GATE (BUILT)

- Signed action policies per agent, group or tenant:
  - tool allowlists
  - argument limits (for example `amount <= 10000`, or a destination on an allowlist)
  - cumulative caps (for example 50,000 per day, or 20 refunds per minute)
  - dual control above a threshold
  - blocking personal data sent to external tools
- Enforced in two independent places: the gateway inspects tool calls the model proposes, and the SDK checks each tool just before it runs. Overhead is about 0.2 ms at p99.
- Outcomes:
  - **Allow:** the action runs.
  - **Block:** the action never runs, and the agent receives a clear refusal.
  - **Escalate:** the action is held until a person approves it. If nobody decides in time, it is denied.
- Fail-closed by design:
  - An unreadable or ambiguous argument never allows.
  - A missing policy for a sensitive tool blocks.
  - An evaluator error blocks.
- Every decision is recorded in the audit chain.

- Built for live use:
  - **On behalf of.** A held action records who the agent acts for (a Sibyl user or an external reference). The approver sees it.
  - **No self-approval.** The person who requested an action, or the person it acts for, cannot approve it.
  - **Decision history.** Each held action keeps its trail: requested, refused attempts, first approval under four-eyes, decision, expiry.
  - **Draft simulate.** Test a policy draft against a sample action before it is approved.
  - **Policy versions.** Every version of a policy keeps a stable identity, a change note and its approval trail. A new version cannot reset a cumulative cap.
  - **Approved holds count toward caps.** An approved escalation still adds to the running total.
  - **Framework tools.** Tools run by LangChain, the OpenAI Agents SDK or CrewAI go through the same check as `@sibyl.tool`.
  - **Audit filters** by time and agent, and a per-agent action summary (blocked, escalated, approved, denied, expired) for the fleet view.

PLUG-AND-PLAY MONITORING (BUILT)

- **One line:** `sibyl.instrument()` at the top of the entry point.
- **Zero code:** `sibyl-run app.py` starts the app unchanged, configured from environment variables. A configuration problem never stops the app from starting; it runs without monitoring and says why.
- **Model clients instrumented:** OpenAI (Chat Completions and Responses), Anthropic, Google Gen AI (Gemini). Sync, async and streaming.
- **Agent frameworks instrumented:** LangChain and LangGraph, OpenAI Agents SDK, CrewAI. Libraries that are not installed are skipped.
- **What every model call records:** provider, requested model, served model, provider fingerprint, tokens, latency, time to first token, finish reasons, refusals and proposed tool calls. Prompts and outputs leave the process only in full or redacted capture, after the secrets scrub.
- **Run trees:** multi-agent systems report the parent run, each step's index and agent-to-agent handoffs. The console draws the tree.
- **Discovery:** an agent first seen as a handoff target is registered as `discovered` (see Registry).

MODEL DRIFT DETECTION (BUILT)


- **Model identity drift.** The provider serves a different model, a new snapshot, or a new fingerprint compared with what the agent was served in its baseline. Raises `model_change`.
- **Behavioural drift.** Per agent and model, Sibyl compares the last hour with a frozen baseline: output tokens, input tokens, latency, refusal share, truncation share, tool-call rate, schema failures, error mix and tool sequences. Raises `silent_drift` after two drift verdicts in a row.
- **Plain statistics, no LLM.** Population Stability Index for numbers, Jensen–Shannon divergence for shares and mixes. A sampling noise floor is subtracted first, so small samples do not raise alarms. Every report shows each feature's value, floor, thresholds and sample counts.
- **Watch-only.** Drift alerts ask a person to look. Drift alone never fails over, holds an action or changes a policy, and it does not move the health score.
- **Reset baseline** after an intended change, with a reason; the reset is audited.
- **Limits:** thresholds are tunable per tenant through the API (no console screen yet). Reports are kept 30 days. Drift detects a change; it does not predict one.


EXTERNAL MONITOR AGENTS (BUILT)


- Register a monitor, give it a key bound to the agent groups it may watch, and connect it through the Sibyl MCP server, signed webhooks or the REST API. Section 7b has the details.
- Findings appear beside Sentinel's and beside the held action, incident or agent they concern. People rate them.
- Advisory only: a monitor cannot allow, block, approve, fail over or change a policy.


6. Console experience


A calm, Apple-style interface: light and dark modes, glass only where layers overlap, colour only for meaning.



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Operator queue 1
Alerts 12
Govern
Audit
Set up
Onboarding
Settings
Platform Admin
Admin
Meridian Logistics / Fleet
Search ⌘K
Live
DEMO DATA 0:38
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
MERIDIAN LOGISTICS · 20 AGENTS · LIVE
Fleet
12 healthy, 1 on watch, 7 degraded or failed. 1 running on a fallback.
Provider incident · opened just now
Anthropic major outage
7 agents on one incident. 5 business processes in the blast radius: Claims handling, Finance close, Order fulfilment, Customer support, Compliance.
Open incidents
Failover by tier (T1 ≤ 60 s, T2 ≤ 90 s, T3 ≤ 120 s)
0 of 7 moved
T1 Claims triage
T2 Invoice reconciler
T2 Dispatch planner
T2 Customer chat
T3 Contract reviewer
T3 Knowledge search
T3 Email summarizer
Agents 20
Healthy 12 of 20
Failed over 1
Awaiting a human 0
In operator queue 1
Open alerts 9
Healthy 12 Watch 1 Degraded 0 Failed 7
Agents
Filter by name
All
Watch 1
Degraded 0
Failed 7
Map
List
Provider
Tier
Anthropic · 7
Major outage
Claims triage claims-triage T1 Failed
Invoice reconciler invoice-reconciler T2 Failed
Dispatch planner dispatch-planner T2 Failed
Customer chat customer-chat T2 Failed
Contract reviewer contract-reviewer T3 Failed
Knowledge search kb-search T3 Failed
Email summarizer email-summarizer T3 Failed
Ollama (on-prem) · 5
Operational
Document extractor doc-extractor 100 T2 Healthy
Route optimizer route-optimizer 99 T2 Healthy
Translation service translation-svc 96 T3 Healthy
Log analyzer log-analyzer 100 T3 Healthy
HR helpdesk hr-helpdesk 100 T3 Healthy
OpenAI · 8
Operational
Quote assistant quote-assistant 100 T1 Healthy
KYC verifier kyc-verifier 84 T1 Degraded mode
Order intake order-intake 100 T2 Failed over
Work handed to people
Freight pricer freight-pricer 98 T2 Healthy
Returns agent returns-agent 100 T3 Healthy
Sales copilot sales-copilot 99 T3 Healthy
Ticket router ticket-router 100 T3 Healthy
Report writer report-writer 100 T3 Healthy



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Operator queue 1
Alerts 12
Govern
Audit
Set up
Onboarding
Settings
Platform Admin
Admin
Meridian Logistics / Agent
Search ⌘K
Live
DEMO DATA 0:38
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
Fleet
CLAIMS HANDLING · AUTONOMOUS AGENT
0
SCORE
Claims triage
Classifies inbound damage claims, pulls the consignment record and drafts the adjuster brief.
T1
claims-triage
monitored
risk high
fail closed
Anthropic · claude-sonnet-4-5
Checkpoint handoff
PII
Health score
09:00:30 · 5-min window · rules/v1
Failed
Recommended: reroute to fallback
100 − (60 + 60 + 50 + 30) = −100, clamped to 0 → failed
Consecutive failures
detected
−60
12 consecutive failed calls (threshold 3)
value 12 · threshold 3 · cap 60 for this tier
Provider status
detected
−60
Provider status feed reports major outage
value major outage · threshold operational · cap 60 for this tier
Error rate
detected
−50
Error rate 100% over the last 5 minutes (threshold 5%, saturates at 15%)
value 100.0% · threshold 5.0% · cap 50 for this tier
Fallback pressure
leading · 15 min
−30
Inline fallback and breaker share 90% (threshold 10%)
value 90.0% · threshold 10.0% · cap 30 for this tier
Σ penalties 200 > 100, clamped to 0 · arithmetic checks
fs_01926ab3-5e2…
Failure risk
Provider outage
15 min
90%
medium confidence
1 hour
90%
medium confidence
24 hours
90%
medium confidence
Rule-derived probability bands (rules/v1), not calibrated frequencies. Phase 2 replaces them with a calibrated model once it beats the rules.
Routing
Active
Serving from Anthropic · claude-sonnet-4-5
Since 12:10:00 (2d ago) · routing version 43
Primary · Anthropic
Alternate model · Anthropic
Alternate provider · OpenAI
Backup agent · standby
Human queue
Four-eyes approved: Platform Admin requested, On-call Operator approved
Actions
Audited · reversible where possible
Fail over
Hand off to a person
Quarantine
Kill switch
Continuity plan
v3
RTO 15m
RPO 5m
Degraded mode queue only
Predicted failure Needs approval
Approval timeout 10m → hold
Inline fallback Off
On call operator
Drills monthly
Last hour
1-minute buckets
Requests / min
42
Error rate
0.0%
p95 latency
6.1 s
Health score
100
Recent events
Audit trail
Alert · Error rate (critical)
Open
09:00:33



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Operator queue 3
Alerts 12
Govern
Audit
Set up
Onboarding
Settings
Platform Admin
Admin
Meridian Logistics / Incidents
Search ⌘K
Live
DEMO DATA 1:15
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
Incidents
FAILOVER · OPENED 09:00:42 BY RULES/V1
Claims triage
Detected failure: Anthropic returning 503 on every call; band failed after hysteresis
T1
Saga · Done
Failed over
error_rate
consecutive_failures
provider_status
Undo
Fail back
Kill switch
Failover saga
validate → check viability → write routing → hand off → done
Validate
Preconditions hold; no other saga in flight
09:00:42
Check viability
Chosen step: openai/gpt-5
09:00:42
Write routing
routing_apply → failed_over (openai/gpt-5), version 44
09:00:42
Create handoff tasks
1 in-flight task handed off (checkpoint)
09:00:42
Mark alert actioned
Trigger alert linked to this incident
09:00:42
Done
Saga complete
09:00:42
Service restored in
0:00
of 15m RTO
RTO used
0%
RPO at cut
1m 35s of 5m
Target
openai
Handoff tasks
Operator queue
Claim CLM-20931 (wet bags, INR 18,860) pause...
Provider outage · Checkpoint · queued
Routing transitions
Decision records in the audit log
09:00:42
Active → Failed over
rule · rule · v44
seq 107



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Operator queue 3
Alerts 12
Govern
Audit
Set up
Onboarding
Settings
On-call Operator
Operator + Security a...
Meridian Logistics / Operator queue
Search ⌘K
Live
DEMO DATA 1:20
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
HANDOFF PACKETS · ONE QUEUE
Operator queue
3 waiting. 2 tasks completed despite an agent failure.
T1 Claim CLM-20931 (wet bags, INR 18,860) paused mid-triage during the Anthropic outage. Draft brief and acknowledge.
Queued 14:22
Checkpoint handoff Provider outage
T2 PO-55190 for Apex Cements stuck on slot search; no booking made. Agree split pickup and book.
Queued 51:41
Checkpoint handoff Tool loop
T2 Customer waiting on ETA for GJ-01-4432; request failed during outage. Reply with location and ETA.
Queued 59:35
Request-only handoff Provider outage
Queued Checkpoint handoff Provider outage Due in 14:22
Triage damage claim CLM-20931 (wet cement bags, consignment MH-04-7781) and draft the adjuster brief
Agent claims-triage · created 09:00:42 · Owned by Claims handling (Meridian Logistics); on call: On-call Operator; escalate to Platform Admin
Claim
Return to agent
Why it is here
rule · error_rate
Anthropic returned 503 on every call for 3 minutes and the agent's primary model was unavailable. Sibyl moved the agent to OpenAI; this in-flight claim was paused at its last checkpoint and handed to a person so it is not processed twice.
NEXT ACTION
Review the consignment log and policy terms in steps 2–3, draft the adjuster brief, and send the acknowledgement to the customer.
Original input
capture full · secrets scrubbed 0
UNTRUSTED AGENT CONTENT
Claim CLM-20931 from Shree Infra Projects. 46 of 400 bags arrived wet after monsoon transit Pune → Nashik. Photos (6) and delivery challan attached. Claimed INR 18,860.
Steps
Checkpoint 2 · 1m old
classify claim 08:59:07
AGENT OUTPUT
Category: transit damage (water ingress). Severity: moderate. Fraud signals: none.
fetch consignment tms.consignment 08:59:22
AGENT OUTPUT
MH-04-7781 · tarpaulin check passed at origin · 2 h halt at Sinnar due to rain
check policy policy.lookup 08:59:42
AGENT OUTPUT
Marine-transit cover applies; deductible INR 2,500; carrier liability capped at INR 25,000
draft adjuster brief
Draft the adjuster brief with liability split and the recommended settlement · needs policy terms, consignment log
notify customer
Send the acknowledgement and expected timeline to Shree Infra Projects
Provenance
Assembled by control plane
Trace 96edc70959f363c8...
Policy version 44
Cost so far $0.0620



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Operator queue 3
Alerts 12
Govern
Audit
Set up
Onboarding
Settings
Compliance Auditor
Auditor
Meridian Logistics / Audit
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running
TAMPER-EVIDENT · SHA256 CHAIN · ED25519 ANCHORS
Audit log
10 events shown, last anchor at seq 97 (10 Oct, 08:59). Every automated decision, approval and human override is here.
Routing changes
Anyone
People
Rules
System
Seq
Time
Action
Actor
Resource
prev → hash
133 09:01:06 route.changed warning rules/v1
129 09:01:05 route.changed warning rules/v1 kb-search
125 09:01:04 route.changed warning rules/v1
120 09:00:54 route.changed warning rules/v1 customer-chat
116 09:00:53 route.changed warning rules/v1
112 09:00:52 route.changed warning rules/v1
107 09:00:42 route.changed warning rules/v1 claims-triage
94 08:53:00 route.changed warning rules/v1 order-intake
91 08:48:00 route.changed system kyc-verifier
88 08:38:00 route.changed warning rules/v1 kyc-verifier
route.changed · seq 133
09:01:06
Actor rules/v1
Resource email-summarizer
Reason Detected failure: Anthropic returning 503 on every call; band failed after hysteresis
prev_hash 48dc90233eb8ca5f…
hash af2b39f9bf7e42b6…
Decision record
Transition Active → Failed over
Trigger · actor rule · rule
Rules error_rate, consecutive_failures, provider_status
Routing version 50
At 09:01:06
Failed
health snapshot 01921a61-4828… · rules/v1
100 − (60 + 40 + 30 + 20) = −50, clamped to 0 → failed
Provider status detected −60
Provider status feed reports major outage
value major outage · threshold operational · cap 60 for this tier
Consecutive failures detected −40
12 consecutive failed calls (threshold 5)



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Model drift 2
Sentinel
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
On-call Operator
Operator + Security a…
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:00
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
ACTION GATE · HELD FOR A PERSON
Held actions
2 actions are waiting. If nobody decides before the deadline, the action is denied.
Action policies
Waiting 2
Decided
All
T3 refunds.issue Returns agent
Auto-deny in 9:37
23s ago
call rfd-C-88266 · 1 toward a cap of 5
order_id ORD-55315 · customer_id C-88266 · amount 2,950 · currency INR
refund-burst · v2
At most 5 refunds a minute (cap 5 per 60s exceeded)
0 of 2 approvals
T1 payments.transfer Claims triage
Auto-deny in 13:45
1m 15s ago
call clm-204871-pay-1 · read /amount, /currency
amount 75,000 · currency INR · payee Shree Ganesh Transport · beneficiary_account XXXXXXXX0937
transfer-review · v3
Payouts above ₹50,000 need a second person
acting for Platform Admin
Step-up



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 12
Govern
Action policies
Audit
Set up
Onboarding
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:00
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
HELD ACTIONS
payments.transfer
Proposed by Claims triage through the SDK 09:00:45, acting for you. The agent is paused until someone decides.
Auto-deny in 13:45
T1
acting for you
Step-up to decide
Hold 15 min
Proposed call
call clm-204871-pay-1
PROPOSED BY THE AGENT · SECRETS SCRUBBED
amount matched 75,000
currency matched INR
payee Shree Ganesh Transport
beneficiary_account XXXXXXXX0937
ifsc ICIC0004412
reference CLM-204871
auth_token token masked
Secrets were scrubbed where the call was intercepted; Sibyl never stores them. An approval binds to this exact call: args sha256 7a5f13b582697ae7…
Why it was held
Rule transfer-review
Reason Payouts above ₹50,000 need a second person
Policy Claims payouts · v3
Matched paths /amount, /currency
The agent acted for you
Decide
Denied automatically in 13:45
The agent acted for you. Someone else must approve it; you can still deny it.
Decision reason
Payee verified against claim CLM-204871.
Required, at least 10 characters. Shown in the audit log.
Four-eyes rule (409 self_approval). the agent acted on your behalf: someone else must approve
Deny
Approve with step-up
Decision history
Audit receipt
Held by the Action Gate 09:00:45
"Payouts above ₹50,000 need a second person"
Self-approval refused · you 09:02:00
"Payee verified against claim CLM-204871."


Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 12
Govern
Action policies
Audit
Set up
Onboarding
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:00
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
ACTION GATE · SIGNED INTO THE POLICY SNAPSHOT
Action policies
3 active, 1 awaiting approval. Evaluated before a tool runs, at the gateway and in the SDK; the most restrictive decision wins.
New policy
Current
All versions
Tenant-wide
v1
Personal data egress
All agents · 1 rules · default allow · DPDP: no personal data to external tools
Four-eyes approval
Active
2d ago
Agent groups
v1
Finance close tools
Finance close · 2 rules · default escalate · Lock finance-close agents to ledger and approved vendors
Awaiting approval
3h 2m ago
Agents
v3
Claims payouts
Claims triage · 3 rules · default allow · Lower the review threshold to ₹50,000 after the Q3 audit
Four-eyes approval
Active
25h 22m ago
v2
Refund guardrails
Returns agent · 2 rules · default allow · Halve the burst cap after the duplicate-refund incident
Two approvers
Active
29h 22m ago


Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 12
Govern
Action policies
Audit
Set up
Onboarding
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:00
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
ACTION GATE · NEW VERSION OF CLAIMS PAYOUTS V3
Revise Claims payouts
Rules are checked in order and the first match wins. Submitting creates a version that waits for approval by a second person.
Basics
Name
Claims payouts
Applies to
One agent
Agent
Claims triage · T1
What changes, and why
e.g. Lower the review threshold to ₹40,000 after the October audit
At least 10 characters; recorded with the version and in the audit log.
Held actions need two different approvers (four-eyes)
Defaults
When no rule matches
Allow
Escalate
Hold for (seconds), then deny
900
Sensitive tools (deciding needs step-up)
payments.transfer
External tools (data leaves the company)
Block any tool not on the allowlist
Tool allowlist
payments.transfer, claims.*, kb.search, email.send_internal
Rules · first match wins
Add rule
1 transfer-limit
Rule id
transfer-limit
Tool or glob
payments.transfer
When the arguments match
/amount
> above
100000
not
Condition
Cumulative cap
Data class: match secrets or personal data sent to an external tool
Then
Allow
Escalate
Block
Reason (shown to people and recorded in the audit)
Above the ₹1,00,000 single-transfer limit for claim payouts
2 transfer-review
Rule id
transfer-review
Tool or glob
payments.transfer
When the arguments match
All
Any
/amount
> above
50000
not
/currency
in allowlist
INR
not
Condition
Cumulative cap
Data class: match secrets or personal data sent to an external tool
Then
Allow
Escalate
Block
Reason (shown to people and recorded in the audit)
Payouts above ₹50,000 need a second person
Preview
JSON
Simulate
{
"schema": "sibyl-action-policy/1",
"default_effect": "allow",
"tool_allowlist_enforced": true,
"tool_allowlist": [
"payments.transfer",
"claims.*",
"kb.search",
"email.send_internal"
],
"sensitive_tools": [
"payments.transfer"
],
"external_tools": [],
"hold_timeout_s": 900,
"rules": [
{
"rule_id": "transfer-limit",
"tool": "payments.transfer",
"when": {
Submit for approval
Nothing changes for agents until a version is approved and the next signed snapshot carries it.


3 transfer-routine
Rule id
transfer-routine
Tool or glob
payments.transfer
When the arguments match
All
Any
/amount
≤ at most
50000
not
/reference
matches regex
CLM-[0-9]{6}
not
+ Condition
Cumulative cap
Count
Sum of a field
Field
/amount
At most
500000
Per (seconds)
86400
Over the cap
Escalate
Data class: match secrets or personal data sent to an external tool
Then
Allow
Escalate
Block
Reason (shown to people and recorded in the audit)
Routine claim payouts, up to ₹5,00,000 a day


Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 12
Govern
Action policies
Audit
Set up
Onboarding
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:00
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
ACTION POLICIES · AGENT: CLAIMS TRIAGE
Claims payouts
v3
Active
Four-eyes approval
Submitted by you · 07:00
New version
Retire this version
Reason
e.g. Replaced by the finance-close group policy
Retire
Rules
Simulate
JSON
Versions
Simulate
Against v3 on the control plane; writes nothing
transfer-limit
transfer-review
transfer-routine
Tool
payments.transfer
Arguments (JSON)
{
"amount": 250000,
"currency": "INR"
}
Already used · transfer-routine
0
Simulate
Blocked
Rule
transfer-limit
Reason
Above the ₹1,00,000 single-transfer limit for claim payouts
Matched paths
/amount
Sensitive tool
Yes · deciding needs step-up
Simulation writes nothing: no counter moves and no audit row is recorded.


Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 12
Govern
Action policies
Audit
Set up
Onboarding
Settings
Compliance Auditor
Auditor
Meridian Logistics / Audit
Search ⌘K
Live
DEMO DATA 2:00
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
TAMPER-EVIDENT · SHA256 CHAIN · ED25519 ANCHORS
Audit log
18 events shown, last anchor at seq 111 (10 Oct, 08:59). Every automated decision, approval and human override is here.
Verify chain
Export evidence
Action Gate (all)
Anyone
People
Rules
System
Any time
Seq Time Action Actor Resource prev → hash
153 09:01:37 action.escalated warning Action Gate returns-agent 34a47d… → 0a51ff24…
127 09:00:45 action.escalated warning Action Gate claims-triage 3c4d3b… → 7b7f8591…
113 09:00:26 action.blocked warning Action Gate hr-helpdesk 690e4f… → d286f067…
112 09:00:20 action.blocked warning Action Gate claims-triage 830d5f… → 690e4fcc…
99 19:40:00 action_policy.retired Platform Admin Legacy refund rule 4cd7cf… → 3d469282…
98 13:40:00 action_policy.approved Platform Admin Legacy refund rule 999fd7… → 4cd7cf8e…
97 13:00:00 action_policy.created Platform Admin Legacy refund rule c6f9dd… → 999fd7bf…
96 06:00:00 action_policy.created Platform Admin Finance close tools a74d46… → c6f9dd42…
95 17:40:00 action_policy.approved Platform Admin Personal data egress abf835… → a74d4633…
94 17:00:00 action_policy.created On-call Operator Personal data egress 8c81fb… → abf83565…
93 03:40:00 action_policy.approved On-call Operator Refund guardrails cf27d3… → 8c81fbbf…
92 03:00:00 action_policy.created On-call Operator Refund guardrails 1cce02… → cf27d3af…
91 21:40:00 action_policy.approved Platform Admin Refund guardrails 81803b… → 1cce0278…
90 21:00:00 action_policy.created Platform Admin Refund guardrails b0c746… → 81803b1d…
89 07:40:00 action_policy.approved On-call Operator Claims payouts 584baa… → b0c7465c…
88 07:00:00 action_policy.created Platform Admin Claims payouts a3b3be… → 584baa1e…
87 05:40:00 action_policy.approved On-call Operator Claims payouts d840ed… → a3b3beac…
86 05:00:00 action_policy.created Platform Admin Claims payouts d30313… → d840ed86…

Multi-agent systems report a run tree: parent runs, handoffs between agents and every step. Agents Sibyl has not seen register as discovered and are never routed or gated until you confirm them.

OpenAI | Anthropic | Gemini | **LangChain / LangGraph** | OpenAI Agents SDK | CrewAI

One line | Zero code

Add one call at the top of your entry point. Every installed client and framework is instrumented; libraries that are not installed are skipped.

```
pip install "sibyl-sdk[langchain]"
```


```
import sibyl


sibyl.instrument()  # reads SIBYL_*, instruments every installed client and framework


graph.invoke({"messages": [...]})  # no callbacks= needed
```


Copy


The outer graph is a run, each node a child run; transfer_to_<agent> tools record handoffs. Prompts and outputs leave the process only in full or redacted capture, after the secrets scrub; metadata-only sends hashes.






Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Model drift 2
Sentinel
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
SET UP · AUTO-DISCOVERY
Discovered agents
Agents Sibyl found in telemetry. Confirm the ones you own; until then they are watched and policy-checked, but never routed or failed over.
Discovered agents
2 waiting for confirmation
Seen in telemetry (a gateway header, a span attribute or a handoff inside a run tree) but not registered. Until you confirm one, Sibyl never routes or fails it over; the Action Gate, quarantine and kill switch still apply.
T3
Payout agent
payout-agent · OpenAI gpt-5
First seen as a handoff target inside a claims-triage run (discovered from the run tree).
Seen via handoff in a run tree · first in trace_be1434848865…
Unconfirmed · not routed
Confirm
T3
CRM enricher
crm-enricher · OpenAI gpt-5-mini
First seen in telemetry from the sales team's CrewAI service (gen_ai.agent.name span attribute).
Seen via span attribute
Unconfirmed · not routed
Confirm



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Model drift 2
Sentinel
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
MONITOR · DETERMINISTIC, NO LLM IN THE PATH
Model drift
1 drifting, 2 on watch, 1 served a model the baseline never saw. Each agent is compared with its own frozen baseline every 10 minutes.
Watch-only. Drift raises silent_drift and model_change alerts for a person to look at. It never triggers a failover, a hold or a policy change on its own; the health score is unchanged by it.
Baselines 29 20 frozen
Drift 1
Watch 2
Model changed 1
Collecting 9
Open drift alerts 2
Agents and models
Agent or model
All 29
Drift 1
Watch 2
Model changed 1
Collecting 9
Route optimizer Ollama (on-prem) · llama-3.3-70b
Latency
Tool-call rate
Tool sequences
Drift
20s ago
Sales copilot OpenAI · gpt-5
Model identity changed
Output tokens
Refusal share
Watch
20s ago
Freight pricer OpenAI · gpt-5-mini
Output tokens
Watch
20s ago
KYC verifier OpenAI · gpt-5
All features inside their thresholds
No drift
20s ago
Quote assistant OpenAI · gpt-5-mini
All features inside their thresholds
No drift
20s ago
Contract reviewer Anthropic · claude-sonnet-4-5
All features inside their thresholds
No drift
20s ago
Document extractor Ollama (on-prem) · qwen3-32b
All features inside their thresholds
No drift
20s ago
Claims triage Anthropic · claude-sonnet-4-5
All features inside their thresholds
No drift
20s ago
Order intake OpenAI · gpt-5-mini
All features inside their thresholds
No drift
20s ago
HR helpdesk Ollama (on-prem) · qwen3-32b
All features inside their thresholds
No drift
20s ago
Translation service Ollama (on-prem) · qwen3-32b
All features inside their thresholds
No drift
20s ago
Log analyzer Ollama (on-prem) · llama-3.3-70b
All features inside their thresholds
No drift
20s ago
Customer chat Anthropic · claude-haiku-4-5
All features inside their thresholds
No drift
20s ago
Email summarizer Anthropic · claude-haiku-4-5
All features inside their thresholds
No drift
20s ago
Knowledge search Anthropic · claude-haiku-4-5
All features inside their thresholds
No drift
20s ago
Invoice reconciler Anthropic · claude-sonnet-4-5
All features inside their thresholds
No drift
20s ago
Dispatch planner Anthropic · claude-sonnet-4-5
All features inside their thresholds
No drift
20s ago
Ticket router OpenAI · gpt-5-mini
All features inside their thresholds
No drift
20s ago
Returns agent OpenAI · gpt-5-mini
All features inside their thresholds
No drift
20s ago
Report writer OpenAI · gpt-5
All features inside their thresholds
No drift
20s ago



Claims triage OpenAI · gpt-5
61 of 500 calls collected
Collecting baseline
not evaluated yet
Contract reviewer OpenAI · gpt-5
6 of 500 calls collected
Collecting baseline
not evaluated yet
CRM enricher OpenAI · gpt-5-mini
6 of 500 calls collected
Collecting baseline
not evaluated yet
Customer chat OpenAI · gpt-5
80 of 500 calls collected
Collecting baseline
not evaluated yet
Dispatch planner OpenAI · gpt-5
33 of 500 calls collected
Collecting baseline
not evaluated yet
Email summarizer OpenAI · gpt-5
23 of 500 calls collected
Collecting baseline
not evaluated yet
Invoice reconciler OpenAI · gpt-5
23 of 500 calls collected
Collecting baseline
not evaluated yet
Knowledge search OpenAI · gpt-5
40 of 500 calls collected
Collecting baseline
not evaluated yet
Payout agent OpenAI · gpt-5
4 of 500 calls collected
Collecting baseline
not evaluated yet



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Model drift 2
Sentinel
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Agent
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
Fleet
ORDER FULFILMENT · AUTONOMOUS AGENT
99
SCORE
Route optimizer
Re-sequences multi-drop routes when a stop slips.
T2
route-optimizer
monitored
risk minimal
fail open
Ollama (on-prem) · llama-3.3-70b
Checkpoint handoff
Health score
09:02:10 · 5-min window · rules/v1
Healthy
100 − 1 = 99 → healthy
Latency trend
leading · 15 min
−1
p95 latency trending 1.7× its 1-hour baseline
value 1.7× · threshold 1.5× · cap 10 for this tier
Σ penalties 1 = 100 − 99 · arithmetic checks
fs_01923177-65b…
Routing
Active
Serving from Ollama (on-prem) · llama-3.3-70b
Since 14:02:00 (2d ago) · routing version 50
Primary · Ollama (on-prem)
Alternate model · Ollama (on-prem)
Alternate provider · OpenAI
Human queue
Failure risk
Provider outage
15 min
60%
medium confidence
1 hour
60%
medium confidence
24 hours
25%
medium confidence
Rule-derived probability bands (rules/v1), not calibrated frequencies. Phase 2 replaces them with a calibrated model once it beats the rules.
Actions
Audited · reversible where possible
Fail over
Hand off to a person
Quarantine
Kill switch
Continuity plan
v3
RTO 1h
RPO 5m
Degraded mode continue
Predicted failure Degrade, then automatic after 20 s
Approval timeout 10m → fail safe
Inline fallback On
On call operator
Drills quarterly
Last hour
1-minute buckets
Requests / min
11
Error rate
0.0%
p95 latency
9.4 s
Health score
99
Model drift
Fleet drift
Reset baseline
silent drift since 09:01 · Behaviour drifted on 2 consecutive evaluations
Alerts
Watch-only. Drift raises alerts for a person; it never triggers a failover on its own.
Latest
Last 24 h
Last 7 days
15 evaluations
Ollama (on-prem) · llama-3.3-70b
Drift
Baseline
Frozen · frozen 8 Oct, 09:00
Baseline window
8 Oct, 03:00 → 8 Oct, 09:00
Baseline samples
5,000 calls · 3,100 tool calls
Latest evaluation
20s ago · window 660 calls
Feature
Value
Noise floor
Excess
vs drift line
Verdict
Output tokens
PSI · watch 0.100 / drift 0.250 · 5000 → 660 samples
0.045
0.015
0.030
No drift



Input tokens
PSI · watch 0.100 / drift 0.250 · 5000 → 660 samples
0.052 0.015 0.036 No drift
Latency
PSI · watch 0.100 / drift 0.250 · 5000 → 660 samples
p90–p100 0.100 → 0.240 · p80–p90 0.100 → 0.150
0.312 0.015 0.297 Drift
Refusal share
Jensen–Shannon · watch 0.0050 / drift 0.020 · 5000 → 660 samples
0.0013 0.0003 0.0010 No drift
Truncation share
Jensen–Shannon · watch 0.0050 / drift 0.020 · 5000 → 660 samples
0.0009 0.0003 0.0006 No drift
Tool-call rate
Jensen–Shannon · watch 0.0050 / drift 0.020 · 5000 → 660 samples
with tool calls 0.610 → 0.740 · no tool calls 0.390 → 0.260
0.0095 0.0003 0.0092 Watch
Error mix
Jensen–Shannon · watch 0.050 / drift 0.100 · 5000 → 660 samples
0.019 0.0012 0.017 No drift
Schema failures
Jensen–Shannon · watch 0.0050 / drift 0.020 · 3100 → 396 samples
0.0013 0.0005 0.0008 No drift
Tool sequences
Jensen–Shannon · watch 0.050 / drift 0.100 · 3100 → 396 samples
geo.lookup → geo.lookup 0.080 → 0.270 · route.solve → stops.reorder 0.310 → 0.120
0.145 0.0056 0.140 Drift
Verdicts compare the excess over the sampling noise floor with the thresholds. PSI over the baseline's decile bins; Jensen–Shannon (base 2) for shares and mixes. A feature below 200 calls (50 tool calls) never decides a verdict. Report
Evaluations in the chosen window, oldest to newest
D D
Served model and fingerprint
What the provider said it served
llama-3.3-70b
Served model · requested llama-3.3-70b on Ollama (on-prem)
In baseline
Recent events
Audit trail
Alert · silent drift (warning)
Open
09:01:50
Alert · Fallback pressure (info)
Resolved · awaiting verdict
02:00:00



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Model drift 2
Sentinel
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
On-call Operator
Operator + Security a...
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
MONITOR · ADVISORY AI
Sentinel
On · Gemini gemini-2.5-flash on your own key. Explains incidents, reviews held actions for the approver, reads sampled runs for semantic drift and summarises the fleet.
Set up
Sentinel is advisory only. It explains and recommends; it never allows, blocks, approves, fails over or changes a policy. People and deterministic rules decide.
$0.0267 of $5.00 today
6 findings · 6 calls · 15 skipped by sampling
Findings
All
Incident explanation
Held-action review
Semantic drift review
Fleet summary
Semantic drift review
Warning
Agent · Route optimizer
10s ago
Route optimizer now calls geo.lookup repeatedly before solving; the purpose is unchanged and nothing looks injected.
gemini-2.5-flash · $0.0080 · 23080 tokens
Held-action review
Info
Held action · Returns agent
34s ago
Sixth refund in a minute for unrelated damaged-in-transit orders; consistent with a backlog being cleared, not abuse.
gemini-2.5-flash · $0.0017 · 3410 tokens
Held-action review
Warning
Held action · Claims triage
1m 20s ago
₹75,000 payout to a transporter for claim CLM-204871; amount matches the surveyor's estimate but the payee account is new.
gemini-2.5-flash · $0.0017 · 3410 tokens
Incident explanation
Warning
Incident · Claims triage
1m 22s ago
Claims triage failed over to OpenAI after Anthropic returned 503 on every call; the claim backlog kept moving.
gemini-2.5-flash · $0.0041 · 9740 tokens
Incident explanation
Warning
Incident · KYC verifier
10m 10s ago
KYC verifier was held in degraded mode after its pre-emptive move timed out waiting for approval.
gemini-2.5-flash · $0.0041 · 9740 tokens
Fleet summary
Info
Fleet
3h 2m ago
Overnight the fleet stayed inside its error budgets. Two watch items: the KYC verifier's latency trend and the tool-loop handoff on order intake.
gemini-2.5-flash · $0.0071 · 19020 tokens



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Model drift 2
Sentinel
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
SENTINEL
SENTINEL · ADVISORY
Held-action review
Warning
₹75,000 payout to a transporter for claim CLM-204871; amount matches the surveyor's estimate but the payee account is new.
Held action · Claims triage · 10 Oct, 09:00 · Open the held action
Sentinel is advisory only. It explains and recommends; it never allows, blocks, approves, fails over or changes a policy. People and deterministic rules decide.
What Sentinel found
WRITTEN BY SENTINEL'S MODEL · ADVISORY
Advice
needs_more_info
Reasoning
The amount and reference match the claim, but this beneficiary account was first seen today and the agent acted for the person who must not approve it.
Risks
New beneficiary account (first payout to XXXXXXXX0937)
Four-eyes: the requester cannot approve
Payout is irreversible once sent
Confidence
medium
Recommendation
ADVISORY
The amount and reference match the claim, but this beneficiary account was first seen today and the agent acted for the person who must not approve it.
A person decides. Sentinel cannot act on this.
Provenance
Gemini · gemini-2.5-flash prompt cb31d04c1175…
3,100 in · 310 out $0.0017 scheduled
prompt sha256
cb31d04c1175b6dd2db4fd294cc2ead4aee382dd2029cbb0fcad28f0a59453f1
Was this useful?
Useful
Not useful
Wrong



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Model drift 2
Sentinel
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Settings
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
SENTINEL
Sentinel setup
Sentinel runs on your own model key, egress-allowlisted, within a daily budget. Content follows your capture policy: metadata-only tenants send no prompts or outputs.
Sentinel is advisory only. It explains and recommends; it never allows, blocks, approves, fails over or changes a policy. People and deterministic rules decide.
Today
On
v3 · updated 8 Oct, 09:00
$0.0267 of $5.00 today
6 findings · 6 calls · 15 skipped by sampling
Configuration
ADVISORY · NEVER ENFORCES
Turn Sentinel on
Explanations and reviews start with the next incident or hold. Turning it off stops all calls to your provider.
Provider
Anthropic
OpenAI
Gemini
Model
gemini-2.5-flash
API key
Vaulted …k3Qz · leave blan
Write-only. Sealed in the tenant vault; never shown again or written to the audit log. Last changed 1 Oct, 09:00.
Daily budget (USD)
5
Sentinel pauses for the day when it is spent.
Sampling rate (%)
25
Share of runs read for semantic drift.
Tasks
Incident explanation
Explain what failed, the likely cause and what Sibyl already did.
Held-action review
Give the approver a second opinion on a held tool call.
Semantic drift review
Read sampled trajectories for purpose drift or injection-like turns.
Fleet summary
A daily summary of the fleet for the on-call lead.
Reason for the change
e.g. Pilot Sentinel on Gemini Flash with a $5 daily cap.
Required. Saving asks you to sign in again (step-up).
Test connection
Save with step-up



Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Runs
Model drift 2
Sentinel
Monitors
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
MONITOR · ADVISORY AGENTS
Monitors
Outside agents that watch the fleet with a monitor key: an MCP assistant, a webhook receiver or a script on the REST API. Their findings appear on Sentinel and beside the decisions they concern.
Register monitor
Monitors are advisory only. A monitor reads fleet metadata and reports findings; it never allows, blocks, approves, fails over or changes a policy. People and deterministic rules decide.
Active
2 of 3
Paused
1
Findings, 24 h
4
Failing webhooks
1
Registered monitors
All 4
Active 2
Paused 1
Revoked 1
Claude ops reviewer
MCP
Active
All agent groups 1 key 60/min
2 in 24 h
1m 15s ago
PagerDuty bridge
Webhook
Active
Claims & payouts, Logistics 1 key 120/min
2 webhooks
Retrying
1 in 24 h
1m 30s ago
Nightly audit script
REST API
Paused
All agent groups 1 key 30/min
1 in 24 h
9h 2m ago
Legacy Slack relay
Webhook
Revoked
All agent groups 0 keys 60/min
1 webhook
Disabled
0 in 24 h
no findings yet


Gemini cost watcher is registered
Connect your agent with the key below. It reads fleet metadata in the watched groups and submits advisory findings; it cannot act.
Shown once. Sibyl stores only a keyed hash of this monitor key; it cannot show it again. Copy it into your secret store now.
sbl_live_bAtWlY4Vy3De_srmlqr0Db6osGzJHcnAOgTq25uVZKpGJYag6BuR0K6Q
Copy monitor key
Scopes monitor:read and findings:write only · 60 findings per minute · prefix bAtWlY4Vy3De
Python SDK
Claude Code (MCP)
Copy
pip install sibyl-sdk
export SIBYL_API_URL=https://localhost:8443
export SIBYL_MONITOR_KEY=sbl_live_bAtWlY4Vy3De_srmlqr0Db6os
from sibyl.monitor import Client
with Client.from_env() as sibyl:
for hold in sibyl.list_held_actions(state="pending")["dat
sibyl.recommend_on_held_action(hold["id"], "needs_mor
sibyl.submit_finding(kind="anomaly", subject_kind="fleet"
summary="Nightly check: no anomalies
Env names as in sibyl-mcp: SIBYL_API_URL and SIBYL_MONITOR_KEY. Behind a


I've stored the key
Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Runs
Model drift 2
Sentinel
Monitors
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
MONITORS
PagerDuty bridge
Webhook
Active
registered 10 Sept, 09:00
Receives signed alert and incident events, pages the claims on-call and files an anomaly finding when a burst looks unusual.
Pause
Issue key
Revoke
Monitors are advisory only. A monitor reads fleet metadata and reports findings; it never allows, blocks, approves, fails over or changes a policy. People and deterministic rules decide.
Watches
Claims & payouts, Logistics
Key scopes
monitor:read · findings:write
Rate limit
120 findings per minute
Findings, 24 h
1 · last 1m 30s ago
Recent findings
All findings
Anomaly
Warning
1m 30s ago
Claims triage error burst matches the Anthropic outage pattern; paged the claims on-call (incident PD-48213).
Keys
Metadata only; rotate or revoke in Settings → API keys
Name
Status
Last used
Expires
pd-bridge
sbl_live_IFJpxaXosSMj_…
active
11m 10s ago
10 Sept, 09:00
Connect
The key itself was shown once when it was issued. Issue another key if it was lost.
Verify deliveries
Python SDK
Copy
from sibyl.monitor import verify_w
In your receiver: check Sibyl-Signature ove
try:
event = verify_webhook(WEBHOOK_SECRET, re
except WebhookSignatureError:
return 401
Env names as in sibyl-mcp: SIBYL_API_URL and SIBYL_MONITOR_KEY. Behind a TLS-inspecting proxy, add SIBYL_CA_FILE; never turn verification off.
Webhooks
Add webhook
https://events.pagerduty.example/integration/sibyl/enqueue
Alert fired
Alert resolved
Incident updated
Delivered · 202
last delivery 9m 10s ago
Send test
https://hooks.meridian-logistics.example/sibyl/held-actions
Action held
Held action decided
Held action expired
Retrying · 503
last delivery 20m 10s ago
3 failures in a row
Send test


Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Runs
Model drift 2
Sentinel
Monitors
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
On-call Operator
Operator + Security a...
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
MONITOR · ADVISORY AI
Sentinel
On · Gemini gemini-2.5-flash on your own key. Explains incidents, reviews held actions for the approver, reads sampled runs for semantic drift and summarises the fleet. External monitors report here too.
Monitors
Set up
Sentinel is advisory only. It explains and recommends; it never allows, blocks, approves, fails over or changes a policy. People and deterministic rules decide. External monitors are advisory in exactly the same way.
$0.0267 of $5.00 today
6 findings · 6 calls · 15 skipped by sampling
Findings
All sources
Sentinel
Monitors
All
Incident explanation
Held-action review
Semantic drift review
Fleet summary
Monitor: Claude ops reviewer
Held-action review
Warning
Held action · Claims triage
1m 15s ago
Payout of ₹75,000 goes to an account first seen today; the surveyor's estimate matches but the payee bank changed since the last claim.
anthropic · claude-opus-4-1 · medium confidence
Monitor: PagerDuty bridge
Anomaly
Warning
Agent · Claims triage
1m 30s ago
Claims triage error burst matches the Anthropic outage pattern; paged the claims on-call (incident PD-48213).
external monitor · high confidence
Monitor: Claude ops reviewer
Quality
Warning
Agent · Order intake
2h 2m ago
Order intake repeats the same slot search before booking; 3 of the last 20 runs booked a slot the customer did not ask for.
anthropic · claude-opus-4-1 · medium confidence
Monitor: Nightly audit script
Cost
Info
Fleet
9h 2m ago
Yesterday's model spend was ₹41,870, 6% over the 7-day average; the report writer accounts for most of the rise.
external monitor · high confidence


Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Runs
Model drift 2
Sentinel
Monitors
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
Platform Admin
Admin
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
FINDINGS
MONITOR · ADVISORY
Monitor: Claude ops reviewer
Held-action review
Warning
Payout of ₹75,000 goes to an account first seen today; the surveyor's estimate matches but the payee bank changed since the last claim.
Held action · Claims triage · 10 Oct, 09:00 · Open the held action · Open the monitor
Monitors are advisory only. A monitor reads fleet metadata and reports findings; it never allows, blocks, approves, fails over or changes a policy. People and deterministic rules decide.
What the monitor found
WRITTEN BY MONITOR: CLAUDE OPS REVIEWER · UNTRUSTED · ADVISORY
Checked
Claim CLM-204871 surveyor estimate: ₹75,000
Previous payouts to this transporter used XXXXXXXX2210 (HDFC)
Account XXXXXXXX0937 (ICICI) first seen today
Risks
Changed beneficiary account on an irreversible transfer
Recommendation
ADVISORY
Leans deny
Call the transporter on the number in the vendor master (not the one in the claim) to confirm the new account before approving.
A person decides. Monitor: Claude ops reviewer cannot act on this.
Provenance
Reported by Claude ops reviewer with its monitor key
anthropic · claude-opus-4-1 medium confidence
Was this useful?
Useful
Not useful
Wrong


Sibyl
Meridian Logistics
Operate
Fleet
Incidents
Held actions 2
Operator queue 3
Alerts 14
Monitor
Runs
Model drift 2
Sentinel
Monitors
Govern
Action policies
Audit
Set up
Onboarding
Discovered agents 2
Settings
On-call Operator
Operator + Security a...
Meridian Logistics / Sibyl
Search ⌘K
Live
DEMO DATA 2:10
Kill switch
Provider incident
Anthropic is down · 7 agents affected, one incident. Failover is running by tier.
HELD ACTIONS
payments.transfer
Proposed by Claims triage through the SDK 09:00:45, acting for Platform Admin. The agent is paused until someone decides.
Auto-deny in 13:35
T1
acting for Platform Admin
Step-up to decide
Hold 15 min
Proposed call
call clm-204871-pay-1
PROPOSED BY THE AGENT · SECRETS SCRUBBED
amount matched 75,000
currency matched INR
payee Shree Ganesh Transport
beneficiary_account XXXXXXXX0937
ifsc ICIC0004412
reference CLM-204871
auth_token token masked
Secrets were scrubbed where the call was intercepted; Sibyl never stores them. An approval binds to this exact call: args sha256 7a5f13b582697ae7…
Why it was held
Rule transfer-review
Reason Payouts above ₹50,000 need a second person
Policy Claims payouts · v3
Matched paths /amount, /currency
The agent acted for Platform Admin
Decide
Denied automatically in 13:35
Decision reason
e.g. Matches claim CLM-204871 and the surveyor's report; payee verified.
Required, at least 10 characters. Shown in the audit log.
Deny
Approve with step-up
Sentinel's review
SENTINEL · ADVISORY
₹75,000 payout to a transporter for claim CLM-204871; amount matches the surveyor's estimate but the payee account is new.
Needs more information
The amount and reference match the claim, but this beneficiary account was first seen today and the agent acted for the person who must not approve it.
Advisory only: Sentinel cannot approve, deny, fail over or change policy. 1m 20s ago · Full finding
Gemini · gemini-2.5-flash 3,100 in · 310 out $0.0017
scheduled
Was this useful? Useful Not useful Wrong
Claude ops reviewer's review
MONITOR · ADVISORY
Payout of ₹75,000 goes to an account first seen today; the surveyor's estimate matches but the payee bank changed since the last claim.
Leans deny
Call the transporter on the number in the vendor master (not the one in the claim) to confirm the new account before approving.
Advisory only: a monitor cannot approve, deny, fail over or change policy. 1m 15s ago · Full finding
Reported by Claude ops reviewer with its monitor key
anthropic · claude-opus-4-1 medium confidence
Was this useful? Useful Not useful Wrong
Decision history
Audit receipt
Held by the Action Gate
09:00:45
"Payouts above ₹50,000 need a second person"

Screen	What it shows	Who acts
Fleet	Every agent’s health, tier and routing state; incident card with blast radius	Admin, Operator
Agent detail	Score arithmetic, risk bands, routing chain, continuity plan, sparklines, events	Admin, Operator
Incidents	Decisions needed first, failover timeline, recovery-time clock, handoff tasks	Operator (four-eyes)
Operator queue	Handoff packets with full context	Operator
Alerts	Open, unverdicted, resolved; provider incidents grouped	Operator
Audit	Hash chain, verify, decision records, export	Auditor
Onboarding	Capture policy, first key, gateway snippet, and one-line or zero-code instrumentation per client and framework	Admin
Runs	Every agent run, newest first, with status filters; each opens its run tree	Admin, Operator
Run tree	One run’s agents, steps, model calls, tool calls and handoffs, metadata only	Admin, Operator
Discovered agents	Agents found in telemetry, waiting for confirmation	Admin
Model drift	Fleet drift summary; per agent, every feature’s statistics, served model and fingerprint, reset baseline	Admin, Operator (read); Admin, Security admin (reset)
Sentinel	Advisory findings with provenance and feedback, from Sentinel and from external monitors; on-demand explain; setup	Operator, Auditor and admins read; Admin, Security admin set up and explain on demand
Monitors	External monitors: register, issue keys, add and test webhooks, pause, resume, revoke;	Admin, Security admin (Operator and Auditor

Screen	What it shows	Who acts
	each monitor’s findings	read)
Settings	API keys, tenant keys, members	Admin, Security admin
Kill switch	Scope, reason, typed confirmation, step-up	Admin, Security admin
Held actions	Actions waiting for a person, with countdown and the rule that held them; the detail view shows scrubbed arguments, who the agent acts for and the decision history	Operator, Admin (four-eyes, step-up for sensitive tools)
Action policies	Versioned policies, structured editor, simulate, approve and retire	Admin, Security admin

7. Integration paths

Path	Effort	What it gives
Gateway (OpenAI, Anthropic and Gemini protocols)	Change the base URL and the API key; add the agent header	Traffic visibility, inline fallback, failover, kill switch, limits, and action control on proposed tool calls (Action Gate). Adds about 0.2 ms at p99
Python SDK (Apache-2.0)	`pip install sibyl-sdk`, then `sibyl.instrument()` or `sibyl-run app.py`	Model calls, agent runs and run trees, tool calls, handoffs, checkpoints, handoff packets, in-process kill switch, and pre-execution Action Gate checks on tools
OTLP ingest	Point an OpenTelemetry exporter at Sibyl	Reuse existing instrumentation
REST API	OpenAPI 3.1 contract, 186 operations	Automate everything; live event stream for people signed in to the console
External monitor	Register a monitor, then `sibyl-mcp`, a signed webhook, the SDK's `sibyl.monitor` client or plain REST	A customer's own Claude, OpenAI, Gemini or script-based monitor reads fleet metadata and posts advisory findings (section 7b)

Model providers.

- **Gateway, built:** the OpenAI-compatible API (OpenAI, Azure OpenAI, Ollama, vLLM and any OpenAI-compatible endpoint), the native Anthropic Messages API and the native Gemini `generateContent` API, all with streaming. All three get the same kill switch, limits, routing and Action Gate.
- **Fallback stays inside one protocol.** An Anthropic-protocol call falls back only to Anthropic-protocol targets, and so on. Sibyl does not translate between protocols. A route with no same-protocol target is refused when it is configured.

- **SDK, built:** instrumentation for the OpenAI, Anthropic and Google Gen AI client libraries.

Agent frameworks.

- **Built connectors:** LangChain and LangGraph, OpenAI Agents SDK, CrewAI. Each reports runs, steps, tools and handoffs, and sends framework tools through the Action Gate.
- **Planned connectors:** Google Agent Development Kit, Microsoft AutoGen, and others on demand.
- **Any framework today:** frameworks that emit OpenTelemetry GenAI spans can report through OTLP ingest, and any framework can route its model calls through the gateway.

7a. Sibyl Sentinel: an advisory monitoring agent (built)

An optional internal agent that customers switch on to watch their other agents and frameworks. It runs on the customer's own Anthropic (Claude), OpenAI or Google Gemini API key through one provider-neutral adapter. Sentinel is advisory: it never enforces.

What it does:

- **Explains incidents in plain language:** what failed, why, what Sibyl did, what to check.
- **Reviews held actions:** attaches a recommendation and its reasoning for the human approver.
- **Flags semantic anomalies that rules cannot see:** an agent drifting from its declared purpose, a tool sequence that looks like prompt injection, an answer that contradicts policy.
- **Summarises fleet health** for operators and managers.
- **Explains on demand:** an Admin or Security admin can ask for an explanation of an incident or a held action.

Findings appear in the console. A finding can open a watch-only `sentinel_finding` alert. People rate each finding as useful, not useful or wrong.

What it never does. Sentinel is advisory. It cannot allow, block, approve, fail over or change a policy. It never calls an enforcement route. Tests check that a reviewed hold stays pending and that a Sentinel alert never starts a failover, even when the agent is failing. Enforcement stays deterministic, signed and auditable. This keeps “an agent watching agents” out of the safety-critical path, while still using language models where they add value: judgement and explanation.

Controls:

- **Opt-in:** per tenant, set up by an Admin or Security admin.
- **Key:** write-only. It is sealed in the tenant vault and never shown again, logged or audited.
- **Network:** calls go only to the provider’s API host (or a vetted custom endpoint), over verified TLS.
- **Data:** respects the tenant’s capture mode. Metadata-only tenants send no prompts or outputs.
- **Untrusted input:** agent data is passed as quoted evidence, never as instructions. Answers are structured and validated before they are stored.
- **Cost:** a daily budget, reserved before each call so it is never overshot, and a sampling rate for drift reviews.
- **Audit:** every finding records the provider, the model, a hash of the prompt, the tokens and the cost.
- **Quality:** its behaviour is checked on the harness (scenario S-33: never enforces, keeps to budget and capture mode); its judgement is not yet measured. Treat findings as a second opinion, not a verdict.

7b. External monitor agents: bring your own monitor (built)

Many customers already have an agent they trust to review other agents: a Claude assistant their operations team uses every day, an OpenAI Agents SDK app, a Gemini pipeline, or a script that pages the on-call. Sibyl lets any of them watch the fleet and

report what it sees. Sentinel is the built-in monitor; external monitors are first-class peers beside it.

Who it is for.

- **Platform Admins** who want their own reviewer, prompt and model rather than Sentinel's.
- **Security and risk teams** that already run a review agent and want it to see held actions and incidents.
- **Operations teams** that want alerts, incidents and held actions pushed into their own tooling (paging, chat, ticketing) as signed webhooks.

How a customer plugs one in.

1. **Register** the monitor in the console (**Monitors → Register monitor**) or with `POST /monitors`: a name, a kind (`mcp`, `webhook` or `api`), an owner, the agent groups it may watch (or all of them) and a findings rate limit (60 a minute by default). Registration issues a **monitor key**, shown once.
2. **Connect** it, whichever way suits the agent:

Monitor	How it connects
Claude (Desktop, Claude Code, the Claude Agent SDK)	The Sibyl MCP server, `sibyl-mcp`, over stdio; one entry in the MCP configuration
OpenAI Agents SDK	`sibyl-mcp` over stdio, as an MCP tool server
Gemini, or any Python agent	The SDK's monitor client, `sibyl.monitor.Client`
Any MCP-capable assistant	`sibyl-mcp` over stdio, or streamable HTTP on the local machine
Paging, chat or ticketing tools	Signed webhooks for alert, incident, held-action, drift and failed-run events
A plain script or rules job	The REST API, or the same SDK client

3. **Observe.** The monitor reads agents, fleet and agent health, runs and run trees, drift, alerts, incidents, held actions and findings. `sibyl-mcp` exposes this as 13 tools, including `list_held_actions`, `get_drift` and `list_runs`.

4. **Report.** The monitor posts **findings** in the same shape as Sentinel's (an explanation, a review of a held action, an anomaly, a safety, quality or cost observation, a fleet summary), with its own provider, model and confidence. A finding about a held action attaches advice (`approve`, `deny` or `needs_more_info`) for the approver. A critical finding about an agent can open a watch-only `external_finding` alert.

Ready-made examples ship in the repository for Claude over MCP, the OpenAI Agents SDK, Gemini, a webhook receiver and a rules-only monitor.

The advisory guarantee. A monitor is advisory, exactly like Sentinel:

- It cannot allow, block, approve, deny, fail over, quarantine, kill or change a policy. Its key holds two scopes, `monitor:read` and `findings:write`, and nothing else, and an API key can use only the scopes a route lists for keys. No enforcement route lists either scope.
- Its alerts are watch-only: they ask a person to look and never start a failover.
- Its advice on a held action is shown to the approver; the hold stays pending until a person or the timeout decides.
- Enforcement stays deterministic, signed and auditable. A wrong or manipulated monitor costs a bad recommendation, never an action.

Watched groups. A monitor sees only the agents in the groups it watches (child groups included). Anything outside them, including the fact that it exists, answers "not found". Fleet-wide findings and events with no agent need a monitor that watches all groups.

Metadata only. Monitor reads return metadata: names, states, scores, timings, counts, tool names, rules. They never return payload content or held-action arguments, whatever the tenant's capture mode. Everything an agent wrote (names, summaries, tool names, errors) is marked as untrusted data, and the MCP server tells the model never to follow instructions found in it.

Controls.

- **Keys:** stored as hashes, shown once, rotated and revoked like any other API key. Revoking a monitor revokes its keys and disables its webhooks.
- **Pause:** a paused monitor cannot submit findings; its webhook deliveries wait until it is resumed.

- **Rate limit:** per monitor, 1 to 600 findings a minute.
- **Webhooks:** https only, to public addresses checked at connect time, signed with HMAC-SHA256 and a timestamp, retried with backoff, then dead-lettered. A deployment can restrict webhook hosts to an allowlist.
- **Audit:** registration, updates, revocation, every finding, every rating, webhook tests and dead deliveries are in the audit chain.

Quality. Sibyl does not measure an external monitor's quality. People rate each finding as useful, not useful or wrong, so a team can judge a monitor over time.

7c. Two ways to run: demo and real (built)

	Demo	Real deployment
What you get	The console with dummy data and a scripted provider-outage scenario; every screen clickable, monitors included	The full stack for your own agents: Postgres 17, API, ingest, worker, gateway, console, Caddy TLS and OIDC sign-in; no simulator
Needs	Node.js only	Docker with Compose 2.24.4 or later
In the browser	Open in Codespaces (demo)	Open in Codespaces (real)
On your machine	`make demo`	`make up`
First run	A minute or two	About 10 minutes; it bootstraps the first workspace and its Platform Admin

- **Demo.** For a first look and for sales demos. Nothing to configure, no external services. A purple **Demo data** chip marks every screen.

- **Real.** For real agents. `make up` generates every secret, builds or pulls the images, applies migrations, creates the first workspace and admin, and prints the URLs. Then connect an agent through the gateway, `sibyl.instrument()` or `sibyl-run`, approve a first Action Gate policy, switch on Sentinel and register an external monitor. `docs/setup/SETUP.md` covers prerequisites per operating system, corporate TLS-inspection proxies and production hardening (your own OIDC provider, certificates, backups, upgrades).
- **Release images.** Version 1.0.0 is published as multi-arch images on GitHub Container Registry; `SIBYL_IMAGE_TAG=1.0.0 make up` runs them instead of local builds.
- **Access.** A public demo runs at https://sibyl-demo.onrender.com (dummy data, shared by every visitor). The repository is public, so both Codespaces links work for anyone with a GitHub account.

8. Security, privacy and compliance

- **Tenant isolation:** row-level security on every tenant table, tested for every table and role.
- **Secrets:** provider keys pass through and are not stored for the primary call. Fallback keys are vaulted. API keys are stored as salted hashes. Each service receives only its own secrets.
- **Signed policy:** enforcement points act only on Ed25519-signed snapshots, with key rotation as a signed chain.
- **Network safety:** outbound URLs are allowlisted and checked at connect time, including monitor webhooks.
- **Outside monitors:** monitor keys are bound to one monitor and its watched groups, read metadata only and can reach no enforcement route.
- **Evidence:** hash chain, signed anchors, offline verification.
- **Licences:** permissive dependencies only; licence gate in CI.
- **Compliance mapping:** supports human-oversight, inventory and record-keeping duties (EU AI Act, NIST AI RMF, ISO/IEC 42001). No formal attestation yet; an external security assessment comes before the first paid tenant.

9. Architecture and deployment

Stateless services (gateway, ingest, API, worker, console) around one Postgres database and a blob store. The real deployment runs with Docker Compose in one command (`make up`), behind Caddy for TLS, with the bundled sign-in for a first install or the customer's own OIDC provider for production. Release 1.0.0 ships as multi-arch images on GitHub Container Registry, built by a GitHub Actions release workflow; GitHub Actions CI runs lint, types, tests against Postgres and the console checks on every change. External monitors need no extra service: the MCP server runs next to the customer's assistant, and webhooks are sent by the existing worker. Phase 2 adds a Helm chart, managed Postgres and S3-compatible storage. Design partner #1 self-hosts in their own cloud.

10. Recovery: what Sibyl owns and what it doesn't

Sibyl owns	The customer's infrastructure owns
Which model, provider or agent a call goes to	Business transaction integrity
Stopping traffic (kill switch, quarantine)	Idempotency of their tools and APIs
Handing unfinished work to a person, with context	Re-running or compensating side effects
Evidence of every decision	Their own data stores and backups

- **Shared dependencies.** If every alternative depends on the same failed API, switching achieves nothing. Sibyl models dependencies and refuses targets that share the failure, and sends the work to a person or a degraded mode instead.
- **Duplicate actions.** A task with recorded external side effects is never automatically resumed. A person decides, with the side-effect ledger in front of them. *(Rule recorded; enforcement is backlog item A-4.)*

11. Honest assessment: questions we must answer

These are the hardest questions about the product, with our current answers.

1. **Is this observability or prediction?**
    - Today it is governed reliability plus statistical early warning, not learned prediction.
    - What observability tools lack, and Sibyl has: acting under governance (failover, approvals, undo, handoff, kill switch) and verifiable evidence.
    - The learned model ships only if it measurably beats the rules on our scenario harness and on each customer's own labelled alerts.
2. **What is the technical differentiation?**
    - No LLM sits in the decision path.
    - **Data:** comes from in-path enforcement points, the gateway and the SDK.
    - **Detection:** deterministic rules plus change detection, every score explained.
    - **Intervention:** made safe by signed policy, risk tiers, approvals, undo and a kill switch.
    - **Learning:** improves per-tenant calibration from operator verdicts, measured by precision, recall, lead time and false-failover rate.
3. **How much recovery do we own?** The boundary in section 10.
4. **Is there a data moat?**
    - Not yet. Execution histories alone are not intelligence.
    - Candidates: per-tenant verdict-labelled incident data (value shown as measured lift over time), the scenario library, and policy templates.
    - Cross-customer learning needs opt-in aggregate priors or federated training, plus contract terms. Neither is built, so we do not claim a moat.
5. **Failure versus forbidden action.**
    - Detecting that an agent is about to fail is useful.
    - Detecting that a healthy agent is about to do something it is not authorised to do is the bigger problem, and the one that blocks autonomy.
    - That is the Action Gate (section 12).

6. **Where is our advantage?**
    - **Enforcement in the request path:** a one-URL change, no code change.
    - **Governance that holds up in an audit.**
    - **Execution:** easy deployment and safe defaults.
    - We claim prediction only where we measure it.
7. **Isn't an external monitor just another "agent watching agents"?**
    - Yes, and that is why it is advisory. Monitors bring judgement the customer already trusts; they never decide.
    - Every allow, block, escalate and failover stays with deterministic, signed policy. A monitor's key cannot reach an enforcement route.

The deciding question: are we telling companies when agents might fail, or building infrastructure that lets them safely give agents more autonomy? **The latter.** Reliability is part of it, but safe autonomy is the thesis.

KNOWN LIMITS (RELEASE 1.0.0)

State these whenever the matching capability is described.

Area	Limit
Prediction	Early warning is statistics, measured in simulation only; no learned model yet
Drift	Detects a change after it happens; thresholds tunable per tenant by API only; no console screen yet
Harness	20 scenarios pass; 12 wait on design rulings, unbuilt features or one known coverage gap (B-10)
Sentinel	Behaviour checked on the harness (S-33); judgement not yet measured
External monitors	Reads are metadata only: there is no path yet for a monitor to read prompts, outputs or held-action arguments, even where the capture mode keeps them
External monitors	No live event stream for monitor keys; a monitor polls the API or receives webhooks
External monitors	`run.failed` is the only run event a webhook can carry
External monitors	A monitor sees other monitors' findings about agents in its watched groups
External monitors	The SDK monitor client accepts `http://` URLs, so a misconfigured client could send its key unencrypted; use `https://`
External monitors	A paused monitor's webhook deliveries wait until it is resumed; they are not dropped
External monitors	Sibyl does not measure a monitor's quality; people rate findings
Packages	`sibyl-sdk` and `sibyl-mcp` are not on PyPI yet; install them from the repository
Public demo	One shared instance with dummy data; it restarts after 15 idle minutes on the free plan
Security	No external security assessment yet; treat a deployment as pre-production

Area	Limit
Deployment	One host; logical backups; no Helm chart or point-in-time recovery yet

12. Roadmap

Phase	Theme	Contents	Gate to the next phase
1 (built)	Governed reliability	Registry, gateway, SDK, ingest, health, leading indicators, failover with approvals, handoff, kill switch, audit, erasure, console, harness	Demo end to end; critical harness gates green
1.5	Action Gate + close the cuts	**Action Gate:** evaluator, gateway/SDK enforcement, approval routes, held-action queue, console screens, the never-auto-resume guard and the harness scenarios built; AI bill of materials; console editors; canary failback	Zero unauthorised actions executed in the harness; restore drill; external security assessment
1.5 (wave 3, built)	Plug-and-play monitoring, drift and Sentinel	`sibyl.instrument()` and `sibyl-run`; OpenAI, Anthropic and Google Gen AI clients; LangChain/LangGraph, OpenAI Agents SDK and CrewAI connectors; run trees and auto-discovery; native Anthropic and Gemini at the gateway; model drift detection (watch-only); **Sibyl Sentinel** (advisory); Action Gate live in the console	Harness lane: A-5 scenarios, silent model swap scenario, outage detection-gap fix (in progress); Sentinel quality measured on the harness
1.0 (wave 4, built)	Open monitoring ecosystem and release	**External monitor agents** (registration, monitor-bound keys, `sibyl-mcp`, signed webhooks, external findings beside Sentinel's, the SDK monitor client, examples for Claude, OpenAI, Gemini, webhooks and rules); a runs list; demo and real deployments with Codespaces links; GitHub Actions CI and release images on GHCR; tag `v1.0.0`; tenant-tunable drift thresholds (API); harness gate suite running with 20 scenarios passing; Sentinel behaviour scenario S-33; CI under 10 minutes	Design-partner pilot; external security assessment before the first paid tenant

Phase	Theme	Contents	Gate to the next phase
2	First design partner	Cloud deployment, notifications, TypeScript SDK, Google ADK and AutoGen connectors, tenant-tunable drift thresholds, a content path for monitors under the capture mode, a live event stream for monitor keys, learned model in shadow, trajectory-risk research	Pilot success criteria; measured lift (or not) of learned models over rules
3	Sellable product	Residency, SOC 2 readiness, billing, compliance packs, ITSM integrations	—

Action Gate backlog (smallest differentiated product):

#	Item	Status
A-1	Action policy in signed snapshots: tool allowlists, argument predicates (e.g. `amount <= 10000`, `destination in allowlist`), cumulative caps, dual control above a threshold, data-classification rules	Built
A-2	Enforcement at the gateway (tool calls proposed in model responses) and in the SDK (`@sibyl.tool` before execution)	Built
A-3	Escalation: the action is held, a person approves or denies it in the queue, a timeout defaults to deny, and every decision is audited	Built
A-4	Never auto-resume a task with recorded external side effects	Built
A-5	Harness scenarios: over-limit transfer, data exfiltration via a tool, injection-driven action, cumulative cap breach	Built (merged; full gate suite not yet green, see section 11)
A-6	Console: action policies, held actions, decision records, on the live API with end-to-end and accessibility tests	Built

13. Packaging, metrics and messaging

Pricing is a Phase 3 hypothesis, not validated with customers.

Package	For	Includes
Developer (free)	Evaluation	SDK, gateway, registry, health, single tenant
Team	First production agents	Action Gate, failover, handoff queue, audit export
Business	Several teams and providers	Approvals and four-eyes, leading indicators, legal holds, erasure certificates, SSO
Enterprise	Regulated firms	Compliance packs, long audit retention, residency, support SLA

Pricing shape: a platform fee plus a per-governed-agent charge weighted by tier. The SDK and the kill switch are never paywalled.

North-star metric. Governed autonomy: the share of production agent actions that pass through Sibyl's enforcement points under a declared, approved policy.

Supporting metrics.

- unauthorised actions blocked or escalated
- time to detect
- failovers within recovery target
- false-failover rate
- tasks completed despite agent failure
- verdict coverage

Messaging.

- **One-liner:** Give your AI agents more autonomy, with guardrails, continuity and proof.
- **Head of AI:** ship autonomous workflows without more incidents.
- **CISO:** an independent control layer the agent cannot talk its way past.

- **Risk and compliance:** human oversight where it matters, evidence for every decision.
- **Engineers:** change one URL, or add one line, to start; tools are gated where they run.
- **Teams with their own review agent:** bring your Claude, OpenAI or Gemini monitor; it advises, Sibyl enforces.

Claims to avoid until measured: “predictive intelligence”, “learns from your data”, “data moat”, “predicts model drift” (drift detection detects a change after it happens), “Sentinel catches attacks” (its quality is not yet measured), “your monitor agent can stop your other agents” (monitors are advisory), “monitors see everything” (metadata only, within their watched groups), “try it on your own data online” (the public demo is shared dummy data).

Glossary.

Term	Meaning
Agent	An AI workflow Sibyl governs
Tier	Business criticality, 1 to 3
Action policy	What an agent may do, enforced before it acts
Continuity plan	Recovery targets and what to do on failure
Fallback chain	Ordered alternatives
Handoff packet	Structured hand-over of unfinished work
Hold	A pause on automation after an undo
Verdict	An operator’s judgement on an alert
Anchor	A signed checkpoint of the audit chain
Break-glass key	An emergency key that can only stop agents
Run tree	One multi-agent run: parent run, steps, handoffs
Discovered agent	An agent seen in telemetry but not yet confirmed by an admin; never routed
Baseline	An agent’s frozen reference behaviour for one model, used by drift detection
Sentinel finding	An advisory explanation, review or flag written by Sibyl Sentinel
External monitor	An outside agent or script registered to watch some or all agent groups and report advisory findings
Monitor key	An API key bound to one monitor, holding only `monitor:read` and `findings:write`
External finding	An advisory finding submitted by an external monitor, shown beside Sentinel’s

Term	Meaning
Webhook	A signed HTTPS delivery of an alert, incident, held-action, drift or failed-run event to a monitor’s endpoint

See `docs/strategy/TECHNICAL-THESIS.md` for the technical reasoning behind sections 10 to 12.