

## Pantheon Report

Generated at 2025-04-15 17:11:41 (UTC). Tested in mahimahi: mm-delay 100 mm-link 1mbps.trace 1mbps.trace Repeated the test of 1 congestion control schemes once. Each test lasted for 60 seconds running 1 flow. System info: Linux 6.11.0-21-generic net.core.default\_qdisc = fq\_codel net.core.rmem\_default = 212992  $net.core.rmem_max = 212992$ net.core.wmem\_default = 212992  $net.core.wmem_max = 212992$  $net.ipv4.tcp\_rmem = 4096 131072 6291456$  $net.ipv4.tcp\_wmem = 4096 16384 4194304$ Git summary: branch: master @ 23e738ce5acae1d36e321886cd613b0b9401ac11 third\_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519 third\_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9 third\_party/genericCC @ d0153f8e594aa89e93b032143cedbdfe58e562f4 third\_party/indigo @ 463d89b09699a57bfdfbae351646df6a60040b90 third\_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf third\_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd third\_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1 third\_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab third\_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42 third\_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2 third\_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26 third\_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494 M src/verus.hpp M tools/plot.py third\_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4

third\_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851





scheme         # runs         flow 1         flow 1           TCP BBR         1         0.96         431.00         0.44		mean avg tput (Mbit/s)	mean 95th-%ile delay (ms)	mean loss rate (%)
TCP BBR 1 0.96 431.00 0.44	scheme # runs	flow 1	flow 1	flow 1
101 2210 1 0.00	TCP BBR 1	0.96	431.00	0.44

## Run 1: Statistics of TCP BBR

Start at: 2025-04-15 17:08:28 End at: 2025-04-15 17:09:28

# Below is generated by plot.py at 2025-04-15 17:11:41

# Datalink statistics
-- Total of 1 flow:

Average capacity: 1.00 Mbit/s

Average throughput: 0.96 Mbit/s (96.3% utilization) 95th percentile per-packet one-way delay: 431.002 ms

Loss rate: 0.44%

-- Flow 1:

Average throughput: 0.96 Mbit/s

95th percentile per-packet one-way delay: 431.002 ms

Loss rate: 0.44%

Run 1: Report of TCP BBR — Data Link

