



1

Hamza Darrag

[se déconnecter](#)[Tableau de bord](#)[Aaouis_tpDevops](#)[Configuration](#)

Configure

 [General](#) [Advanced Project Options](#) [Pipeline](#)

General

Enabled



Description

Texte brut [Prévisualisation](#)☐ Ce build a des paramètres☐ Do not allow concurrent builds☐ Do not allow the pipeline to resume if the controller restarts☐ GitHub project

GitLab Connection

[Sauvegarder](#)[Appliquer](#)

- ☐ Use alternative credential
- ☐ Pipeline speed/durability override
- ☐ Preserve stashes from completed builds
- ☐ Supprimer les anciens builds
- ☐ Throttle builds

Build Triggers

- ☐ Construire après le build sur d'autres projets
- ☐ Construire périodiquement

Build when a change is pushed to GitLab. GitLab webhook URL:
`http://localhost:8090/project/Aaouis_tpDevops`

Enabled GitLab triggers

- ☐ Push Events
- ☐ Push Events in case of branch delete
- ☐ Opened Merge Request Events
- ☐ Build only if new commits were pushed to Merge Request
- ☐ Accepted Merge Request Events
- ☐ Closed Merge Request Events

Rebuild open Merge Requests

Never

☐ Approved Merge Requests (EE-only)

☐ Comments

☐ Comment (regex) for triggering a build

Jenkins please retry a build

Avancé 

☐ GitHub hook trigger for GITScm polling ☐

☐ Scrutation de l'outil de gestion de version ☐

☐ Période d'attente ☐

☐ Déclencher les builds à distance (Par exemple, à partir de scripts) ☐

Advanced Project Options

Avancé 

Pipeline

Definition

Pipeline script from SCM

SCM

Git

Repositories

Repository URL

http://2d74df3e1794/root/aouis_zakariae_tic-tac-toe.git

Credentials

root/*****

+ Ajouter ▼

Avancé ▼

Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/main

Add Branch

Navigateur de la base de code ☐

(Auto)

Additional Behaviours

Ajouter 

Script Path ☐

Jenkinsfile

Lightweight checkout ☐

[Pipeline Syntax](#)