NETWORK VAPT REPORT

Audit Report Details

Report Release Date	08/04/2026
Type of Audit	NETWORK VAPT
Type of Audit Report	AUDIT REPORT
Period	

DOCUMENT CONTROL

Document Control

Document Title	NETWORK VAPT
Document ID	NEC/VAPT/
Document Version	V1
Prepared by	Mr. Naveen Kumar
Reviewed by	Mr. Sarath Kumar
Approved by	Mr. Sarath Kumar
Released by	Mr. Sreenivas J

Document Change History

Version	Date	Remarks / Reason of Change
V1	08/04/2026	Final Draft

Document Distribution List

Name	Organization	Designation	Email ID

Contents

Introduction I

Engagement Scope II

Audit Methodology and Criteria / Standard referred for audit III

Tools/ Software used IV

Executive Summary V

Detailed Observations VI

Appendices VII

Introduction

Brief Introduction about the Audit engagement along with below details:

The audit engagement was conducted to assess the security posture of the organization's IT infrastructure, identify vulnerabilities, and ensure compliance with industry best practices and regulatory standards. The engagement aimed to evaluate the effectiveness of security controls, identify potential threats, and recommend necessary mitigations to enhance the overall security framework.

The assessment focused on key areas, including network security, system configurations, access controls, authentication mechanisms, and compliance adherence. The scope of the audit covered critical assets such as servers, network devices, applications, databases, and user authentication systems to identify security gaps that could lead to unauthorized access, data breaches, or system compromise.

The audit process involved automated scanning, manual verification, configuration reviews, and exploitation testing (where applicable) to validate identified vulnerabilities. The assessment also included a review of security policies, user access management, and monitoring mechanisms to determine adherence to security best practices.

Engagement Scope

S. No	Asset Description	IP Segment	Other details such as make and model in case of network devices or security devices.
1			N/A

Audit Methodology and Criteria /Standard Referred for Audit:

The audit was conducted following a structured methodology aligned with CERT-In (Indian Computer Emergency Response Team) guidelines, ensuring compliance with national cybersecurity standards. The assessment focused on identifying security weaknesses, evaluating risks, and providing actionable recommendations to enhance the organization's security posture.

Audit Methodology

1. Information Gathering & Scope Definition
    - Identification of critical assets, systems, and applications.
    - Defining the scope of the assessment based on business impact and risk.
    - Reviewing existing security policies, configurations, and access controls.
2. Vulnerability Assessment
    - Automated scanning using industry-standard tools to identify vulnerabilities.
    - Manual validation of findings to reduce false positives.
    - Review of system and network configurations against CERT-In guidelines.
3. Configuration & Compliance Review
    - Assessing compliance with CERT-In security advisories and bestpractices.
    - Reviewing security baselines for network devices, servers, and applications.
    - Evaluating access control mechanisms, authentication policies, and logging configurations.
4. Penetration Testing (If Applicable)
    - Exploitation of critical vulnerabilities to assess impact and severity.
    - Testing for unauthorized access, privilege escalation, data exfiltration, and misconfigurations.
5. Risk Assessment & Impact Analysis
    - Categorizing vulnerabilities based on CERT-In risk ratings (Critical, HIGH, Medium, Low).
    - Assessing business impact and likelihood of exploitation.
6. Reporting & Recommendations
    - Detailed reporting of findings with evidence and proof-of-concept (PoC) where applicable.
    - Providing remediation steps in alignment with CERT-In advisory guidelines.
    - Recommendations for patch management, hardening measures, and monitoring improvements.

TOOLS/SOFTWARE USED

S. No	Name of Tool/Software	Version
1	Nmap	7.90
2	Metasploit Framework	6.4.0
3	Wireshark	4.4.5
4	Netexec	1.3.0
5	Custom Python Scripts	-
6	Netdiscover	0.10
7	Masscan	1.3.2
8	smbclient	4.21.2
9	Impacket	0.12.0
10	Nessus	10.8.4

Executive Summary

S.No	Affected Asset	Observation/ Vulnerability title	CVE/CWE	Severity	Reference	New or Repeat observation
1	Network Device	SNMP Enumeration Enabled	CWE-200 – Exposure of Sensitive Information	MEDIUM	https://learn.microsoft.com/en-us/windows-server/administration/windows-commands/snmp	NEW
2	Wireless Device	Weak wifi direct password	CWE-521 – Weak Password Requirements	MEDIUM	https://support.hp.com/us-en/document/ish_1841315-1637332-16	NEW

Detailed Observations

OBSERVATION / VULNERABILITY TITLE	SNMP Enumeration Enabled
AFFECTED ASSETS	192.168.0.45 (WIN-R0DAKD0O22Q) | 192.168.0.53 (TABLEAU-SVR) | 192.168.0.109 (UDSSAPQAS) | 192.168.0.193 (BIOMETRIC-SVR) | 192.168.0.78 (CHN-NEWSERVER) | 192.168.0.198 (CHN-BIOMETRIC-D) | 192.168.0.192 (WIN-2RESFFMI1EQ) | 192.168.0.150 (VMS-UDS-CORP) | 192.168.0.233 (VEENAM-BACKUP-S) | 192.168.0.167 (WIN-05JU7G5590C) | 192.168.4.14 (UDSHO-HR15) | 192.168.4.38 (FILESVR2) | 192.168.4.31 (CHN-UXVJS-D) | 192.168.4.41 (CHN-7NF5B53-L) | 192.168.4.46 (CHN-1N121706S2-) | 192.168.4.29 (CHN-PF3FAHA8-L) | 192.168.4.126 (ORACLE) | 192.168.4.111 (SPR-SERVER-D) | 192.168.4.40 (CHN-80GCG-L) | 192.168.4.130 (CHN-8XBB9R2-D) | 192.168.4.42 (DESKTOP-QH9EING) | 192.168.4.58 (CHN-7MXT7X1-D) | 192.168.4.68 (DESKTOP-QFE4BI5) | 192.168.6.41 (CHN-5CG32327ZD-) | 192.168.6.37 (CHN-YLT09KWG-L) | 192.168.6.55 (ACCOUNTS2-CHN) | 192.168.9.19 (CHN-CND237439S-) | 192.168.6.86 (DESKTOP-OTG7CGL) | 192.168.4.36 (DESKTOP-TTG81SJ) | 192.168.9.34 (CHN-900650-L) | 192.168.6.46 (DESKTOP-N6K5TEL) | 192.168.9.55 (CHN-5CD7423RSC-) | 192.168.9.62 (CHN-5CG3233HB7-) | 192.168.9.83 (CHN-222557-L) | 192.168.9.87 (DESKTOP-6IVSN2S) | 192.168.9.88 (CHN-5CD1342-L) | 192.168.9.101 (CHN-5CG6414V3F-) | 192.168.9.82 (CHN-PF3ER8XD-L) | 192.168.9.127 (CHN-1N1222-L) | 192.168.9.70 (CHN-5CD25-L) | 192.168.9.133 (CHN-247CRN-L) | 192.168.9.228 (CHN-2173B3G-L) | 192.168.9.178 (CHN-2170H6K-L) | 192.168.9.242 (CHN-5CG3123-L) | 192.168.9.196 (CHN-5CG2173BB0-) | 192.168.9.129 (CHN-2511ZQ9-L) | 192.168.9.254 (CHN-220688-L) | 192.168.9.240 (CHN-8G174Y1-L) | 192.168.9.183 (CHN-PF3P6KJ5-L) | 192.168.9.155 (CHN-1YM9X93-L) | 192.168.9.225 (CHN-5CG212-L) | 192.168.9.154 (CHN-2170HGG-L) | 192.168.9.20 (CHN-02657442255) | 192.168.9.182 (CHN-G2170HCS-L) | 192.168.9.118 (CHN-12170B8Y-L) | 192.168.9.60 (CHN-2170HCQ-L) | 192.168.9.246 (CHN-5CG3123XZ9-) | 192.168.9.74 (SPR-5CG2173-L) | 192.168.9.135 (DESKTOP-SHG7O15) | 192.168.27.51 (CHN-1557-L) | 192.168.9.75 (DESKTOP-BMECOI8) | 192.168.27.52 (CHN-2221KF3-L) | 192.168.9.65 (CHN-5CG32351-L) | 192.168.9.67 (CHN-1N124203MP-) | 192.168.27.76 (CHN-01310-L) | 192.168.9.94 (CHN-5CG2173BYP-) | 192.168.9.78 (CHN-PF3FM3AG-L) | 192.168.9.98 (MUM-422557-L) | 192.168.9.56 (CHN-25013HR-L) | 192.168.27.92 (CHN-080F77-L) | 192.168.27.122 (CHN-PF34JJ95-L) | 192.168.27.132 (CHN-511W4C-L) | 192.168.9.151 (CHN-PF48A78Q-L) | 192.168.27.146 (CHN-1N12080FB7-) | 192.168.9.108 (CHN-PG04517R-L) | 192.168.27.123 (CHN-01302261-L) | 192.168.27.163 (DESKTOP-CUG9O4I) | 192.168.9.174 (CHN-PF3FL14R-L) | 192.168.9.110 (CHN-5CG3232-L) | 192.168.27.155 (CHN-21131T5-L) | 192.168.9.147 (CHN-PG04511Q-L) | 192.168.27.183 (CHN-9007G-L) | 192.168.27.231 (CHN-2333KD-L) | 192.168.9.160 (CHN-PF4KTHTV-L) | 192.168.27.203 (CHN-F5MPHS3-L) | 192.168.27.139 (CHN-5CG3233-L) | 192.168.9.139 (CHN-5CG31-L) | 192.168.27.187 (CHN-PF31H69N-L) | 192.168.27.147 (CHN-2221KD8-L) | 192.168.27.206 (CHN-2372R7J-L) | 192.168.9.80 (DESKTOP-3TQ894I) | 192.168.9.85 (DESKTOP-74MJNQT) |

	192.168.27.115 (LAPTOP-1GEVC05L) | 192.168.9.172 (DESKTOP-584649K) | 192.168.9.68 (DESKTOP-8L2J475) | 192.168.27.121 (DESKTOP-QDPICM5) | 192.168.9.234 (DESKTOP-T9GO4AE) | 192.168.9.200 (DESKTOP-ELF0QJ2) | 192.168.9.106 (CHN-7DVZN73-L) | 192.168.27.133 (DESKTOP-9USSBSS) | 192.168.27.43 (DESKTOP-QMSUM60) | 192.168.27.130 (CHN-5CG31229-L) | 192.168.27.73 (BGL-521257-L) | 192.168.27.151 (CHN-63521257-L) | 192.168.27.150 (CHN-4202VC-L) | 192.168.27.144 (CHN-PG04518P-L) | 192.168.27.172 (CHN-PG0450M-L) | 192.168.27.194 (CHN-60PZ7F3-L) | 192.168.27.233 (PUN-01229431216) | 192.168.27.250 (CHN-5CG3123L8K-) | 192.168.27.240 (CHN-8A7AX-L) | 192.168.27.224 (DESKTOP-15UM91E) | 192.168.9.104 (CHN-5CG226096N-)
DETAILED OBSERVATION /VULNERABLE POINT	SNMP is enabled with default or weak community strings, allowing attackers to gather system information remotely.
CVE/CWE	CWE-200 – Exposure of Sensitive Information
RECOMMENDATION	Change default SNMP community strings and restrict access to trusted IPs or disable SNMP if unused.
REFERENCE	https://learn.microsoft.com/en-us/windows-server/administration/windows-commands/snmp
NEW OR REPEAT OBSERVATION	NEW

PROOF OF CONCEPT:

Screenshot 1:



Screenshot 2:



Screenshot 3:

OBSERVATION / VULNERABILITY TITLE	Weak wifi direct password
AFFECTED ASSETS	192.168.0.45 (WIN-R0DAKD0O22Q) | 192.168.0.53 (TABLEAU-SVR) | 192.168.0.109 (UDSSAPQAS) | 192.168.0.193 (BIOMETRIC-SVR) | 192.168.0.78 (CHN-NEWSERVER) | 192.168.0.198 (CHN-BIOMETRIC-D) | 192.168.0.192 (WIN-2RESFFMI1EQ) | 192.168.0.167 (WIN-05JU7G5590C) | 192.168.4.14 (UDSHO-HR15) | 192.168.4.38 (FILESVR2) | 192.168.4.31 (CHN-UXVJS-D) | 192.168.4.126 (ORACLE) | 192.168.4.111 (SPR-SERVER-D) | 192.168.4.130 (CHN-8XBB9R2-D) | 192.168.4.58 (CHN-7MXT7X1-D) | 192.168.4.68 (DESKTOP-QFE4BI5) | 192.168.6.37 (CHN-YLT09KWG-L) | 192.168.6.44 (DESKTOP-A2K604L) | 192.168.6.55 (ACCOUNTS2-CHN) | 192.168.6.86 (DESKTOP-OTG7CGL) | 192.168.6.46 (DESKTOP-N6K5TEL) | 192.168.9.88 (CHN-5CD1342-L) | 192.168.9.127 (CHN-1N1222-L) | 192.168.9.228 (CHN-2173B3G-L) | 192.168.9.178 (CHN-2170H6K-L) | 192.168.9.242 (CHN-5CG3123-L) | 192.168.9.196 (CHN-5CG2173BB0-) | 192.168.9.155 (CHN-1YM9X93-L) | 192.168.9.182 (CHN-G2170HCS-L) | 192.168.9.74 (SPR-5CG2173-L) | 192.168.9.75 (DESKTOP-BMECOI8) | 192.168.9.65 (CHN-5CG32351-L) | 192.168.9.94 (CHN-5CG2173BYP-) | 192.168.9.98 (MUM-422557-L) | 192.168.9.56 (CHN-25013HR-L) | 192.168.27.122 (CHN-PF34JJ95-L) | 192.168.27.132 (CHN-511W4C-L) | 192.168.27.163 (DESKTOP-CUG9O4I) | 192.168.27.231 (CHN-2333KD-L) | 192.168.9.160 (CHN-PF4KTHTV-L) | 192.168.27.203 (CHN-F5MPHS3-L) | 192.168.27.139 (CHN-5CG3233-L) | 192.168.9.172 (DESKTOP-584649K) | 192.168.9.68 (DESKTOP-8L2J475) | 192.168.9.200 (DESKTOP-ELF0QJ2) | 192.168.9.106 (CHN-7DVZN73-L) | 192.168.27.151 (CHN-63521257-L) | 192.168.27.194 (CHN-60PZ7F3-L) | 192.168.9.104 (CHN-5CG226096N-)192.168.0.53 (TABLEAU-SVR) | 192.168.0.150 (VMS-UDS-CORP) | 192.168.0.233 (VEENAM-BACKUP-S) | 192.168.4.130 (CHN-8XBB9R2-D) | 192.168.4.36 (DESKTOP-TTG81SJ) | 192.168.4.31 (CHN-UXVJS-D) | 192.168.4.132 (CHN-8CRUB8C-L) | 192.168.4.30 (CHN-374WVS-L) | 192.168.9.40 (-5CG7121MH4-L) | 192.168.4.41 (CHN-7NF5B53-L) | 192.168.4.29 (CHN-PF3FAHA8-L) | 192.168.4.40 (CHN-80GCG-L) | 192.168.4.58 (CHN-7MXT7X1-D) | 192.168.6.31 (CHN-CND3231ZFD-) | 192.168.6.46 (DESKTOP-N6K5TEL) | 192.168.6.37 (CHN-YLT09KWG-L) | 192.168.6.44 (DESKTOP-A2K604L) | 192.168.6.86 (DESKTOP-OTG7CGL) | 192.168.6.55 (ACCOUNTS2-CHN) | 192.168.4.42 (DESKTOP-QH9EING) | 192.168.9.34 (CHN-900650-L) | 192.168.9.55 (CHN-5CD7423RSC-) | 192.168.9.75 (DESKTOP-BMECOI8) | 192.168.9.82 (CHN-PF3ER8XD-L) | 192.168.9.60 (CHN-2170HCQ-L) | 192.168.9.83 (CHN-222557-L) | 192.168.9.68 (DESKTOP-8L2J475) | 192.168.9.135 (DESKTOP-SHG7O15) | 192.168.9.133 (CHN-247CRN-L) | 192.168.9.70 (CHN-5CD25-L) | 192.168.9.118 (CHN-12170B8Y-L) | 192.168.9.78 (CHN-PF3FM3AG-L) | 192.168.9.67 (CHN-1N124203MP-) | 192.168.9.145 (DESKTOP-TR7GNLJ) | 192.168.9.167 (CHN-3DHY0X2-L) | 192.168.9.62 (CHN-5CG3233HB7-) | 192.168.9.159 (DESKTOP-73GD48V) | 192.168.9.80 (DESKTOP-3TQ894I) | 192.168.9.179 (CHN-5CD119FZ16-) | 192.168.9.142 (CHN-HDTZP13-L) | 192.168.9.210 (CHN-PG0450K1-L) | 192.168.9.176 (CHN-5CG2501327-) | 192.168.9.59 (CHN-5CG3353NVQ-) | 192.168.9.87 (DESKTOP-6IVSN2S) | 192.168.9.182 (CHN-G2170HCS-L) | 192.168.9.172 (DESKTOP-584649K) |

	192.168.9.160 (CHN-PF4KTHTV-L) | 192.168.9.155 (CHN-1YM9X93-L) | 192.168.9.183 (CHN-PF3P6KJ5-L) | 192.168.9.152 (CHN-PG04519K-L) | 192.168.9.162 (CHN-1N121706S2-) | 192.168.9.151 (CHN-PF48A78Q-L) | 192.168.9.146 (DESKTOP-ANEO46U) | 192.168.9.154 (CHN-2170HGG-L) | 192.168.9.180 (CHN-96Y6063-L) | 192.168.9.211 (DELL-7340) | 192.168.9.166 (CHN-5CG1105HWS-) | 192.168.9.104 (CHN-5CG226096N-) | 192.168.9.74 (SPR-5CG2173-L) | 192.168.9.113 (CHN-1N12170-L) | 192.168.9.108 (CHN-PG04517R-L) | 192.168.9.106 (CHN-7DVZN73-L) | 192.168.9.88 (CHN-5CD1342-L) | 192.168.9.178 (CHN-2170H6K-L) | 192.168.9.65 (CHN-5CG32351-L) | 192.168.9.24 (CHN-01310-L) | 192.168.9.184 (CHN-GVF4C63-L) | 192.168.9.221 (DESKTOP-05P77R5) | 192.168.9.101 (CHN-5CG6414V3F-) | 192.168.9.98 (MUM-422557-L) | 192.168.9.85 (DESKTOP-74MJNQT) | 192.168.9.224 (DESKTOP-3QQ33D4) | 192.168.9.72 (CHN-DNOD85I-L) | 192.168.9.228 (CHN-2173B3G-L) | 192.168.9.236 (CHN-15XFN73-L) | 192.168.9.240 (CHN-8G174Y1-L) | 192.168.9.246 (CHN-5CG3123XZ9-) | 192.168.9.147 (192.168.9.147) | 192.168.27.51 (CHN-1557-L) | 192.168.27.52 (CHN-2221KF3-L) | 192.168.9.242 (CHN-5CG3123-L) | 192.168.27.122 (CHN-PF34JJ95-L) | 192.168.27.123 (CHN-01302261-L) | 192.168.27.140 (CHN-PF326W28-L) | 192.168.9.254 (CHN-220688-L) | 192.168.27.73 (BGL-521257-L) | 192.168.27.150 (CHN-4202VC-L) | 192.168.27.143 (CHN-3SFTXT2-L) | 192.168.27.148 (CHN-PF3PAQKJ-L) | 192.168.27.151 (CHN-63521257-L) | 192.168.27.155 (CHN-21131T5-L) | 192.168.27.121 (DESKTOP-QDPICM5) | 192.168.27.103 (CHN-5CG3232_L) | 192.168.27.43 (DESKTOP-QMSUM60) | 192.168.27.74 (CHN-9BDYFG3-L) | 192.168.27.144 (CHN-PG04518P-L) | 192.168.27.146 (CHN-1N12080FB7-) | 192.168.27.130 (CHN-5CG31229-L) | 192.168.27.99 (CHN-1229K3-L) | 192.168.27.132 (CHN-511W4C-L) | 192.168.27.139 (CHN-5CG3233-L) | 192.168.27.147 (CHN-2221KD8-L) | 192.168.27.118 (CHN-5CG2522H1R-) | 192.168.27.92 (CHN-080F77-L) | 192.168.27.163 (DESKTOP-CUG9O4I) | 192.168.27.124 (CHN-9613466-L) | 192.168.27.171 (DESKTOP-GQT1RGG) | 192.168.27.180 (CHN-PF4L3HJ-L) | 192.168.27.175 (CHN-5CG3123M9R-) | 192.168.9.247 (CHN-PF2V731H-L) | 192.168.27.187 (CHN-PF31H69N-L) | 192.168.27.183 (CHN-9007G-L) | 192.168.27.194 (CHN-60PZ7F3-L) | 192.168.27.211 (CHN-8S9X3X2-L) | 192.168.27.231 (CHN-2333KD-L) | 192.168.27.233 (PUN-01229431216) | 192.168.27.243 (CHN-5CG2501381-) | 192.168.27.225 (CHN-L86LN88-L) | 192.168.27.250 (CHN-5CG3123L8K-)
DETAILED OBSERVATION /VULNERABLE POINT	Printers with Wi-Fi Direct functionality often allow direct device-to-device wireless connections. If a weak password is used, unauthorized users can easily connect to the printer without going through the main network. It can leads to access print jobs, modify printer settings, or exploit the printer as a foothold into the wider network.
CVE/CWE	CWE-521 – Weak Password Requirements
RECOMMENDATION	We recommend to Set a strong, complex password (at least 12 characters with a mix of letters, numbers, and symbols) for Wi-Fi Direct.

REFERENCE	https://support.hp.com/us-en/document/ish_1841315-1637332-16
NEW OR REPEAT OBSERVATION	NEW

PROOF OF CONCEPT:

Screenshot 1:



Screenshot 2:



Screenshot 3:



Appendices

Nmap: A powerful network scanning tool used for host discovery, port scanning, and service enumeration. It helps identify open ports, running services, and potential vulnerabilities.

Metasploit Framework: A penetration testing framework that provides exploit modules, payloads, and post-exploitation tools to test system security and simulate real-world attacks.

Wireshark: A network protocol analyzer that captures and inspects packets in real-time, helping security professionals analyze network traffic and detect anomalies.

Netexec: A post-exploitation and network enumeration tool designed for automated authentication attacks against various network services like SMB, WinRM, and SSH.

Smbclient: A command-line SMB client tool that allows interaction with SMB file shares, enabling enumeration, file transfers, and testing access permissions.

Impacket: A collection of Python scripts for network protocol manipulation, commonly used for Windows network attacks, credential extraction, and privilege escalation.

RDP: Remote Desktop Protocol developed by Microsoft that allows users to remotely connect to and control another computer over a network. It enables secure access to desktops, applications, and data from different locations, commonly used for remote administration and technical support.

SMB: Server Message Block network file-sharing protocol that allows applications and users to access files, printers, and other shared resources on a remote server. It is commonly used in Windows environments for network communication, enabling seamless file and printer sharing across systems.

VNC: Virtual Network Computing (VNC) is a remote desktop sharing protocol that allows users to control another computer over a network. It operates using the Remote Framebuffer Protocol (RFB) and enables screen sharing, keyboard, and mouse input transmission, commonly used for remote administration and technical support.

RPC: Remote Procedure Call (RPC) is a protocol that allows a program to execute code or request services from a remote system as if it were a local function. It enables communication between distributed systems, commonly used in networked applications, including Windows services and client-server architectures.

EOL: End of Life (EOL) refers to the point at which a product, software, or hardware is no longer supported by its manufacturer. This means no further updates, security patches, or technical support will be provided, increasing the risk of security vulnerabilities and compatibility issues.

SSH: Secure Shell (SSH) is a cryptographic network protocol used to securely access and manage remote systems over an unsecured network. It provides encrypted communication, authentication, and secure command execution, commonly used for remote administration and secure file transfers.

VAPT: Vulnerability Assessment and Penetration Testing is a security testing process that identifies, evaluates, and exploits vulnerabilities in an organization's systems, networks, or applications. It combines Vulnerability Assessment (VA) , which focuses on detecting security flaws, and Penetration Testing (PT) , which simulates real-world attacks to assess the impact of those vulnerabilities.

Contact Details