Note: Use same batch material to avoid colour variation, avoid it from direct sunlight.

www.koredecor.in

KORE DECOR

6HA

KORE DECOR

CHROMATIC

6HA

www.koredecor.in

ABOUT

Welcome to Kore Decor, where innovation meets elegance in premium colorful acrylic décor. We pride ourselves on transforming spaces into vibrant works of art.

With a legacy of creativity and quality, Kore Decor leads the décor industry. Our products, from seamless designer planks to exquisite acrylic panels, reflect our commitment to excellence and cater to your unique style.

Our talented team brings your vision to life, ensuring each space tells a story of grace and charm. At Kore Decor, we offer more than décor; we provide a luxurious and modern experience.

Innovation and meticulous attention to detail define us. Our products are not only visually stunning but also durable and easy to maintain, blending practicality with beauty.

Join us and elevate your space with Kore Decor, where every story is told with a touch of color and class.

FEATURES

6h ANTI SCRATCH — Treated with a special lacquer resulting on the surface, our 6h anti scratch acrylic laminates can bear daily wear & tear.

ANTI YELLOW — Anti-Yellow UV Stabilizers.

ANTI VIRUS PROPERTIES — Anti-Bacterial and Anti-fungal.

TERMITE & BORER FREE — Our laminate are specially treated to ensure they remain termite and borer **FREE**.

WIDE RANGE — Lots of Range and Huge Collection.

WATER PROOF — Water permeability less under absorption.

LIGHT WEIGHT — For ease of use and Effortless installation, our Range of Laminates have been developed in a way to keep them extremely light weight.

HIGH DURABILITY & STRENGTH — Our Anti Scratch Acrylic Laminates are Extremely Rugged and Durable They can easily stand heavy loads.

100% PURE ACRYLIC — 100% Pure Acrylic Sheet.

APPLICATION

- Kitchen
- Furniture
- Bathroom
- Commercial
- Healthcare
- Hospitality & Restaurants

6HA nfacratch cryllic

KORE DECOR

BEAUTY

9901

9902

9903

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA Matcrotch Acrylic

KORE DECOR

OPULENCE

9904 9905 9906

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nfacrylic crylic

KORE DECOR

GLEAMING

9907

9908



9909

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nfacratch cryllic

KORE DECOR

LUXURY

9910

9911



9912

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA microtech acrylic

KORE DECOR

ENTICE

9913

9914

9915

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nfacrylch crylic

KORE DECOR

DAZZLING

9916

9917

9918

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA microtech acrylic

KORE DECOR

ALLURE

9919	9920	9921

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nitacrylch crylic

KORE DECOR

STYLE

9922

9923

9924

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nitacrolch acylic

KORE DECOR

TIMELESS

9925

9926

9927

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nfacratch crylic

KORE DECOR

ELEVATE

9928

9929

9930

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

GRACEFUL

6HA matcrotch acylic

KORE DECOR

9931

9932

9933

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nfacratch cryllic

KORE DECOR

MODERN

9934

9935



9936

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nitocrotch acrylic

KORE DECOR

SPLENDID

9937

9938

9939

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nfacratch crylic

KORE DECOR

VIBRANT

9940

9941

9942

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

6HA nfacrotch crylic

KORE DECOR

RADIANT

9943

Sheet Size : 1220mm X 2440mm (4ft X 8ft)



9944

6HA nfacrotch crylic

EXQUISITE



9945

Sheet Size : 1220mm X 2440mm (4ft X 8ft)

KORE DECOR

9946

REASONS FOR AIR BUBBLE FORMATIONS ON ACRYLIC SHEETS

To avoid de lamination / air bubbles in between ply and laminate the Below steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity (Especially)

- Acrylic sheet sensitive to extremely humid conditions
- Debonding in certain areas because of uneven substrate surface
- Use of water base synthetic rubber adhesive (any other The PVC/Polyethylene Vinyl Acetate Co-polymer)
- Insufficient or lack of pressing during the bonding
- Water vapourise does moisture after installation
- Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2 ft long)

DISCLAIMER

Do not use plywood with high moisture content. Do not use ply with uneven surface, hold use plywood quality adhesive. apply sufficient pressure. We do not recommend peeling of sheets on the pinstripe/bonding area of the plywood

DO'S & DON'T'S

1- Store the laminates below 30OC temperature. To avoid the bubble cracks & stretch line, do not store acrylic sheet in roll form.
2. Clean the surface of laminate with water and mild, non-abrasive cloth. We recommend cleaning with CO-Life glass cleaner and soft Micro fibre cloth.
3. Glossy surfaces recommended for use in vertical applications.
4. DO not use alcohol based cleaners, solvent, petrol or Oil as these may damage the surface of the laminate. DO not use cloth other than Micro fibre.
5. Do not use thinner on the surface of KOREDECOR laminates.
6. Do not place hot cookware directly on the laminate as the exposure to temperatures above 350C may cause damage to the laminate surface.
7-Outdoor application of the laminate with exposure to direct sunlight and weather conditions are not recommended. UV rays may de-shape the laminate.

Parameters	Acrylic Laminate	High Gloss Laminate Inlice	Pu Coating / Duco Paint	Book Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	5H Antiscratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	Yes
UV Resistance	Excellent	Bad	Bad	Bad
Resistance	Excellent	Bad	Bad	Excellent
ORP Water Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes

PANEL STRUCTURE

Recommended Adhesive For

ACRYLIC SHEETS

SPECIAL PVC/CO ADHESIVE FOR PVC, Acrylic & Charcoal Sheet

LIMITED WARRANTY

KOREDECOR Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within applied standards. We recommend customers to insert properly before installing. KOREDECOR warranty is only covers defects and non-compliance from or otherwise attributable to any other causes, including without limitation the following:

- Improper handling / transportation / storage of REYONG
- Improper installation of KORE DECOR
- Improper or unintended usage of KORE DECOR
- Lack of or improper maintenance of KORE DECOR
- Exposure to high temperatures
- Insufficient attention to the products Outdoor applications
- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ.