



2 RESTROOM ENLARGED

1/4" = 1'-0"



3 MEZZANINE

1/4" = 1'-0"



**ROOM FINISH SCHEDULE**

FLOOR	EXIST	NO NEW FINISH; EXISTING TO REMAIN
SC	SEALED CONCRETE	
VCT	VINYL COMPOSITION TILE	
RES	RESINOUS EPOXY	

**WALL BASE**

EXIST	NO NEW FINISH; EXISTING TO REMAIN
RB	RESILIENT BASE (4" HIGH)
RES	EPoxy BASE

**WALLS**

EXIST	NO NEW FINISH; EXISTING TO REMAIN
LPT	LATEX PAINT
EPT	EPoxy Paint
RES	RESINOUS EPOXY TO 48" A.F.F. UNO; FULL HEIGHT @ SHOWER

**NOTES**

1. NEW FINISHES AT NEW CONSTRUCTION; PATCH AS NEEDED AT EXISTING FOR LIKE NEW APPEARANCE
2. PROVIDE RESINOUS EPOXY TO BOTTOM OF GYP CEILING @ SHOWER; REF PLAN FOR DASH LINE SHOWING TRANSITION LOCATION

**TOILET ACCESSORIES**

ABB	DESCRIPTION
LD	WALL MTD. LIQUID SOAP DISPENSER 102800-1
ND	FLOOR DRAIN; REF. MECH SANITARY NAPKIN DISPOSAL 102800-6
TT	TOILET TISSUE DISPENSER 102800-2
MR	MIRROR 102800-4
TD	TOWEL DISPENSER 102800-3
GB	GRAB BARS 102800-7
RH	ROBE HOOK 102800-8
SH	SHOWER SHELF 102800-14

**ARCHITECTURAL PLAN NOTES**

GENERAL: COORDINATE WITH WORK SHOWN ON STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS


- 1 PROVIDE SOLID SURFACE WINDOW SILL
- 2 REF. MFP FOR WORK IN THIS ROOM
- 3 ELECTRICAL PANEL TO REMAIN; PROTECT. FIELD VERIFY DOOR CLEARANCE CAN BE ACHIEVED PRIOR TO CUTTING NEW OPENING IN CASE DOOR SWING NEEDS TO CHANGE TO MAINTAIN ELEC. PANEL
- 4 1 1/2" ROUND METAL HANDRAIL MOUNTED TO WALL WITH 12" FLAT EXTENSION AT TOP & BOTTOM OF STAIR
- 5 FIRE CAULK ALL JOINTS AND PENETRATIONS IN EXISTING AND NEW WALL TO BE 1 HOUR RATED.
- 6 CORNER GUARD; STAINLESS STEEL
- 7 PATCH SLAB; REF STRUCT & OR PLUMBING FOR LOCATIONS
- 8 REBUILD PORTION OF WALL AS WAS DEMO FOR STRUCTURAL SUPPORT OF MEZZANINE
- 9 CONTINUE WALL UP TO BOTTOM OF BEAM & WRAP. REF 1/A-301
- 10 PATCH ROOF AT VENT PENETRATION
- 11 PROVIDE STAINLESS STEEL WALL END
- 12 SOLID SURFACE COUNTER. REF 11/A201
- 13 PROVIDE WINDOW FILM ON INTERIOR OF EXISTING WINDOW.

**LAWRENCE COMMUNITY  
SHELTER**

3655 E 25th Street Lawrence, KS 66046

Issue:			
JOB NO.	240149-001		
DATE	October 8, 2025		
PM	JLF		
DESIGNED BY	MRK		
DRAWN BY	CNM		
CHECKED BY	MRK		
ARCHITECTURAL FLOOR PLAN			

A-101



**PEC**  
PROFESSIONAL ENGINEERING CONSULTANTS  
623 MASSACHUSETTS ST.  
SUITE 200 LAWRENCE, KS 66044  
785-842-6464 www.pec1.com

