
Experiment No:- 1



```
MINGW64:/c/Users/aaris/Desktop/WDL
                                                                                                                                                                                ×
aaris@DESKTOP-LFG3C89 MINGW64 ~/Desktop/WDL
$ npm
Usage: npm <command>
where <command> is one of:
       access, adduser, audit, bin, bugs, c, cache, ci, cit, clean-install, clean-install-test, completion, config, create, ddp, dedupe, deprecate, dist-tag, docs, doctor,
      create, ddp, dedupe, deprecate, dist-tag, docs, doctor, edit, explore, fund, get, help, help-search, hook, i, init, install, install-ci-test, install-test, it, link, list, ln, login, logout, ls, org, outdated, owner, pack, ping, prefix, profile, prune, publish, rb, rebuild, repo, restart, root, run, run-script, s, se, search, set, shrinkwrap, star, stars, start, stop, t, team, test, token, tst, un, uninstall, unpublish, unstar, up, update, v, version, view, who ami
npm <command> -h quick help on <command>
                                 display full usage info
search for help on <term>
npm help <term>
npm help npm
                                 involved overview
Specify configs in the ini-formatted file:
    C:\Users\aaris\.npmrc
or on the command line via: npm <command> --key value
Config info can be viewed via: npm help config
npm@6.14.6 C:\Program Files\nodejs\node_modules\npm
 aaris@DESKTOP-LFG3C89 MINGW64 ~/Desktop/WDL
```

```
MINGW64:/c/Users/aaris/Desktop/WDL
                                                                                                                                             aaris@DESKTOP-LFG3C89 MINGW64 ~/Desktop/WDL
$ npm install -g browser-sync
C:\Users\aaris\AppData\Roaming\npm\browser-sync -> C:\Users\aaris\AppData\Roaming\npm\node_modules\bro
wser-sync\dist\bin.js
npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@~2.1.2 (node_modules\browser-sync\node_module
s\chokidar\node_modules\fsevents):
npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@2.1.3: wanted {"os":"d
arwin","arch":"any"} (current: {"os":"win32","arch":"x64"})
+ browser-sync@2.26.12
updated 1 package in 9.549s
 aaris@DESKTOP-LFG3C89 MINGW64 ~/Desktop/WDL
$ browser-sync --version
2.26.12
 aaris@DESKTOP-LFG3C89 MINGW64 ~/Desktop/WDL
$ browser-sync start
[Browser-sync] Copy the following snippet into your website, just before the closing </body> tag
<script id="_bs_script__">//<![CDATA[
document.write("<script async src='http://HOST:3000/browser-sync/browser-sync-client.js?v=2.26.12'
><\/script>".replace("HOST", location.hostname));
 //]]></script>
 [Browsersync] Access URLs:
              UI: http://localhost:3001
 UI External: http://localhost:3001
```