



Notes

Jun 9, 2026

Quick Connect - Voice Bot test

Invited [Hitesh Prajapati](#) [Aarit Haldar](#) [Arvind Ahirwar](#) [Sangmesh Kashayya](#)
[Aadi Haldar](#) [Mithun Chakraborty](#)

Attachments [📎 Quick Connect - Voice Bot test](#)

Meeting records [📄 Transcript](#)

Summary

The meeting addressed system architecture challenges and culminated in selecting the Asterisk Audio Socket for implementation.

Network and Architecture Planning

Discussions regarding system architecture prioritized establishing an IP-based connection and configuring ports 5060 and 8000 for routing.

Evaluating Integration Options

The team analyzed the feasibility of utilizing the PJSUA library versus implementing the Asterisk PBX software for SIP forwarding.

Finalized Integration Workflow

The team decided to use the Asterisk Audio Socket method to support real-time voice detection requirements for the project.

Decisions

Aligned

- **Real-time audio architecture using Asterisk socket** The project will implement Asterisk audio socket instead of PJSua to support real-time audio processing requirements.

We've **updated the Decisions section** using your feedback.

Let us know what you think: [Helpful](#) or [Not Helpful](#)

Next steps

- ☐ [Aarit Haldar] Finalize Script: Develop the Asterisk audio socket code for the project.
- ☐ [Aarit Haldar] Notify Arvind: Send a message to the supervisor once the implementation is ready for release.
- ☐ [Arvind Ahirwar] Deploy Code: Perform the release of the updated logic after receiving notification.
- ☐ [Arvind Ahirwar] Test System: Conduct evaluations of the new Asterisk configuration.


Details

Did the screenshots in this section make your notes [better](#) or [worse](#)?

- **Architecture Changes and Twilio Integration:** Aadi Haldar initiated a discussion regarding the need to modify the system architecture because the current setup is not an IP-based connection. Aadi Haldar explained that the existing configuration requires running client.py and server.py separately without phone routing. To address this, Aadi Haldar proposed implementing a Twilio phone

number integration to handle call routing and transfer calls to the server (00:00:26).

- **Network Configuration and Port Settings:** The team discussed network and port requirements, specifically focusing on port 5060 and the necessity for UDP and TCP connectivity. Mithun Chakraborty expressed concerns regarding IP whitelisting and the potential for auto-rejects from the network. Arvind Ahirwar and Mithun Chakraborty debated the use of netcat (NC) commands to verify connectivity on port 5060 (00:01:49).
- **UDP Client Testing:** Aarit Halder reported success in running a local UDP client script to test connectivity. Arvind Ahirwar and Mithun Chakraborty confirmed the execution of the command and coordinated to verify that the communication was successful (00:11:59).



The screenshot shows an SSH terminal window titled "SSH-in-browser" with a URL bar indicating the connection to a Google Cloud project. The terminal output includes the following text:

```
Last login: Tue Jun  9 05:12:22 2026 from 35.235.241.16
arvind_ahirwar@stl-tts-voice-agent:~$ tail -f udp_server.log
tail: cannot open 'udp_server.log' for reading: No such file or directory
tail: no files remaining
arvind_ahirwar@stl-tts-voice-agent:~$ ps aux | grep python
root      395  0.0  0.5 30992 20136 ?        Ss   Jun08   0:00 /usr/bin/python3 /usr/bin/networkd-dispatcher
--run-startup-triggers
root      497  0.0  0.5 108108 22452 ?        Ssl  Jun08   0:00 /usr/bin/python3 /usr/share/unattended-upgrad
es/unattended-upgrade-shutdown --wait-for-signal
arvind_+ 112399 0.0  1.8 99764 74192 ?        S    07:08   0:00 python udp_server.py
arvind_+ 126677 0.0  0.0 3752 1936 pts/0    S+   11:18   0:00 grep python
arvind_ahirwar@stl-tts-voice-agent:~$ tail -f udp_server.log
tail: cannot open 'udp_server.log' for reading: No such file or directory
tail: no files remaining
arvind_ahirwar@stl-tts-voice-agent:~$ cd Stl-tts-voice-agent/
arvind_ahirwar@stl-tts-voice-agent:~/Stl-tts-voice-agent$ tail -f udp_server.log
nohup: ignoring input
/home/arvind_ahirwar/Stl-tts-voice-agent/api_clients.py:3: FutureWarning:
All support for the 'google.generativeai' package has ended. It will no longer be receiving
updates or bug fixes. Please switch to the 'google.genai' package as soon as possible.
See README for more details:
https://github.com/google-gemini/deprecated-generative-ai-python/blob/main/README.md
import google.generativeai as genai
^C
arvind_ahirwar@stl-tts-voice-agent:~/Stl-tts-voice-agent$ ps aux | grep python
root      395  0.0  0.5 30992 20136 ?        Ss   Jun08   0:00 /usr/bin/python3 /usr/bin/networkd-dispatcher
--run-startup-triggers
root      497  0.0  0.5 108108 22452 ?        Ssl  Jun08   0:00 /usr/bin/python3 /usr/share/unattended-upgrad
es/unattended-upgrade-shutdown --wait-for-signal
arvind_+ 112399 0.0  1.8 99764 74192 ?        S    07:08   0:00 python udp_server.py
arvind_+ 126701 0.0  0.0 3752 1936 pts/0    S+   11:19   0:00 grep python
arvind_ahirwar@stl-tts-voice-agent:~/Stl-tts-voice-agent$ ki
```

- **Verification of Port 8000 and Call Routing:** The team conducted further testing on port 5060 and port 8000 to ensure stable call routing. Aarit Halder confirmed that the system was working properly with port 8000. They concluded that this connection would facilitate direct call forwarding via an API call (00:20:18).
- **Asterisk PBX Implementation:** The team discussed the role of the Asterisk PBX software in the architecture. Aarit Halder expressed a need to learn how to

operate Asterisk, and Arvind Ahirwar explained that Asterisk functions to manage SIP forwarding for UDP. They agreed that the objective is to integrate Asterisk with their existing Python code to enable proper SIP trunking ([00:30:11](#)).

- **Evaluating the PJSUA Library and Asterisk:** Aarit Haldar and Arvind Ahirwar explored the option of using the PJSUA library versus Asterisk. Aarit Haldar noted that using the PJSUA library might allow them to bypass Asterisk entirely, enabling their Python script to act as a native SIP machine. However, they acknowledged that testing would require the partner at New York's end to be involved, as that entity requires Asterisk to be part of the project ([00:38:19](#)).
- **Finalizing the Integration Workflow:** Aarit Haldar and Arvind Ahirwar determined a plan where the Neox PBX system sends a SIP invite packet to their VM port (8000 or 5060). Asterisk will receive the call, verify the IP address, and then stream the live RTP audio to the Python script. They agreed that this three-way process (Neox to Asterisk to the Python script) is the preferred method ([00:46:28](#)).
- **Development and Deployment Next Steps:** Aarit Haldar decided to utilize the Asterisk Audio Socket method instead of PJSUA, as PJSUA would not support the necessary real-time voice detection requirements. Aarit Haldar committed to writing the script, researching the workflow, and notifying Arvind Ahirwar once the code is ready for deployment and testing ([00:50:52](#)).

You should review Gemini's notes to make sure they're accurate. [Get tips and learn how Gemini takes notes](#)

*How is the quality of **these specific notes**? [Take a short survey](#) to let us know your feedback, including how helpful the notes were for your needs.*



Transcript

Jun 9, 2026

Quick Connect - Voice Bot test - Transcript

00:00:26

Arvind Ahirwar: Hello. Is

Aadi Haldar: Hello Arvin.

Arvind Ahirwar: it

Aadi Haldar: I think uh Arit has to change the whole architecture again. Uh because the issue is uh right now the client code you have

Arvind Ahirwar: Huh?

Aadi Haldar: to keep running it right like it's not an IP based connection. Exactly. So like it is running the client. py your server is running the server. and then the connection is happening.

Arvind Ahirwar: Huh?

Aadi Haldar: So like there is no phone number involved for calling call routing and all. So I think he will have to implement that same thing that we did but only 11 lumber integration. We have to again set it up.

Arvind Ahirwar: Okay. So like uh t API integration we have to

Aadi Haldar: Yeah. So, Twilio has their phone number,

Arvind Ahirwar: do

Aadi Haldar: right? So, uh HG will uh transfer the call to that phone number and then RX server. py will be running. Yeah.

Arvind Ahirwar: Okay.

Aadi Haldar: So, that video integration has to do.

00:01:49

Arvind Ahirwar: Okay. So did you told

Aadi Haldar: Yeah.

Arvind Ahirwar: to

Aadi Haldar: I sat with him and explained him this

Arvind Ahirwar: it

Aadi Haldar: because

Arvind Ahirwar: is yeah

Hitesh Prajapati: Wing

Arvind Ahirwar: join me is join me will be joined

Aadi Haldar: I got eight. Yeah.

Hitesh Prajapati: local.

Arvind Ahirwar: Foreign speech. Foreign speech. Foreign speech.

Hitesh Prajapati: 4014.

Arvind Ahirwar: What's my

Aadi Haldar: So

Arvind Ahirwar: seed?

Aadi Haldar: uh number phone number because phone number

Hitesh Prajapati: Okay.

Arvind Ahirwar: Uh number connect those next.

Hitesh Prajapati: Number

Aadi Haldar: ISD

Hitesh Prajapati: Very

Aadi Haldar: free.

Arvind Ahirwar: Uh-huh.

Hitesh Prajapati: good.

Aadi Haldar: Exactly.

Hitesh Prajapati: Very

Aadi Haldar: Direct call. Go be

Hitesh Prajapati: important.

Mithun Chakraborty: Huh?

Hitesh Prajapati: How can you compare with

Mithun Chakraborty: Uh, Adi, where is

Hitesh Prajapati: me?

Mithun Chakraborty: Arit?

Aadi Haldar: There are joining just give me a is your man.

Mithun Chakraborty: Meanwhile, what is the error you are getting

Hitesh Prajapati: Red sand

Mithun Chakraborty: system?

Arvind Ahirwar: I'm server

Mithun Chakraborty: Okay.

00:05:23

Arvind Ahirwar: open.

Mithun Chakraborty: Basic pink is it?

Hitesh Prajapati: request. Plus, you

Arvind Ahirwar: Notice 5060 port.

Mithun Chakraborty: IP

Hitesh Prajapati: correctly.

Mithun Chakraborty: open.

Arvind Ahirwar: 5060 by

Mithun Chakraborty: Huh?

Arvind Ahirwar: default.

Hitesh Prajapati: Some of us

Arvind Ahirwar: Foreignation

Mithun Chakraborty: But anyway,000

Arvind Ahirwar: calling in

Hitesh Prajapati: Can you hear me?

Arvind Ahirwar: comm.

Mithun Chakraborty: Open full open direct UDP. Uh

Hitesh Prajapati: 61st

Mithun Chakraborty: Watch forward.

Hitesh Prajapati: Direct office.

Mithun Chakraborty: network. Mobile

Hitesh Prajapati: Fore

Mithun Chakraborty: White listing

Arvind Ahirwar: All

Mithun Chakraborty: auto reject.

Hitesh Prajapati: snap. Okay.

Arvind Ahirwar: right.

Hitesh Prajapati: Fore speech.

Mithun Chakraborty: business.

Hitesh Prajapati: Foreign speech. Foreign speech. Foreign speech. Yeah, what we need is almost.

Mithun Chakraborty: I'm lover 8,000. Okay.

Hitesh Prajapati: What's the No, no, no.

Mithun Chakraborty: Yeah.

Hitesh Prajapati: foreign.

Mithun Chakraborty: actually

Hitesh Prajapati: confusion.

Mithun Chakraborty: 34.

Hitesh Prajapati: I don't know. discussing forcass.

Mithun Chakraborty: Yeah. Trigger.

Hitesh Prajapati: Oh,

Mithun Chakraborty: How did you check?

00:11:59

Hitesh Prajapati: America.

Mithun Chakraborty: Did you trigger a command basically?

Aarit Haldar: sir. Yes sir. Let locally from my eyes. So I ran UDP_client.py.

Mithun Chakraborty: Can you share me the

Aarit Haldar: Yeah, I'll share the command.

Mithun Chakraborty: command?

Aarit Haldar: One minute. I'll share it. Yeah. Sh in chat only.

Arvind Ahirwar: For that we need a Python

Aarit Haldar: I'll share it. Yeah.

Mithun Chakraborty: Nothing.

Aarit Haldar: For that sir. Yeah. Yeah.

Arvind Ahirwar: file.

Aarit Haldar: For that sir needs to have the Python file.

Mithun Chakraborty: You can ping, right?

Arvind Ahirwar: ping will not work method uh because uh ping is for TCP UDP we can't ping

Mithun Chakraborty: No, no, actually you can netcat.

Arvind Ahirwar: it.

Mithun Chakraborty: Netcat you can do the NC nc command. I don't know n cat is there or not. I'll just check it

Arvind Ahirwar: Yeah, Nget we can try it.

Mithun Chakraborty: actually.

Arvind Ahirwar: But uh like is NAT available in ATG system? I have in command.

00:13:30

Arvind Ahirwar: This is the end command. I give it in a chat.

Mithun Chakraborty: Huh? New object.

Arvind Ahirwar: Hala. Second

Hitesh Prajapati: Yeah.

Arvind Ahirwar: wall

Hitesh Prajapati: Last time.

Arvind Ahirwar: 800 port 5060 f***** when

Hitesh Prajapati: 56.

Arvind Ahirwar: I

Hitesh Prajapati: We're going to Who is it?

Mithun Chakraborty: Huh?

Hitesh Prajapati: Okay.

Mithun Chakraborty: Open screen share.

Arvind Ahirwar: Take one minute.

Mithun Chakraborty: success.

Aarit Haldar: Yes sir from my end and even even Arvin sir was there even from Arvin sir side also it was success like s everything worked

Mithun Chakraborty: Python

Aarit Haldar: properly so yes sir

Mithun Chakraborty: script. Okay.

Arvind Ahirwar: Okay.

Mithun Chakraborty: Share.

Hitesh Prajapati: That's

Arvind Ahirwar: He

Hitesh Prajapati: Ready.

Arvind Ahirwar: Are you try once?

Aadi Haldar: What do I have to do?

Arvind Ahirwar: You have to be

Aadi Haldar: Add server client. Oh.

Arvind Ahirwar: right.

Aadi Haldar: I sold.

Arvind Ahirwar: That log is not restored. Or I will run normally and then we will check it.

Hitesh Prajapati: Captain.

Aarit Haldar: Checking it.

00:20:18

Arvind Ahirwar: Now started.

Aarit Haldar: 50 60. Okay,

Arvind Ahirwar: How come it's running on 5060?

Aarit Haldar: let me check once 50 60 if it's working.

Arvind Ahirwar: Yes.

Mithun Chakraborty: 56

Aarit Haldar: 56 56 want to work 8,000

Arvind Ahirwar: Coming

Mithun Chakraborty: pan.

Arvind Ahirwar: coming

Aarit Haldar: ill in income

Arvind Ahirwar: URL

Hitesh Prajapati: I 113. Three

Mithun Chakraborty: Huh? I in call from

Arvind Ahirwar: IP.

Mithun Chakraborty: this

Hitesh Prajapati: wall.

Mithun Chakraborty: basically by the way 5060. Pink.

Hitesh Prajapati: NCB.

Mithun Chakraborty: Empire.

Arvind Ahirwar: command try 50,000 try

Hitesh Prajapati: Look

Arvind Ahirwar: server

Hitesh Prajapati: Connect.

Mithun Chakraborty: Wonderful.
Arvind Ahirwar: login.
Hitesh Prajapati: M Try
Arvind Ahirwar: Okay.
Mithun Chakraborty: Hi
Hitesh Prajapati: look.
Arvind Ahirwar: 800
Mithun Chakraborty: configuration.
Arvind Ahirwar: 560
Mithun Chakraborty: Exactly.
Arvind Ahirwar: Zach 8,000 try same command.
Hitesh Prajapati: right here.
Arvind Ahirwar: Okay.
Mithun Chakraborty: 10,000,000
Hitesh Prajapati: No.
Mithun Chakraborty: basically 20 to 20,000 20 10,000 to 20,000 Hesh
Arvind Ahirwar: Not Moving
Hitesh Prajapati: I call them.
Mithun Chakraborty: connection build 8,000
Arvind Ahirwar: open.
Mithun Chakraborty: build to
Hitesh Prajapati: Oh

00:24:44

Mithun Chakraborty: 20,000
Hitesh Prajapati: yeah.
Mithun Chakraborty: security configuration. 10,000 20,000
Arvind Ahirwar: Open

Mithun Chakraborty: open

Arvind Ahirwar: one. I'm number set audio

Aarit Haldar: Sir, I checked it.

Hitesh Prajapati: number.

Aarit Haldar: It's working with 8,000 properly,

Arvind Ahirwar: chunk.

Aarit Haldar: sir.

Mithun Chakraborty: voice. Oh, user dial

Aadi Haldar: Phone

Mithun Chakraborty: number.

Aadi Haldar: number connection built.

Arvind Ahirwar: Direct call forward.

Mithun Chakraborty: Ah

Arvind Ahirwar: API call.

Aadi Haldar: Correct. Um

Mithun Chakraborty: basically

Aadi Haldar: uh

Mithun Chakraborty: server.

Aadi Haldar: so that is 11 connection.

Mithun Chakraborty: level.

Arvind Ahirwar: 5060 port block.

Mithun Chakraborty: Huh?

Hitesh Prajapati: 100 right

Mithun Chakraborty: Huh? Huh?

Hitesh Prajapati: number.

Mithun Chakraborty: Huh? Yeah. actually use number audio page audio direct. Correct.

Hitesh Prajapati: Got a idea.

Mithun Chakraborty: Voice

Hitesh Prajapati: Yeah. IP

Mithun Chakraborty: IP port number 80,000

Hitesh Prajapati: address.

Mithun Chakraborty: 8,000 set

Hitesh Prajapati: S6.

Mithun Chakraborty: voice double Hello.

Hitesh Prajapati: RS

Mithun Chakraborty: Huh?

Hitesh Prajapati: office connect.

Mithun Chakraborty: May Who's

Hitesh Prajapati: S6.

00:30:11

Mithun Chakraborty: actually Download.

Hitesh Prajapati: Sis, connectivity with application.

Mithun Chakraborty: That's

Hitesh Prajapati: external

Mithun Chakraborty: What's

Hitesh Prajapati: connection.

Mithun Chakraborty: up? Is

Hitesh Prajapati: 127 local 12700 By default,000 RDP forward.

Mithun Chakraborty: May already convert. local.

Hitesh Prajapati: Okay, thank you.

Mithun Chakraborty: Okay. What exactly you need to do? Do you understand

Arvind Ahirwar: I'm

Aarit Haldar: Yes. Yes. Yes.

Mithun Chakraborty: that

Aarit Haldar: I understood. So I have to like change the script to script use asterisk now.

Mithun Chakraborty: to asterics you need to receive from directly

Aarit Haldar: Yes sir.

Mithun Chakraborty: this basically take that

Arvind Ahirwar: s already installed. M

Mithun Chakraborty: configuration receive a port.

Arvind Ahirwar: Testing 5060.

Mithun Chakraborty: Aics basically

Arvind Ahirwar: system.

Mithun Chakraborty: Okay.

Arvind Ahirwar: Hey there.

Mithun Chakraborty: Okay.

Aarit Haldar: Retard. So I want to know do I need to change the entire code now?

Arvind Ahirwar: Not entire code.

Aarit Haldar: Like this is first time I'm working with asterics.

00:34:13

Arvind Ahirwar: Yeah.

Aarit Haldar: I don't know much about this sir.

Arvind Ahirwar: See like Ax is a software who just do that porting for UDP that uh SIP forwarding. Al did some work on

Aarit Haldar: Okay.

Arvind Ahirwar: express

Aarit Haldar: Yes. He was telling me about

Aadi Haldar: Uh, I did. I'll have to do it

Arvind Ahirwar: that's quite different I think we have to be do

Aadi Haldar: again.

Arvind Ahirwar: that what test is test. Yeah.

Aadi Haldar: Uh, direct phone number integration

Arvind Ahirwar: But last time

Aadi Haldar: Humber.

Arvind Ahirwar: problem. Problem forward.

Aadi Haldar: TCP routing applicator,000

Arvind Ahirwar: port host.

Aadi Haldar: 56 routing. conference

Arvind Ahirwar: No.

Aadi Haldar: number with customer phone numbers IP based configuration Headacheal

Arvind Ahirwar: No. Call me. Let's call It's not

Aadi Haldar: number. We can accept those incoming calls. We will route the call to only that number to accept the call.

Arvind Ahirwar: SIP SIP enterprise support.

Aadi Haldar: is number

Arvind Ahirwar: It's got

00:38:19

Aadi Haldar: set up.

Arvind Ahirwar: big

Aadi Haldar: Take care.

Arvind Ahirwar: Oh, that um a rest interface

Aadi Haldar: Had what was the

Arvind Ahirwar: n Take rest interface.

Aadi Haldar: sport?

Arvind Ahirwar: This base is like we can connect. Now we have to do the setup. Oh yeah, I will check. What the

Aarit Haldar: Sir, so the asterisk PBX will run from their end from New York's end always and we will only run the the code the asterisk code.

Arvind Ahirwar: So, Arth uh we have to be set up that uh asterics ra I a that will connect with our Python

Aarit Haldar: Okay.

Arvind Ahirwar: code.

Aarit Haldar: Okay. Asterics AI. Wait. So, let me write these down.

Arvind Ahirwar: Yeah,

Aarit Haldar: Okay. Asterisk.

Arvind Ahirwar: right.

Aarit Haldar: Sir, can we use asterics audio uh socket instead of uh this ARI or I have to itself

Arvind Ahirwar: You can use one library called as PJS UA

Aarit Haldar: PJ J S

Arvind Ahirwar: SUA.

Aarit Haldar: U. Yeah. Yeah.

Arvind Ahirwar: Okay.

Aarit Haldar: That I'm already using, sir.

00:43:05

Aarit Haldar: That is already been used. Wait. sir if we use PJs then we don't need asterisk

Arvind Ahirwar: What do we need

Aarit Haldar: sir so they like sir so I use Gemini Gemini told if we use PGSUA library then we do not need asterisk at all if we installed the PJso library into your Python project. your project, your Python script becomes a native SIP

Arvind Ahirwar: Okay.

Aarit Haldar: machine

Arvind Ahirwar: But how we will try with uh okay but how we tested

Aarit Haldar: so that's the thing for testing we will need that New York person to all he t to always be on the call cuz only he can do the testing part because he wants asterisk to be part of the project. So because Gemini told that asterics ari is actually very old. It's it's a very old method. Nowadays nobody uses a AR everybody uses asterics audio socket or which you come uh suggested PG uh PJSUA

Arvind Ahirwar: So,

Aarit Haldar: library

Arvind Ahirwar: PGS2 is like a kind of Python library or something

00:45:08

Aarit Haldar: it's a Python library sir Python rapper it's known as

Arvind Ahirwar: else.

Aarit Haldar: sir it's like PJSu is

Arvind Ahirwar: Okay.

Aarit Haldar: the official Python rapper for PJs SIP.

Arvind Ahirwar: So we have to install this

Aarit Haldar: Yeah, this library we have to

Arvind Ahirwar: now.

Aarit Haldar: install. Sir, even if we install, I'm not able to understand. So, what do Nox wants us to do? Like I'm not able to understand cuz anyways we are only using UDP. We are not even converting TCP now. So like if they call us also sir anyways our server will like our

Arvind Ahirwar: H

Aarit Haldar: server anyways call is coming no sir from their end they are calling and we are receiving the call as well.

Arvind Ahirwar: see that's the one thing is uh happening. uh we need a call from the their server and they have a like a IP phone. So that IP phone need SIP

Aarit Haldar: Okay.

Arvind Ahirwar: truncation. So for that conversation we need uh something that convert that particular

00:46:28

Aarit Haldar: Okay.

Arvind Ahirwar: call in into our application.

Aarit Haldar: Okay. So like that kind. So for that we'll use asterisk or what I'm not able to understand like can we use the library which you told or do we need to use asterics itself.

Arvind Ahirwar: It's like uh if we use arx but uh I think we need to we do setup for pjsu2 with asterics only so instead of setting all these configuration Then it's not

Aarit Haldar: sir. So Gemini told me this thing. So we have two options either uh like Neox to asterisk then asterics or PJsua in which asterics answers the outside call from Neox and then forwards the SIP call internally to your PJs Python script and otherwise Neox to PJs directly we skip asterisk completely and Neox PBX sends the SIP uh call directly to your Python script and PJS answer natively.

Arvind Ahirwar: Okay. Mhm. So how we will connect to Neo with directly with Python.

Aarit Haldar: sir. So uh we need uh uh we need a SIP trunk to directly configure both sides of neox and asterics s.

00:49:23

Aarit Haldar: So um we need uh this thing the okay we have VM on your side I okay well let okay it's white list it fire if you receive a phone call from New York's IP address you must automatically trust it and answer the call and send the audio directly to Python script Neox fires. Yes, sir. So, this is what happens. Uh, when a customer calls, Neox fires the SIP invite packet over the internet to your VM port 8,000 or 56 whatever we'll use. Then the asterisk receives it, checks the IP address, sees that it matches the Neox IP, then Asterex instantly replies with the 200. Okay. And then Neox and Asteris lock together and begin streaming the live RTP audio back and forth.

Arvind Ahirwar: This method is uh better rather than directly using asterics.

Aarit Haldar: Yeah. So they are using like first Neox to ax your PG uh PGSA PJs SUA and then the Python script. It's a three-way process.

Arvind Ahirwar: Okay, I will do one thing. I will do installation of

Aarit Haldar: Yeah.

00:50:52

Arvind Ahirwar: PJS.

Aarit Haldar: And I'll and I'll write the script and and we can test it out once, sir.

Arvind Ahirwar: Okay. But how do you set up that uh what I say new

Aarit Haldar: physical WAB file on hard drive. So we cannot do a realtime voice detection system sir with PJSa.

Arvind Ahirwar: Then our purpose will not solve.

Aarit Haldar: Yeah cuz we need real time our our main thing that real time audio should get converted

Arvind Ahirwar: Oh.

Aarit Haldar: from speech to text and text to speech. So sir actually I don't think so we can use PJs sir for this sir they told so Gemini is telling the best ways to use asterics audio socket there's something called as asterics audio socket in so using ARI we can do All right.

Arvind Ahirwar: So do you need anything installation for that?

Aarit Haldar: Sir no as of now I don't need if it's needed I'll I'll let you know sir cuz now I'm just running basically now I'll first have to write the script I have to understand how it's working and what to do after that I'll push the code and then you can download what all requirements are needed sir

Arvind Ahirwar: Okay. So, ping me when uh things are ready. So, I will deploy it and then we will test

Aarit Haldar: Yes sir. Oh sir.

Arvind Ahirwar: it.

Aarit Haldar: So one thing so we have to aster itself.

Arvind Ahirwar: Test is installed already.

Aarit Haldar: Okay fine. I have to then finalize the script once. Okay sir.

Arvind Ahirwar: Only thing we have to we do the setup of asterisk whatever is required and then we will

Aarit Haldar: Yes sir.

Arvind Ahirwar: try it.

Aarit Haldar: Okay.

Arvind Ahirwar: Okay.

Transcription ended after 00:54:52

This editable transcript was computer generated and might contain errors. People can also change the text after it was created.