Status	Finished
Started	Tuesday, 20 October 2026, 3:16 PM
Completed	Tuesday, 20 October 2026, 3:22 PM
Duration	6 mins 1 sec
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The buffer size for the file operations ✓
- b. The encoding of the file
- c. The access mode of the file
- d. The file's read/write position

The correct answer is: The buffer size for the file operations

Question **2**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

- a. outfile = open("c:\\scores.txt", "w") ✓
- b. outfile = open("c:\scores.txt", "w")
- c. outfile = open(file = "c:\scores.txt", "w")
- d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Python Programming

b. An error is raised

c. Program

d. Python ✓

The correct answer is: Python

Question **4**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. ,

b. \n ✓

c. space

d. \t

The correct answer is:
\n

Question **5**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

- a. infile = open("a.txt", "r") ✓
- b. infile = open(file = "a.txt", "r")
- c. infile = open(file, "a.txt", "r")
- d. infile = open(file = "a.txt", "r")

The correct answer is:
infile = open("a.txt", "r")

Question **6**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

- a. An empty string ✓
- b. 0
- c. None
- d. EOFError

The correct answer is: An empty string

Question **7**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters behind ahead from the end of a file.

b. Move file pointer five characters ahead from the beginning

c. • Move file pointer five characters behind from the current position.

d. • Move file pointer five characters ahead from the current position. ✓

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. write() ✓

b. insert()

c. read()

d. append()

The correct answer is: write()

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. w
b. r
c. r+ ✓
d. a

The correct answer is: r+

Question **10**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Opens the file in read mode
b. Overwrites the file with "Adding new data"
c. Appends "Adding new data" to the end of the file ✓
d. Raises an error because the file is opened in append mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **11**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓
False

The correct answer is 'True'.

Question **12**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

a. file.is_closed()
b. file.closed ✓
c. file.closed()
d. file.isclosed()

The correct answer is: file.closed

Question **13**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. str
b. a list of lines ✓
c. a list of integers
d. a list of single characters

The correct answer is:
a list of lines

Question **14**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It does nothing
b. It appends data to the file
c. It clears the old data and starts fresh ✓
d. It raises an error

The correct answer is: It clears the old data and starts fresh

Question **15**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Opens an existing file in read mode

b. Appends to an existing file

c. Creates a new file for writing ✓

d. Opens a file in binary mode

The correct answer is: Creates a new file for writing