

References

Kawamoto, S., Ohkawa, Y., Nishida, S., & Kitamura, S.

Development Status of Electrodynamic Tethers for Debris De-Orbiting.

Japan Aerospace Exploration Agency (JAXA).

This paper outlines JAXA's roadmap for debris mitigation using electrodynamic tethers, focusing on key components such as bare tether systems and carbon nanotube field emission cathodes.

Sarego, G., Olivieri, L., Valmorbida, A., Bettanini, C., Colombatti, G., Pertile, M., & Lorenzini, E. C.

Deorbiting Performance of Electrodynamic Tethers to Mitigate Space Debris.

University of Padova, Center of Studies and Activities for Space "Giuseppe Colombo".

Provides a comparative analysis of the E.T.PACK electrodynamic tether kit against chemical propulsion and drag sails using numerical simulations.

Tethers Unlimited / Amergint Technologies.

Electromagnetic Tether Systems for Satellite Deorbiting.

Mission summaries of the NSTT and CSTT Terminator Tape flight demonstrations and results from the DragRacer experiment.

Documents tape-tether deployment behavior and on-orbit performance.

Mantellato, R.

Investigation of Deorbiting Systems Using Passive Electrodynamic Propulsion.

Ph.D. Thesis, University of Padova (supervised by E. Lorenzini and J. Sanmartín).

An extensive dissertation covering passive EDT systems, deployment control strategies, and optimization of bare electrodynamic tethers in sun-synchronous orbits.

Wen, H., & Jin, D.

Nonlinear Dynamics and Control of Electrodynamic Tether for Deorbiting Space Debris.

Nanjing University of Aeronautics and Astronautics.

Analyzes deployment stability and attitude disturbances caused by Lorentz-force-induced dynamics during EDT operation.

Yamagiwa, Y., Tuyuki, R., Takenaka, S., & Hiragi, E.

Performance of Electrodynamic Tether De-Orbit System on Elliptical Orbit.

Shizuoka University.

Evaluates EDT performance on highly elliptical orbits, including long-duration upper-stage disposal scenarios.

Petchetti, S. C.

Potential Applications of Electrodynamic Tethers.

FIITJEE Junior College.

A survey-style work exploring broader EDT applications, including satellite deorbiting, reboost, and power generation.

Egawa, Y., Kamachi, K., Suzuki, D., Okajima, L., et al.

De-Orbit Demonstration Using Electrodynamic Tether System for Space Debris Disposal (EDT-Sat).

ALE Co., Ltd. in collaboration with JAXA, Kanagawa Institute of Technology, and Tohoku University.

Technical presentation describing a 3U CubeSat mission demonstrating folded tape tether deployment and CNT-FEC operation.

European Commission (FP7 – CORDIS).

Solving the Orbital Debris Problem: BETS Project – Results in Brief.

Coordinated by Universidad Politécnica de Madrid.

Summarizes the outcomes of the BETS project, including bare electrodynamic tether optimization and system-level feasibility studies.

Stone, N. H.

Unique Results and Lessons Learned from the TSS Missions.

NeXolve Corporation / NASA.

Retrospective analysis of the TSS-1 and TSS-1R missions, documenting reel jamming, arcing failures, and deployment-related lessons.

Carpenter, J. R.

Use of Electrodynamic Tethers for Satellite End-of-Life Deorbit Maneuvers.

University of Colorado Boulder.

Demonstrates EDT feasibility for Orbcomm Generation-2 satellites and quantifies mass savings compared to chemical propulsion.

Inter-Agency Space Debris Coordination Committee (IADC).

IADC Space Debris Mitigation Guidelines.

International standard defining post-mission disposal requirements, including the 25-year deorbit guideline.

Federal Communications Commission (FCC).

Mitigation of Orbital Debris in the New Space Age (FCC 22-74).

United States Federal Communications Commission.

Establishes tightened orbital debris mitigation and post-mission disposal timelines for licensed spacecraft.