

femi9-platform — where things live

Two storefronts, one shared backend, one console.

repo root
E:/FreeLancing/femi9/femi9/femi9

FRONTENDS — APPS/

APP	PORT	STACK	WHAT IT IS / WHERE THE UI SITS
apps/femi9-web	:3000	Next 16.3.1 · hand-written CSS	Femi9 storefront + account. LIVE . UI in <code>src/</code> (components, screens, immersive, charts); routes in <code>app/</code>
apps/lumi9-web	:3001	Next 16.3.1 · Tailwind v4	Lumi9 storefront — all under <code>src/app/</code> (shop, cart, checkout, journal, account). Owns the SEO layer: <code>src/lib/seo.ts</code> , sitemap, robots, JSON-LD
apps/admin	:3002	Next 16.3.1	ONE console, both brands. Brand comes from the session , never the URL. <code>app/[brand]</code> , <code>app/api</code>

Empty leftovers: `apps/femi9-web/app/admin` and `app/api/admin` — every ops page and API now lives in `apps/admin`.

BACKEND — PACKAGES/

There is **no separate API service**. “One backend” means one shared library that App Router server components import and read Postgres with directly.

packages/core	@femi9/core — the actual backend. Auth, sessions, Razorpay, pricing, geo, OTP, Thara + <code>src/services/*</code> (cart, checkout, orders, products, subscriptions, blog...) and <code>src/services/admin/*</code> . Import by subpath , never the barrel: <code>import { getOrders } from '@femi9/core/services/admin/orders'</code>
packages/db	@femi9/db — the one Prisma schema + migrations. Exposes <code>dbFor(brand)</code>
packages/db-platform	@femi9/db-platform — admin identity in its own schema; generates to <code>generated/</code> (gitignored)
HTTP surface	Each app's own route handlers — e.g. <code>apps/femi9-web/app/api/{auth, cart, checkout, payments, webhooks, cron, ...}</code>

One Postgres, three schemas: `femi9` · `lumi9` · `platform`. Isolation lives in the **connection string**, not a `where` clause somebody can forget.

ENV — NO ROOT .ENV, IT'S PER-APP

apps/femi9-web/.env — `DATABASE_URL`, `DIRECT_URL`, `AUTH_SECRET`, `Razorpay`, `Resend`, `Google OAuth`, `TEST_DATABASE_URL`, `THARA_ENABLED`

apps/lumi9-web/.env — `DATABASE_URL_LUMI9`, `AUTH_SECRET`, `RESEND_API_KEY_LUMI9` / `EMAIL_FROM_LUMI9`, `Razorpay`, `SITE_URL`

apps/admin/ — **no .env**. In prod reads `DATABASE_URL_PLATFORM` + `ADMIN_AUTH_SECRET` from the task definition / Secrets Manager. Create one locally.

The canonical list (~60 vars — brand-suffixed `*_FEMI9` / `*_LUMI9` / `*_PLATFORM`, `Sentry`, `MSG91`, `Upstash`, `CYCLE_DATA_ENCRYPTION_KEY`, `CRON_SECRET`) is **apps/femi9-web/.env.example** — the reference for all three apps.

COMMANDS & TWO GOTCHAS

<code>npm install</code>	always at the root . One hoisted lockfile; apps have none
<code>npm run dev:femi9</code>	:3000
<code>npm run dev:lumi9</code>	:3001
<code>npm run dev:admin</code>	:3002
<code>npm run build</code>	turbo — all apps

npm test in femi9-web truncates every table. Never run it with a `.env` pointing at staging or production.

Docker builds from the repo root, not from the app — `npm ci` needs the hoisted lockfile.

NOT THE CODE

One level up (E:/FreeLancing/femi9/femi9/): `lumi9-web/` is a pre-monorepo extraction; `design_handoff_lumi9/` and the `.docx/.zip` files are handoff assets. At the monorepo root, `femi9-app/` · `femi9-react/` · `femi9-scrool/` · `femi9-lavender/` · `index.html` · `app.js` · `styles.css` · `assets/` · `Images/` are dead — superseded by `apps/femi9-web`. The PDFs there are product docs and are worth consulting.