

Homepage

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<!--Bootstrap -->
```

```
<link  
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c  
ss" rel="stylesheet"
```

```
integrity="sha384-  
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG  
879m7" crossorigin="anonymous">
```

```
<!--Bootstrap Icons-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.11.3/font/bootstrap-icons.min.css">
```

```
<!--Favicon-->
```

```
<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">
```

```
<!--Css Link-->
```

```
<link rel="stylesheet" href="style.css">
```

```
<title>Engli Go</title>
```

```
</head>
```

```
<body>
```

```
<!--Navbar-->
```

```
<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">
```

```
<div class="container-fluid">
```

```

```

```
<a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"
```

```
aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page" href="#">Home</a>
```

```
</li>
```

```
<li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
```

```
aria-expanded="false">
```

```
Learn English
```

```
</a>
```

```
<ul class="dropdown-menu">
  <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
    <ul class="dropdown-menu">
      <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
      <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
    </ul>
  </li>
  <li>
    <hr class="dropdown-divider">
  </li>
  <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
  <li><a class="dropdown-item" href="books.html">Books</a></li>
</ul>
</li>
<li class="nav-item">
  <a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="aboutUs.html">About US</a>
</li>
</ul>
</div>
```

</div>

</nav>

<!--Hero Image-->

<div class="heroImage">

</div>

<!--Footer-->

<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

<div class="text-center " style="background-color: rgb(205, 193, 255);
padding-top: 10px;">

© 2023 EngliGo:

EngliGo.net

<p>Design by: Aaron Alijani</p>

<p>All rights reserved</p>

</div>

</footer>

<!--Bootstrap JS-->


<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>

</body>

</html>



Do you
speak
English?

LearnEnglish


```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <!--Bootstrap -->

                                                                    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"

                                                                    integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG
879m7" crossorigin="anonymous">

    <!--Bootstrap Icons-->

        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

    <!--Favicon-->

    <link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

    <!--Css Link-->

    <link rel="stylesheet" href="style.css">

    <!--Google Fonts-->

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

                                                                    <link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>Learn English</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

<div class="container-fluid">

    <a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

        aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

    <ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

    <li class="nav-item">

        <a class="nav-link active" aria-current="page" href="#">Home</a>

    </li>

    <li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Learn English
</a>
<ul class="dropdown-menu">
    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
            <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
        </ul>
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
    <li><a class="dropdown-item" href="books.html">Books</a></li>
</ul>
</li>
<li class="nav-item">
    <a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
```

```
<li class="nav-item">

  <a class="nav-link" href="aboutUs.html">About US</a>

</li>

</ul>

</div>

</div>

</nav>

<!--Main Content-->

<div class="container-fluid">

  <div class="container" >

    <div class="row justify-content-center">

      <div class="col-md-12 col-sm-12">

        <div id="carouselSlideslearnEnglish" class="carousel slide" data-bs-
ride="carousel">

          <div class="carousel-inner">

            <div class="carousel-item active">

            </div>

            <div class="carousel-item image-fluid">

            </div>

            <div class="carousel-item">
```


</div>

</div>

</div>

</div>

<div class="col-md-12 col-sm-12 d-flex flex-column justify-content-center align-items-center text-center " >

<p style="margin-top: 50px; margin-bottom: 50px; width:65ch;">Ready to take your English skills to the next level? Discover the perfect learning path for you within EngliGo, choosing from structured courses, personalized mentoring, helpful books, and our free Learning Hub resources.</p>

</div>

<hr style="width: 100%; height: 2px; background-color: #BFECFF; border: none; margin-top: 50px;">

</div>

<!--Footer-->

<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

<div class="text-center pt-3" style="background-color: rgb(205, 193, 255);">

© 2023 EngliGo:

EngliGo.net

<p>Design by: Aaron Alijani</p>

<p>All rights reserved</p>

</div>

</footer>

<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>

</body>

</html>



Ready to take your English skills to the next level? Discover the perfect learning path for you within EngliGo, choosing from structured courses, personalized mentoring, helpful books, and our free Learning Hub resources.

About US Page

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<!--Bootstrap -->

<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"

integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG
879m7" crossorigin="anonymous">

<!--Bootstrap Icons-->

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

<!--Favicon-->

<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

<!--Css Link-->

<link rel="stylesheet" href="style.css">

<!--Google Fonts-->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

```
                                <link  
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"  
rel="stylesheet">
```

```
<title>About Us</title>  
</head>
```

```
<body>
```

```
<!--Navbar-->
```

```
<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:  
sticky; top: 0; z-index: 50;">
```

```
<div class="container-fluid">
```

```

```

```
<a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse"  
data-bs-target="#navbarSupportedContent"
```

```
aria-controls="navbarSupportedContent" aria-expanded="false" aria-  
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarSupportedContent"  
style="margin-left: 150px; font-size: 20px;">
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
<li class="nav-item">
```

```

    <a class="nav-link active" aria-current="page" href="#">Home</a>
  </li>

  <li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
      Learn English
    </a>
    <ul class="dropdown-menu">
      <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
      <ul class="dropdown-menu">
        <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
        <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
      </ul>
      </li>
      <li>
        <hr class="dropdown-divider">
      </li>
      <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
      <li><a class="dropdown-item" href="books.html">Books</a></li>
    </ul>
  </li>

```

```
<li class="nav-item">

  <a class="nav-link" href="contactUs.html">Contact Us</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="aboutUs.html">About US</a>

</li>

</ul>

</div>

</div>

</nav>

<!--Main Content of about us-->

<div class="container-fluid">

  <div class="container" style="height:80vh;">

    <h1 >About Us</h1>

    <div class="row">

      <div class="col-md-6 col-sm-12">

      </div>

      <div class="col-md-6 col-sm-12 d-flex flex-column justify-content-center "
style="font-size: 20px; text-align: justify;">

        <p>EngliGo helps you move beyond just learning English rules to feeling
fluent and communicating with
```

confidence. We focus on practical application, building self-assurance, and providing engaging, personalized

learning paths through our courses (including IELTS prep), mentoring, free Learning Hub resources, and

curated books. Our mission is to empower you to find your voice in English.

</div>

</div>

<div class="row" style="margin-top: 50px; margin-left: 100px;">

<div class="col-md-4 col-sm-12">

</div>

</div>

</div>

<!--Footer-->

<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

<div class="text-center " style="background-color: rgb(205, 193, 255);">

© 2023 EngliGo:

EngliGo.net

<p>Design by: Aaron Alijani</p>

<p>All rights reserved</p>

</div>

</footer>

<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>

</body>

</html>

About Us



EngliGo helps you move beyond just learning English rules to feeling fluent and communicating with confidence. We focus on practical application, building self-assurance, and providing engaging, personalized learning paths through our courses (including IELTS prep), mentoring, free Learning Hub resources, and curated books. Our mission is to empower you to find your voice in English.

Contact US

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<!--Bootstrap -->

<link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.css" rel="stylesheet"

integrity="sha384-SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApcHrRKUc4W0kG879m7" crossorigin="anonymous">

<!--Bootstrap Icons-->

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css">

<!--Favicon-->

<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

<!--Css Link-->

<link rel="stylesheet" href="style.css">

<!--Google Fonts-->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

```
<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>Contact US</title>
```

```
</head>
```

```
<body>
```

```
<!--Navbar-->
```

```
<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">
```

```
<div class="container-fluid">
```

```

```

```
<a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"
```

```
aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page" href="#">Home</a>
</li>

<li class="nav-item dropdown">

  <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"

  aria-expanded="false">

    Learn English

  </a>

  <ul class="dropdown-menu">

    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>

      <ul class="dropdown-menu">

        <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>

        <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>

      </ul>

    </li>

    <li>

      <hr class="dropdown-divider">

    </li>

    <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>

    <li><a class="dropdown-item" href="books.html">Books</a></li>

  </ul>

</li>
```

```
<li class="nav-item">

  <a class="nav-link" href="contactUs.html">Contact Us</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="aboutUs.html">About US</a>

</li>

</ul>

</div>

</div>

</nav>

<!--Contact Us-->

<div class="container-fluid"

<div class="container " style="padding-top: 100px;">

  <div class="contact-form-container">

    <h3>Contact Us</h3>

    <form action="/placeholder-submit-url" method="POST" class="needs
has-validation" novalidate>

      <div class="row mb-3">

        <div class="col-md-12 col-sm-12">

          <label for="contactName" class="form-label">Name</label>

          <input type="text" class="form-control" id="contactName"
name="contact_name" placeholder="Enter your name"
          required />
```

```
<div class="invalid-feedback">
```

```
  Please enter your name.
```

```
</div>
```

```
<div class="valid-feedback">
```

```
  Looks good!
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row mb-3">
```

```
  <div class="col-md-12 col-sm-12">
```

```
    <label for="contactEmail" class="form-label">Email Address</label>
```

```
    <input type="email" class="form-control" id="contactEmail"
name="contact_email"
```

```
    placeholder="name@example.com" required />
```

```
    <div class="invalid-feedback">
```

```
      Please enter your Email Address.
```

```
    </div>
```

```
    <div class="valid-feedback">
```

```
      Looks good!
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
<div class="mb-3">

  <label for="contactComment" class="form-label">Comment or
Message</label>

  <textarea class="form-control" id="contactComment"
name="contact_comment" rows="5"

    placeholder="Enter your message here..." required></textarea>

</div>
```

```
<div class="text-center">

  <button type="submit" class="btn btn-primary btn-lg">Submit
Message</button>

</div>
```

```
</form>

</div>

</div>
```

```
<!--Footer-->
```

```
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

  <div class="text-center " style="background-color: rgb(205, 193, 255);">

    © 2023 EngliGo:

    <a class="text-dark" href="#">EngliGo.net</a>
```


<p>Design by: Aaron Alijani</p>

<p>All rights reserved</p>

</div>

</footer>

<!--Bootstrap JS-->

<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.min.js"

integrity="sha384-k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5zNLiq"

crossorigin="anonymous"></script>

</body>

</html>

Contact Us

Name

Email Address

Comment or Message

Submit Message

Courses


```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <!--Bootstrap -->

                                                                    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"
                                                                    integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApcHrRKUc4W0kG
879m7" crossorigin="anonymous">

    <!--Bootstrap Icons-->

        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

    <!--Favicon-->

    <link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

    <!--Css Link-->

    <link rel="stylesheet" href="style.css">

    <!--Google Fonts-->

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
                                <link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
    <title>Courses</title>
```

```
</head>
```

```
<body>
```

```
<!--Navbar-->
```

```
    <nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">
```

```
        <div class="container-fluid">
```

```
            
```

```
            <a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>
```

```
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"
```

```
                aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
```

```
                <span class="navbar-toggler-icon"></span>
```

```
            </button>
```

```
            <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">
```

```
                <ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
                    <li class="nav-item">
```

```
                        <a class="nav-link active" aria-current="page" href="#">Home</a>
```

```
</li>

<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Learn English
    </a>
    <ul class="dropdown-menu">
        <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
            <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
        </ul>
        </li>
        <li>
            <hr class="dropdown-divider">
            <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
            <li><a class="dropdown-item" href="books.html">Books</a></li>
        </ul>
    </li>
</li class="nav-item">
```

```
<a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="aboutUs.html">About US</a>
</li>
</ul>
</div>
</div>
</nav>
<!--Courses page-->
<!--Hero image-->
<div class="container-fluid">
  
</div>

<!--Footer-->
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">
  <div class="text-center " style="background-color: rgb(205, 193, 255);">
    © 2023 EngliGo:
    <a class="text-dark" href="#">EngliGo.net</a>
    <p>Design by: Aaron Alijani</p>
    <p>All rights reserved</p>
```


</div>

</footer>

<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>

</body>

</html>

Books

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <!--Bootstrap -->

                                                                    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"

                                                                    integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG
879m7" crossorigin="anonymous">

    <!--Bootstrap Icons-->

        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

    <!--Favicon-->

    <link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

    <!--Css Link-->

    <link rel="stylesheet" href="style.css">

    <!--Google Fonts-->

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

                                                                    <link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>Books</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

<div class="container-fluid">

    <a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

        aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

        <ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

            <li class="nav-item">

                <a class="nav-link active" aria-current="page" href="#">Home</a>

            </li>

            <li class="nav-item dropdown">
```

```
        <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Learn English
</a>
<ul class="dropdown-menu">
    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
            <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
        </ul>
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
    <li><a class="dropdown-item" href="books.html">Books</a></li>
</ul>
</li>
<li class="nav-item">
    <a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
```

```
<li class="nav-item">
  <a class="nav-link" href="aboutUs.html">About US</a>
</li>
</ul>
</div>
</div>
</nav>
```

```
<!--Footer-->
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">
  <div class="text-center " style="background-color: rgb(205, 193, 255);">
    © 2023 EngliGo:
    <a class="text-dark" href="#">EngliGo.net</a>
    <p>Design by: Aaron Alijani</p>
    <p>All rights reserved</p>
  </div>
</footer>
```

```
<!--Bootstrap JS-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"
integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRcmv+epLOQJWyd1fbcAu9OCUj5z
NLiq"
```

crossorigin="anonymous"></script>

</body>

</html>

Learning Hub

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <!--Bootstrap -->

                                                                    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"

                                                                    integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG
879m7" crossorigin="anonymous">

    <!--Bootstrap Icons-->

        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

    <!--Favicon-->

    <link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

    <!--Css Link-->

    <link rel="stylesheet" href="style.css">

    <!--Google Fonts-->

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

                                                                    <link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>Learning Hub</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

  <div class="container-fluid">

    <a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

      aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

      <ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

        <li class="nav-item">

          <a class="nav-link active" aria-current="page" href="#">Home</a>

        </li>

        <li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Learn English
</a>
<ul class="dropdown-menu">
    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
            <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
        </ul>
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
    <li><a class="dropdown-item" href="books.html">Books</a></li>
</ul>
</li>
<li class="nav-item">
    <a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
```

```
<li class="nav-item">

  <a class="nav-link" href="aboutUs.html">About US</a>

</li>

</ul>

</div>

</div>

</nav>

<!--Footer-->

<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

  <div class="text-center " style="background-color: rgb(205, 193, 255);">

    © 2023 EngliGo:

    <a class="text-dark" href="#">EngliGo.net</a>

    <p>Design by: Aaron Alijani</p>

    <p>All rights reserved</p>

  </div>

</footer>

<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>
```

</body>

</html>

IELTS

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <!--Bootstrap -->

                                                                    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"

                                                                    integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG
879m7" crossorigin="anonymous">

    <!--Bootstrap Icons-->

        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

    <!--Favicon-->

    <link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

    <!--Css Link-->

    <link rel="stylesheet" href="style.css">

    <!--Google Fonts-->

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

                                                                    <link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>IELTS</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

  <div class="container-fluid">

    <a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

      aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

      <ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

        <li class="nav-item">

          <a class="nav-link active" aria-current="page" href="#">Home</a>

        </li>

        <li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Learn English
</a>
<ul class="dropdown-menu">
    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
            <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
        </ul>
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
    <li><a class="dropdown-item" href="books.html">Books</a></li>
</ul>
</li>
<li class="nav-item">
    <a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
```

```
<li class="nav-item">
  <a class="nav-link" href="aboutUs.html">About US</a>
</li>
</ul>
</div>
</div>
</nav>
```

```
<!--Footer-->
```

```
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">
  <div class="text-center " style="background-color: rgb(205, 193, 255);">
    © 2023 EngliGo:
    <a class="text-dark" href="#">EngliGo.net</a>
    <p>Design by: Aaron Alijani</p>
    <p>All rights reserved</p>
  </div>
</footer>
```

```
<!--Bootstrap JS-->
```

```

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"
integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5z
NLiq"
```

crossorigin="anonymous"></script>

</body>

</html>

PreIELTS


```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <!--Bootstrap -->

                                                                    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"

                                                                    integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG
879m7" crossorigin="anonymous">

    <!--Bootstrap Icons-->

        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

    <!--Favicon-->

    <link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

    <!--Css Link-->

    <link rel="stylesheet" href="style.css">

    <!--Google Fonts-->

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

                                                                    <link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>IELTS</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

  <div class="container-fluid">

    <a id="engligobrand" class="navbar-brand" href="#">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

      aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

      <ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

        <li class="nav-item">

          <a class="nav-link active" aria-current="page" href="#">Home</a>

        </li>

        <li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Learn English
</a>
<ul class="dropdown-menu">
    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
            <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
        </ul>
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
    <li><a class="dropdown-item" href="books.html">Books</a></li>
</ul>
</li>
<li class="nav-item">
    <a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
```

```
<li class="nav-item">
  <a class="nav-link" href="aboutUs.html">About US</a>
</li>
</ul>
</div>
</div>
</nav>
```

```
<!--Footer-->
```

```
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">
  <div class="text-center " style="background-color: rgb(205, 193, 255);">
```

```
    © 2023 EngliGo:
```

```
    <a class="text-dark" href="#">EngliGo.net</a>
```

```
    <p>Design by: Aaron Alijani</p>
```

```
    <p>All rights reserved</p>
```

```
  </div>
```

```
</footer>
```

```
<!--Bootstrap JS-->
```

```

                                                                    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"
```

```
                                                                    integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5z
NLiq"
```

crossorigin="anonymous"></script>

</body>

</html>

