

All Codes

*added ejs files for header, footer login and register pages and also index.js and database_init.js

Database_init.js:

```
const sqlite3 = require('sqlite3').verbose();

// const bcrypt = require('bcrypt'); // Uncomment if you add a default hashed
// user to the 'Users' table

//connect to sqlite database

const db = new sqlite3.Database('./engligo.db', (err) => {
  if (err) {
    console.error('Error : Opening Database', err.message);
  } else {
    console.log('Connected to EngliGo Database.');
```

```
    createTables();
  }
});
```

```
//creating the creatTable function
```

```
function createTables() {
```

```
  db.serialize(() => {
```

```
    //creating the Submission (contact us) Table
```

```
    db.run(`CREATE TABLE IF NOT EXISTS Submissions (
```

```
      id INTEGER PRIMARY KEY AUTOINCREMENT,
```

```
      name TEXT NOT NULL,
```

```
      email TEXT NOT NULL,
```

```
      phone TEXT NOT NULL,
```

```
      birthdate TEXT NOT NULL,
```

```
      comment TEXT NOT NULL,
```

```
      submission_date TEXT DEFAULT CURRENT_TIMESTAMP
```

```
    )`, (err) => {
```

```
      if (err) {
```

```
        console.error('Error : Creating Submissions Table', err.message);
```

```
      } else {
```

```
        console.log('Submissions table created or already exists.');
```

```
      }
```

```
    });
```

```
//creating user table for login
```

```
db.run(`CREATE TABLE IF NOT EXISTS Users (
```

```
  id INTEGER PRIMARY KEY AUTOINCREMENT,
```

```
    username TEXT UNIQUE NOT NULL,  
    password TEXT NOT NULL,  
    email TEXT UNIQUE NOT NULL  
)` , (err) => {  
    if (err) {  
        console.error('Error : creating Users table for general registration',  
err.message);  
    } else {  
        console.log('Users table (for general registration) created or already  
exists.');
```

index.js:

// Require the express web application framework (<https://expressjs.com>)

```
const express = require('express');
```

```
const path = require('path');
```

```
const sqlite3 = require('sqlite3').verbose();
```

```
const session = require('express-session');
```

```
// const bcrypt = require('bcrypt'); // Not needed for plain text passwords
```

// Create a new web application by calling the express function

```
const app = express();
```

```
const port = 3000;
```

//Database connection

```
const db = new sqlite3.Database('./engligo.db', sqlite3.OPEN_READWRITE, (err)
```

```
=> {
```

```
  if (err) {
```

```
    console.error('Error : Connecting to Database', err.message);
```

```
  } else {
```

```
    // Corrected the log message to reflect the actual filename
```

```
    console.log('Successfully connected to engligo.db for the server.');
```

```
  }
```

```
});
```

```
//view engin setup

app.set('view engine', 'ejs');

app.set('views', path.join(__dirname, 'views'));


app.use(express.urlencoded({ extended: true })); // To parse URL-encoded form
data

app.use(express.json()); // To parse JSON request bodies

// Tell our application to serve all the files under the `public_html` directory
app.use(express.static('public_html'));


// Session middleware setup
app.use(session({
  secret: 'Wq@Ue38B*#tu5&wsoObS', //this is the secret admin code
  resave: false, // Don't save session if unmodified
  saveUninitialized: false, // Don't create session until something stored
  cookie: { secure: false } // For development (HTTP). For production (HTTPS)
  should be true
}));


app.get('/', (req, res) => {
  res.sendFile(path.join(__dirname, 'public_html', 'index.html'));
});


//Route to handle submit contact form
```

```

app.post('/submit-contact', (req, res) => {

  const { contactName, contactEmail, contactPhone, contactBirthdate,
contactComment } = req.body;

  let errors = [];

  if (!contactName || contactName.trim() === "") { errors.push("Name is
required and cannot be empty."); }

  if (!contactEmail || !/^[^\s@]+@[^\s@]+\.[^\s@]+$/.test(contactEmail.trim()))
{ errors.push("A valid Email is required (e.g., user@example.com)."); }

  if (!contactPhone || contactPhone.trim() === "" || !/^[0-
9]{8,15}$/.test(contactPhone.trim())) { errors.push("Phone number is required
(8-15 digits, numbers only)."); }

  if (!contactBirthdate || !/^\\d{4}-\\d{2}-\\d{2}$/.test(contactBirthdate.trim())) {
    errors.push("Birthdate in YYYY-MM-DD format is required.");
  } else {

    const trimmedBirthdate = contactBirthdate.trim();

    const dateParts = trimmedBirthdate.split('-');

    const year = parseInt(dateParts[0], 10);

    const month = parseInt(dateParts[1], 10);

    const day = parseInt(dateParts[2], 10);

    const dateObj = new Date(year, month - 1, day);

    if (!(dateObj.getFullYear() === year && dateObj.getMonth() === month - 1 &&
dateObj.getDate() === day)) {

      errors.push("Invalid birthdate. Please enter a real calendar date.");
    }
  }
}

```

```
    }  
    if (!contactComment || contactComment.trim() === "") {  
errors.push("Comment is required and cannot be empty."); }  
}
```

```
if (errors.length > 0) {  
    return res.status(400).json({  
        message: "Validation failed. Please check your input.",  
        errors: errors  
    });  
}
```

```
const sql = `INSERT INTO Submissions (name, email, phone, birthdate,  
comment) VALUES (?, ?, ?, ?, ?)` ;
```

```
const params = [  
    contactName.trim(), contactEmail.trim(), contactPhone.trim(),  
    contactBirthdate.trim(), contactComment.trim()  
];  
db.run(sql, params, function (err) {  
    if (err) {  
        console.error('Database error saving submission:', err.message);  
        return res.status(500).json({  
            message: "Error: Could not save your submission. Please try again later."  
        });  
    }  
}
```

```
        console.log(`A new submission has been inserted with rowid  
${this.lastID}`);
```

```
        res.status(201).json({  
            message: "Thank you for your submission! It has been received."  
        });  
    });  
};
```

```
// --- User Registration Routes ---
```

```
app.get('/register', (req, res) => {  
    res.render('register', {  
        pageTitle: 'Register - EngliGo',  
        errors: [],  
        usernameValue: "",  
        emailValue: ""  
    });  
});
```

```
app.post('/register', (req, res) => { // Removed async  
    const { username, email, password, confirmPassword } = req.body;  
    let errors = [];  
  
    if (!username || username.trim().length < 3) { errors.push({ msg: "Username  
must be at least 3 characters." }); }
```



```
    if (!email || !/^[^\s@]+@[^\s@]+\.[^\s@]+$/.test(email.trim())) { errors.push({
msg: "A valid Email is required." }); }
```

```
    if (!password || password.length < 6) { errors.push({ msg: "Password must be
at least 6 characters." }); }
```

```
    if (password !== confirmPassword) { errors.push({ msg: "Passwords do not
match." }); }
```

```
    if (errors.length > 0) {

        return res.render('register', { pageTitle: 'Register - EngliGo', errors: errors,
usernameValue: username, emailValue: email });

    }
```

```
// No try-catch needed here if not using await
```

```
const userExistsSql = "SELECT * FROM Users WHERE username = ? OR email
= ?";
```

```
db.get(userExistsSql, [username.trim(), email.trim()], (err, row) => { //
Removed async
```

```
    if (err) {

        errors.push({ msg: "Database error. Please try again." });

        return res.render('register', { pageTitle: 'Register - EngliGo', errors: errors,
usernameValue: username, emailValue: email });

    }
```

```
    if (row) {

        if (row.username === username.trim()) { errors.push({ msg: "Username
already taken." }); }
```

```
        if (row.email === email.trim()) { errors.push({ msg: "Email already
registered." }); }
```

```
        return res.render('register', { pageTitle: 'Register - EngliGo', errors: errors,
usernameValue: username, emailValue: email });
```

```
    }
```

```
    // Store plain text password
```

```
    const plainPassword = password; // Using the submitted password directly
```

```
    const insertSql = "INSERT INTO Users (username, email, password) VALUES
(?, ?, ?)";
```

```
    // CORRECTED: Use plainPassword instead of hashedPassword
```

```
    db.run(insertSql, [username.trim(), email.trim(), plainPassword], function
(err) {
```

```
        if (err) {
```

```
            errors.push({ msg: "Could not register user. Please try again." });
```

```
            return res.render('register', { pageTitle: 'Register - EngliGo', errors: errors,
usernameValue: username, emailValue: email });
```

```
        }
```

```
        res.redirect('/login?status=registered');
```

```
    });
```

```
});
```

```
});
```

```
// --- User Login Routes ---
```

```

app.get('/login', (req, res) => {
  let successMsg = null;
  if (req.query.status === 'registered') {
    successMsg = 'Registration successful! Please log in.';
  }
  res.render('login', {
    pageTitle: 'Login - EngliGo',
    error: null,
    success_msg: successMsg
  });
});

app.post('/login', (req, res) => {
  const { username, password } = req.body;

  if (!username || !password) {
    return res.render('login', { pageTitle: 'Login - EngliGo', error: 'Username and
password are required.', success_msg: null });
  }

  const sql = "SELECT * FROM Users WHERE username = ?";
  db.get(sql, [username.trim()], (err, user) => { // Removed async
    if (err) {

```

```

        return res.render('login', { pageTitle: 'Login - EngliGo', error: 'Database
error. Please try again.', success_msg: null });
    }

    if (!user) {
        return res.render('login', { pageTitle: 'Login - EngliGo', error: 'Invalid
username or password.', success_msg: null });
    }

    // Direct plain text password comparison
    if (password === user.password) {
        req.session.isUserLoggedIn = true;
        req.session.userId = user.id;
        req.session.username = user.username;
        res.redirect('/');
    } else {
        return res.render('login', { pageTitle: 'Login - EngliGo', error: 'Invalid
username or password.', success_msg: null });
    }

    // Removed try-catch for bcrypt.compare as it's no longer used

});

});

// --- Logout Route ---
app.get('/logout', (req, res) => {

```

```
req.session.destroy(err => {  
  if (err) {  
    return res.redirect('/');  
  }  
  res.clearCookie('connect.sid');  
  res.redirect('/');  
});  
});
```

// Route to display submitted messages (Admin View)

```
app.get('/admin/messages', async (req, res) => {  
  const submissionsSql = "SELECT id, name, email, phone, birthdate,  
comment, submission_date FROM Submissions ORDER BY submission_date  
DESC";  
  
  // Corrected Users SQL to select only non-sensitive fields  
  
  const usersSql = "SELECT id, username, email FROM Users ORDER BY  
username ASC";  
  
  try {  
    const getAll = (sqlQuery, params = []) => {  
      return new Promise((resolve, reject) => {  
        db.all(sqlQuery, params, (dbErr, rows) => {  
          if (dbErr) { reject(dbErr); } else { resolve(rows); }  
        });  
      });  
    };  
  }  
});
```

```

    });
};

const [submissions, users] = await Promise.all([
    getAll(submissionsSql),
    getAll(usersSql)
]);

res.render('admin_messages', {
    pageTitle: 'Site Data Overview - EngliGo',
    submissions: submissions,
    users: users,
    loggedInUsername: req.session.username // Pass username if logged in
});
} catch (dbError) {
    console.error('Database error fetching data for admin/messages:',
dbError.message);
    res.status(500).send("Error retrieving data from the database.");
}
});

// Tell our application to listen to requests at port 3000 on the localhost
app.listen(port, () => {

```

```
console.log(` Web server running at: http://localhost:${port} `);  
console.log(` Type Ctrl+C to shut down the web server ` );  
});
```

header.ejs:

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  <title><%= typeof pageTitle !== 'undefined' ? pageTitle : 'EngliGo' %></title>  
  <link  
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c  
ss" rel="stylesheet" integrity="sha384-  
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG  
879m7" crossorigin="anonymous">  
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.11.3/font/bootstrap-icons.min.css">  
  <link rel="icon" href="/Resources/favicon-16x16.png" type="image/x-icon">  
<link rel="stylesheet" href="/style.css"> <link rel="preconnect"  
href="https://fonts.googleapis.com">  
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">

<style>

  body { display: flex; flex-direction: column; min-height: 100vh; }

  main.form-wrapper { flex-grow: 1; display: flex; align-items: center; justify-
content: center; padding-top: 20px; padding-bottom: 20px;}

    .form-container { max-width: 450px; width:100%; padding: 25px;
background-color: #fff; border-radius: 8px; box-shadow: 0 4px 8px
rgba(0,0,0,0.1); }

    .form-container h2 { margin-bottom: 20px; text-align: center; }

</style>

</head>

<body>

  <nav class="navbar navbar-expand-lg bg-body-tertiary" style="position:
sticky; top: 0; z-index: 50;">

    <div class="container-fluid">

      

      <a id="engligobrand" class="navbar-brand" href="/">EngliGo</a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

        aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

      </button>
```



```
<div class="collapse navbar-collapse" id="navbarSupportedContent" style="margin-left: 150px; font-size: 20px;">
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page" href="/">Home</a>
```

```
</li>
```

```
<li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="/learnEnglish.html" role="button" data-bs-toggle="dropdown"
```

```
aria-expanded="false">
```

```
Learn English
```

```
</a>
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="/learnEnglish.html">Learn English</a></li>
```

```
<li class="dropdown-submenu"> <a class="dropdown-item dropdown-toggle" href="/courses.html">Courses</a>
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="/preielts.html">Pre-IELTS</a></li>
```

```
<li><a class="dropdown-item" href="/ielts.html">IELTS</a></li>
```

```
</ul>
```

```
</li>
```

```
<li><hr class="dropdown-divider"></li>
```

```
        <li><a class="dropdown-item" href="/learningHub.html">Learning
Hub</a></li>
```

```
        <li><a class="dropdown-item" href="/books.html">Books</a></li>
```

```
    </ul>
```

```
</li>
```

```
<li class="nav-item">
```

```
    <a class="nav-link" href="/contactUs.html">Contact Us</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
    <a class="nav-link" href="/aboutUs.html">About US</a>
```

```
</li>
```

```
</ul>
```

```
<form class="d-flex" role="search">
```

```
        <input class="form-control me-2" type="search"
placeholder="Search" aria-label="Search">
```

```
        <button class="btn btn-outline-success"
type="submit">Search</button>
```

```
</form>
```

```
<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-
right: 10px;">
```

```
    <a href="/login" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">
```

```
        <i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>
```

```
    <span style="font-weight: 500; text-transform: uppercase; font-size: 0.9rem;">Log In</span>
```

```
  </a>
```

```
  <a href="#" class="nav-link position-relative" aria-label="View Cart">
```

```
    <i class="bi bi-cart3" style="font-size: 1.6rem;"></i>
```

```
    <span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-danger"
```

```
      style="font-size: 0.65em;">
```

```
      0
```

```
      <span class="visually-hidden">items in cart</span>
```

```
    </span>
```

```
  </a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
</body>
```

```
</html>
```

Footer.ejs :

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
</head>
```

```
<body>
```

```
  <footer class="bg-light text-center text-lg-start" style="margin-top: auto;">
```

```
    <div class="text-center p-3" style="background-color: rgb(205, 193, 255);">
```

```
      © 2023-<%= new Date().getFullYear() %> EngliGo:
```

```
      <a class="text-dark" href="/">EngliGo.net</a>
```

```
      <p class="mb-0">Design by: Aaron Alijani</p>
```

```
      <p class="mb-0">All rights reserved</p>
```

```
    </div>
```

```
  </footer>
```

```
                                                                 <script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.  
min.js"
```

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>

</body>

</html>

Login.ejs :

```
<%- include('header', { pageTitle: 'Login - EngliGo' }) %>
```

```
<main class="form-wrapper">
```

```
  <div class="form-container">
```

```
    <h2>User Login</h2>
```

```
    <% if (typeof error !== 'undefined' && error) { %>
```

```
      <div class="alert alert-danger" role="alert">
```

```
        <%= error %>
```

```
      </div>
```

```
    <% } %>
```

```
    <% if (typeof success_msg !== 'undefined' && success_msg) { %>
```

```
      <div class="alert alert-success" role="alert">
```

```
        <%= success_msg %>
```

```
      </div>
```

```
    <% } %>
```

```
  <form action="/login" method="POST">
```

```
    <div class="mb-3">
```

```
      <label for="username" class="form-label">Username</label>
```

```
        <input type="text" class="form-control" id="username"
name="username" required>
```

```
</div>
```

```
<div class="mb-3">
```

```
  <label for="password" class="form-label">Password</label>
```

```
    <input type="password" class="form-control" id="password"
name="password" required>
```

```
  </div>
```

```
  <button type="submit" class="btn btn-primary w-100">Login</button>
```

```
</form>
```

```
  <p class="mt-3 text-center">Don't have an account? <a
href="/register">Register here</a></p>
```

```
</div>
```

```
</main>
```

```
<%- include('footer') %>
```

Register.ejs :

```
<%- include('header', { pageTitle: 'Register - EngliGo' }) %>
```

```
<main class="form-wrapper">
```

```
<div class="form-container">
```

```
<h2>Create Your EngliGo Account</h2>
```

```
<% if (typeof errors !== 'undefined' && errors && errors.length > 0) { %>
```

```
<div class="alert alert-danger" role="alert">
```

```
<strong>Please correct the following errors:</strong>
```

```
<ul>
```

```
<% errors.forEach(function(error) { %>
```

```
<li><%= error.msg || error %></li>
```

```
<% }); %>
```

```
</ul>
```

```
</div>
```

```
<% } %>
```

```
<form action="/register" method="POST">
```

```
<div class="mb-3">
```

```
<label for="username" class="form-label">Username</label>
```



```
        <input type="text" class="form-control" id="username"
name="username" value="<%= typeof usernameValue !== 'undefined' ?
usernameValue : '' %>" required>
```

```
    </div>
```

```
    <div class="mb-3">
```

```
        <label for="email" class="form-label">Email Address</label>
```

```
        <input type="email" class="form-control" id="email" name="email"
value="<%= typeof emailValue !== 'undefined' ? emailValue : '' %>" required>
```

```
    </div>
```

```
    <div class="mb-3">
```

```
        <label for="password" class="form-label">Password</label>
```

```
        <input type="password" class="form-control" id="password"
name="password" required>
```

```
    </div>
```

```
    <div class="mb-3">
```

```
        <label for="confirmPassword" class="form-label">Confirm
Password</label>
```

```
        <input type="password" class="form-control" id="confirmPassword"
name="confirmPassword" required>
```

```
    </div>
```

```
        <button type="submit" class="btn btn-success w-
100">Register</button>
```

```
    </form>
```

```
    <p class="mt-3 text-center">Already have an account? <a
href="/login">Login here</a></p>
```

```
</div>
```

</main>

<%- include('footer') %>

Admin.messages.ejs : for showing databases

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title><%= typeof pageTitle !== 'undefined' ? pageTitle : 'Admin - Site Data'
%></title>

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet">

  <style>

    body { padding: 20px; }

    .table-responsive { margin-top: 20px; }

    h1, h2 { margin-bottom: 20px; margin-top: 30px; }

  </style>

</head>

<body>

  <div class="container">

    <h1><%= typeof pageTitle !== 'undefined' ? pageTitle : 'Site Data Overview'
%></h1>

    <h2>Contact Form Submissions</h2>

    <% if (typeof submissions !== 'undefined' && submissions.length > 0) { %>
```

```
<div class="table-responsive">

  <table class="table table-striped table-bordered">

    <thead class="table-dark">

      <tr>

        <th>ID</th>

        <th>Name</th>

        <th>Email</th>

        <th>Phone</th>

        <th>Birthdate</th>

        <th>Comment</th>

        <th>Date Submitted</th>

      </tr>

    </thead>

    <tbody>

      <% submissions.forEach(function(message) { %>

        <tr>

          <td><%= message.id %></td>

          <td><%= message.name %></td>

          <td><%= message.email %></td>

          <td><%= message.phone %></td>

          <td><%= message.birthdate %></td>

          <td><pre><%= message.comment %></pre></td>
```

```
        <td><%= new Date(message.submission_date).toLocaleString()
%></td>
```

```
    </tr>
```

```
    <% }); %>
```

```
  </tbody>
```

```
</table>
```

```
</div>
```

```
<% } else { %>
```

```
    <p class="alert alert-info">No contact submissions found.</p>
```

```
<% } %>
```

```
<h2>Registered Users</h2>
```

```
<% if (typeof users !== 'undefined' && users.length > 0) { %>
```

```
  <div class="table-responsive">
```

```
    <table class="table table-striped table-bordered">
```

```
      <thead class="table-primary"> <tr>
```

```
        <th>User ID</th>
```

```
        <th>Username</th>
```

```
        <th>Email</th>
```

```
      </tr>
```

```
    </thead>
```

```
    <tbody>
```

```
      <% users.forEach(function(user) { %>
```

```

        <tr>

            <td><%= user.id %></td>

            <td><%= user.username %></td>

            <td><%= user.email %></td>

        </tr>

        <% }); %>

    </tbody>

</table>

</div>

<% } else { %>

    <p class="alert alert-info">No registered users found.</p>

    <% } %>

    <p class="mt-4"><a href="/" class="btn btn-secondary">Back to
Homepage</a></p>

</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"></script>

</body>

</html>

```

Homepage :

HTML code :

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<!--Bootstrap -->
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c  
ss" rel="stylesheet"
```

```
integrity="sha384-  
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApcHrRKUc4W0kG  
879m7" crossorigin="anonymous">
```

```
<!--Bootstrap Icons-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.11.3/font/bootstrap-icons.min.css">
```

```
<!--Favicon-->
```

```
<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">
```

```
<!--Css Link-->
```

```
<link rel="stylesheet" href="style.css">
```

```
<!--Google Fonts-->
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">

<title>Engli Go</title>
</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

  <div class="container-fluid">

    <!--Engli Go Logo-->

    

    <!--Engli Go Text-->

    <a id="engligobrand" class="navbar-brand" href="index.html">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

      aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>
```



```
<div class="collapse navbar-collapse" id="navbarSupportedContent" style="margin-left: 150px; font-size: 20px;">
```

```
<!--Creating Navbar items-->
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page" href="index.html">Home</a>
```

```
</li>
```

```
<!--Making an item dropdown-->
```

```
<li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html" role="button" data-bs-toggle="dropdown"
```

```
aria-expanded="false">
```

```
Learn English
```

```
</a>
```

```
<!--Creating dropdown menu-->
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="learnEnglish.html">Learn English</a></li>
```

```
<li class="dropdown-submenu"> <a class="dropdown-item dropdown-toggle" href="courses.html">Courses</a>
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="preielts.html">Pre-IELTS</a></li>
```

```
<li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
```

```
</ul>

</li>

<li>

  <hr class="dropdown-divider">

</li>

<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>

  <li><a class="dropdown-item" href="books.html">Books</a></li>

</ul>

</li>

<li class="nav-item">

  <a class="nav-link" href="contactUs.html">Contact Us</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="aboutUs.html">About US</a>

</li>

</ul>

<!--Creating search-->

<form class="d-flex" role="search">

  <input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">

  <button class="btn btn-outline-success"
type="submit">Search</button>

</form>
```

```

<!--creating log in and view cart-->

<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-right:
10px;">

    <a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">

        <i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>

        <span style="font-weight: 500; text-transform: uppercase; font-size:
0.9rem;">Log In</span>

    </a>

    <a href="#" class="nav-link position-relative" aria-label="View Cart">

        <i class="bi bi-cart3" style="font-size: 1.6rem;"></i>

        <span class="position-absolute top-0 start-100 translate-middle badge
rounded-pill bg-danger"

            style="font-size: 0.65em;">

                0

            <span class="visually-hidden">items in cart</span>

        </span>

    </a>

</div>

</div>

</div>

</nav>

<!--Hero Image-->

<div class="heroImage">

```

```

```

```
<svg id="visual1" viewBox="0 0 900 600"
xmlns="http://www.w3.org/2000/svg"
```

```
xmlns:xlink="http://www.w3.org/1999/xlink" version="1.1"
preserveAspectRatio="none" class="svg-divider">
```

```
<path
```

```
d="M0 508L30 505.5C60 503 120 498 180 487.3C240 476.7 300 460.3 360
463.3C420 466.3 480 488.7 540 488.8C600 489 660 467 720 466.2C780 465.3
840 485.7 870 495.8L900 506L900 601L870 601C840 601 780 601 720
601C660 601 600 601 540 601C480 601 420 601 360 601C300 601 240 601
180 601C120 601 60 601 30 601L0 601Z"
```

```
fill="rgb(191, 236, 255)" stroke-linecap="round" stroke-
linejoin="miter"></path>
```

```
</svg>
```

```
</div>
```

```
<!--Create a container for the text and image-->
```

```
<div class="firstSection container-fluid" style="background-color:rgb(191,
236, 255); margin-top: -20px;">
```

```
<h1 id="siteDirectionTitle" class="text-center">
```

```
<span class="title-highlight">Learn English with EngliGo</span>
```

```
</h1>
```

```
<div class="row" style="margin-top: 100px; margin-bottom: 50px;">
```

```
<div class="siteDirectionSection col-md-4 col-sm-12 position-relative">
```

```

```

```
<h1 class="siteDirectionDesc"><a class="siteDirectionLink"
href="courses.html">Courses</a></h1>
```

```
</div>
```

```
<div class="siteDirectionSection col-md-4 col-sm-12 position-relative">
```

```

```

```
<h1 class="siteDirectionDesc"><a class="siteDirectionLink"
href="books.html">Books</a></h1>
```

```
</div>
```

```
<div class="siteDirectionSection col-md-4 col-sm-12 position-relative">
```

```

```

```
<h1 class="siteDirectionDesc"><a class="siteDirectionLink"
href="learningHub.html">Learning Hub</a></h1>
```

```
</div>
```

```
</div>
```

```
<!--Create a wave svg in Haikei website and add the svg here-->
```

```
<svg id="visual2" viewBox="0 0 900 600"
xmlns="http://www.w3.org/2000/svg"
```

```
xmlns:xlink="http://www.w3.org/1999/xlink" version="1.1"
preserveAspectRatio="none" class="svg-divider">
```

```
<path
```

```
d="M0 508L30 505.5C60 503 120 498 180 487.3C240 476.7 300 460.3 360
463.3C420 466.3 480 488.7 540 488.8C600 489 660 467 720 466.2C780 465.3
```

840 485.7 870 495.8L900 506L900 601L870 601C840 601 780 601 720
601C660 601 600 601 540 601C480 601 420 601 360 601C300 601 240 601
180 601C120 601 60 601 30 601L0 601Z"

fill="rgb(255, 246, 227)" stroke-linecap="round" stroke-
linejoin="miter"></path>

</svg>

</div>

<!--Create next section -carousel-->

<div class="secondSection container-fluid">

<div class="container">

<div id="carouselSlidesMain" class="carousel slide image-fluid" data-bs-
ride="carousel">

<div class="carousel-inner">

<div class="carousel-item active">

</div>

<div class="carousel-item">

</div>

<div class="carousel-item">

</div>

</div>

<button class="carousel-control-prev" type="button" data-bs-target="#carouselSlidesMain" data-bs-slide="prev">

Previous

</button>

<button class="carousel-control-next" type="button" data-bs-target="#carouselSlidesMain" data-bs-slide="next">

Next

</button>

</div>

<div class="container text-center mt-5 mb-5" style="z-index: 200">

<button type="button" class="btn btn-primary btn-lg" onclick="window.location.href='learnEnglish.html'">Learn English</button>

</div>

</div>

<!--Create a wave svg in Haikei website and add the svg here-->

<svg id="visual3" viewBox="0 0 900 600" xmlns="http://www.w3.org/2000/svg"

xmlns:xlink="http://www.w3.org/1999/xlink" version="1.1" preserveAspectRatio="none" class="svg-divider">

<path

```
d="M0 508L30 505.5C60 503 120 498 180 487.3C240 476.7 300 460.3 360
463.3C420 466.3 480 488.7 540 488.8C600 489 660 467 720 466.2C780 465.3
840 485.7 870 495.8L900 506L900 601L870 601C840 601 780 601 720
601C660 601 600 601 540 601C480 601 420 601 360 601C300 601 240 601
180 601C120 601 60 601 30 601L0 601Z"
```

```
fill="rgb(255, 204, 234)" stroke-linecap="round" stroke-
linejoin="miter"></path>
```

```
</svg>
```

```
</div>
```

```
<!--Create last section of homepage contact form-->
```

```
<div class="thirdSection container-fluid" style="background-color: rgb(255,
204, 234);">
```

```
<div class="contact-form-container">
```

```
<h3>Contact Us</h3>
```

```
<form class="needs-validation" novalidate>
```

```
<div class="mb-3">
```

```
<label for="contactName" class="form-label">Name</label>
```

```
<input type="text" class="form-control" id="contactName"
name="contact_name" placeholder="Enter your name"
```

```
required />
```

```
<div class="invalid-feedback">
```

```
Please enter your Name.
```

```
</div>
```



```
<div class="valid-feedback">
```

```
  Looks good!
```

```
</div>
```

```
</div>
```

```
<div class="mb-3">
```

```
  <label for="contactEmail" class="form-label">Email Address</label>
```

```
  <input type="email" class="form-control" id="contactEmail"
name="contact_email" placeholder="name@example.com"
```

```
    required />
```

```
  <div class="invalid-feedback">
```

```
    Please enter your Email.
```

```
  </div>
```

```
  <div class="valid-feedback">
```

```
    Looks good!
```

```
  </div>
```

```
</div>
```

```
<div class="mb-3">
```

```
  <label for="contactComment" class="form-label">Comment or
Message</label>
```

```
  <textarea class="form-control" id="contactComment"
name="contact_comment" rows="5"
```

```
    placeholder="Enter your message here..." required></textarea>
```

```
<div class="invalid-feedback">
```

```
    Please Type Your Comment.
```

```
</div>
```

```
<div class="valid-feedback">
```

```
    Looks good!
```

```
</div>
```

```
</div>
```

```
<div class="text-center">
```

```
    <button type="submit" class="btn btn-primary btn-lg">Submit  
    Message</button>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<!--Footer-->
```

```
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">
```

```
    <div class="text-center " style="background-color: rgb(205, 193, 255);  
padding-top: 10px;">
```

```
    © 2023 EngliGo:
```

```
    <a class="text-dark" href="#">EngliGo.net</a>
```

```
    <p>Design by: Aaron Alijani</p>
```

```
    <p>All rights reserved</p>
```

```
</div>

</footer>

<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>

<!--Adding Javascript-->

<script src="engliGo.js"></script>

</body>

</html>
```

CSS code :

```
* {
margin: 0;
padding: 0;
box-sizing: border-box;
```

```
}
```

```
/*Add font to page*/
```

```
@font-face {
```

```
    font-family: "Roboto Condensed";
```

```
    src: url(Fonts/RobotoCondensed-Regular.ttf) format("truetype");
```

```
}
```

```
@font-face {
```

```
    font-family: "Dynamilis";
```

```
    src: url(Fonts/Dynamilis.ttf) format("truetype");
```

```
}
```

```
@font-face {
```

```
    font-family: "Roboto";
```

```
    src: url(Fonts/Roboto-Regular.ttf) format("truetype");
```

```
}
```

```
/* Make sure html takes full height */
```

```
html {
```

```
    height: 100%;
```

```
}
```

```
/*determine the font of page*/
```

```
body {  
    font-family: "Roboto", sans-serif;  
}
```

```
/*Navbar styles*/
```

```
/*change logo style*/
```

```
#logo {  
    width: 150px;  
    height: 100px;  
    padding: 3px;  
    margin-left: 10px;  
}
```

```
#logo:hover {  
    background-color: rgb(255, 204, 234);  
    transition: all 0.8s ease-in-out;  
    transform: scale(1.1);  
    border: none 100px;  
    width: 160px;  
    height: 110px;  
    border-radius: 50%;  
    display: flex;  
    justify-content: center;
```

```
align-items: center;
```

```
}
```

```
/*change the engligo word in navbar*/
```

```
#engligobrand {
```

```
font-size: 50px;
```

```
margin-left: 10px;
```

```
font-family: "Dynalight", cursive;
```

```
font-weight: 400;
```

```
font-style: normal;
```

```
}
```

```
/*change font of navbar*/
```

```
#navbarMenu {
```

```
font-family: "Roboto Condensed", sans-serif;
```

```
font-optical-sizing: auto;
```

```
font-style: normal;
```

```
}
```

```
/*CSS for Dropdown Submenu*/
```

```
.dropdown-submenu {
```

```
position: relative;
```

```
}
```

```
/*change the menu style nested in submenu( learn english)*/
```

```
.dropdown-submenu .dropdown-menu {  
    position: absolute;  
    top: 0;  
    left: 100%; /* Position the submenu to the right of the parent item */  
    margin-top: 0;  
    display: none;  
    z-index: 1000; /* Ensure the submenu appears above other elements */  
}
```

/* Show the submenu when hovering over the parent list */

```
.dropdown-submenu:hover>.dropdown-menu {  
    display: block;  
}
```

/*Style for the submenu items */

```
.dropdown-submenu>.dropdown-item.dropdown-toggle::after {  
    display: inline-block;  
    width: 0.5em;  
    height: 0.5em;  
    margin-left: .255em;  
    vertical-align: .255em;  
    content: "-->";
```

```
border-top: .3em solid transparent;
border-right: 0;
border-bottom: .3em solid transparent;
}
```

```
/* Ensure the arrow points down on mobile view */
```

```
@media (max-width: 991.98px) {

.dropdown-submenu>.dropdown-item.dropdown-toggle::after {
    transform: rotate(0deg);
    border-left: .3em solid transparent;
    border-right: .3em solid transparent;
    border-top: .3em solid;
    border-bottom: 0;
    vertical-align: middle;
}
}
```

```
.dropdown-submenu .dropdown-menu {
    left: 100%;
    width: 100%;
}
```

```
@media (max-width: 991.98px) {
```



```
.dropdown-submenu .dropdown-menu {  
    left: 0;  
    width: 100%;  
}  
}
```

```
/*Home Page Styles*/
```

```
/*change the style of First image of site ( Hero )*/
```

```
.heroImage {  
    position: relative;  
    padding-bottom: 250px;  
    background-color: white;  
}
```

```
/*We do this to create the wave */
```

```
.siteDirectionSection {  
    position: relative; /* Position relative to the parent to force texts to change  
    considering images*/  
}  
  
.siteDirectionSection img {  
    object-fit: cover;
```

```
height: 300px;
width: 100%;
}
```

```
.siteDirectionDesc {
    position: absolute; /* Position relative to the Child to change the position of
texts */
    top: 80%; /* Move the top edge to position nearly bottom of Image */
    left: 50%; /* Move the left edge to the middle */
    transform: translate(-50%, -50%); /* Shift elements back by half its own
width/height to center it */
    background-color: white;
    color: #333;
    padding: 10px 50px;
    text-align: center;
    text-transform: uppercase;
    font-size: 2rem;
    font-weight: bold;
    letter-spacing: 1px;
    width: auto;
    white-space: nowrap;
    margin: 0;
    z-index: 10; /*to make shure wave wont come on this element*/
}
```

```
}
```

```
.siteDirectionDesc:hover {  
    background-color: rgb(255, 204, 234);  
    cursor: pointer;  
}
```

```
.siteDirectionLink {  
    text-decoration: none;  
    color: inherit; /*inherit color from parent instead of usual anchor */  
    z-index: 2;  
}
```

```
.firstSection {  
    position: relative;  
    padding-bottom: 400px;  
    background-color: rgb(191, 236, 255);  
}
```

```
#siteDirectionTitle {  
    border: none;  
}
```

```
#siteDirectionTitle span.title-highlight {  
    background-color: #FFF6E3;  
    padding: 18px 18px;  
    border-radius: 8px;  
    display: inline-block;  
    line-height: 1.4;  
}
```

/* Position and size of the SVG divider relative to wave created in Haikei*/

```
.svg-divider {  
    position: absolute;  
    bottom: 0;  
    left: 0;  
    width: 100%;  
    height: 1000px;  
    display: block;  
    z-index: 1;  
}
```

```
.img-fluid {  
    display: block;  
    width: 100%;  
    height: auto;
```

```
}
```

```
.secondSection {  
    background-color: rgb(255, 246, 227);  
    padding-bottom: 300px;  
    position: relative;  
    z-index: 1;  
}
```

```
/*will set image items inside the courousel */
```

```
#carouselSlidesMain .carousel-item img {  
    height: 80vh;  
    object-fit: cover; /* Cover the entire area of the carousel item */  
    object-position: center;  
    width: 100%;  
    display: block;  
}
```

```
#carouselSlidesMain .carousel-item {  
    height: 80vh;  
    overflow: hidden;  
}
```

```
/* --- Add Media Query for smaller screens --- */  
  
@media (max-width: 767.98px) {  
  
    /* mobile devices */  
  
    #carouselSlidesMain .carousel-item img,  
    #carouselSlidesMain .carousel-item {  
        height: 250px; /* Adjust height for mobile devices */  
    }  
}  
  
#carouselSlidesMain .carousel-control-prev,  
#carouselSlidesMain .carousel-control-next {  
    z-index: 10;  
}  
  
.thirdSection {  
    position: relative;  
    z-index: 2;  
    padding-bottom: 100px;  
}  
  
/* Make sure SVG is properly sized */  
  
#visual3.svg-divider {  
    height: auto; /* Adjust height for SVG */
```

```
    z-index: 1;
}
```

```
.contact-form-container {
    max-width: 600px; /* Limit form width */
    margin: 0px auto; /* Center form on page and add spacing */
    padding: 30px;
    background-color: #f8f9fa;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
}
```

```
.contact-form-container h3 {
    margin-bottom: 25px;
    text-align: center;
}
```

```
footer {
    position: relative;
    z-index: 3; /* Makes sure it's on top */
}
```

```
/*learn English Page Style*/
```

```
#carouselSlideslearnEnglish {
```

```
margin: auto /* Center the carousel */;
margin-top: 40px;
margin-bottom: 20px;
transition: transform 0.2s ease;
transform-style: preserve-3d;
object-fit: cover;
object-position: center;
max-height: 600px;
width: 80%;

}

#carouselSlideslearnEnglish:hover {
    transform: perspective(1000px) rotateY(5deg);
    transition: transform 0.5s ease;
}

#carouselSlideslearnEnglish .carousel-item img {
    max-height: 600px;
    object-fit: cover;
}

/* for medium screens and below */
@media (max-width: 768px) {
    .learnEnglishMainText {
```



```
        width:20ch
    }
}
```

```
.learnEnglisgSection {
    display: flex;
    justify-content: space-between;
    flex-wrap: wrap;
    gap: 20px;
    margin-bottom: 50px;
}
```

```
.learnEnglisgSectionItem {
    text-align: center;
    transition: transform 0.3s ease, box-shadow 0.3s ease;
}
```

```
.learnEnglisgSectionItem img {
    width: 100%;
    height: auto;
    border-radius: 8px;
    transition: transform 0.3s ease;
```

```
}
```

```
.learnEnglisgSectionItem p {
```

```
    font-weight: bold;
```

```
    margin-top: 10px;
```

```
    transition: color 0.3s ease;
```

```
}
```

```
.learnEnglisgSectionItem a {
```

```
    text-decoration: none;
```

```
    color: inherit; /* inherit color from parent instead of usual anchor */
```

```
    display: block; /* Make the entire item clickable */
```

```
}
```

```
.learnEnglisgSectionItem:hover img {
```

```
    transform: scale(1.05);
```

```
    box-shadow: 0 8px 16px rgba(0, 0, 0, 0.2);
```

```
}
```

```
.learnEnglisgSectionItem:hover p {
```

```
    background-color: #CDC1FF; /* change text color on hover */
```

```
}
```

```
/*Courses Page*/
```

```
.coursesherotext {  
  position: absolute;  
  top: 30%;  
  left: 5%;  
  font-size: 4rem  
}
```

```
@media (max-width: 768px) {  
  .coursesherotext {  
    font-size: 2rem;  
    text-align: center;  
    width: auto;  
    top: 10%;  
  }  
  #courseshero {  
    height: 40vh;  
  }  
}
```

```
.card {  
  overflow: hidden;
```

```
border-radius: 15px;  
border: none;  
height: 500px;  
}
```

```
.card-img {  
  object-fit: cover;  
  height: 100%;  
  width: 100%;  
  transition: transform 0.5s ease, opacity 0.5s ease;  
}
```

/ When hovering on the card, zoom in the image a little */*

```
.card:hover .card-img {  
  transform: scale(1.1);  
  opacity: 0.9;  
}
```

```
.overlay {  
  position: absolute;  
  inset: 0;  
  background: rgba(0, 0, 0, 0.4);  
  display: flex;  
  flex-direction: column;
```

```
justify-content: flex-end;
align-items: center;
padding: 20px;
border-radius: 15px;
position: absolute;
top: 0;
left: 0;
width: 100%;
height: 100%;
opacity: 0;
transition: opacity 0.5s ease;
}

.card:hover .overlay {
  opacity: 1;
}

.card-btn {
  font-size: 1.5rem;
  padding: 15px 20px;
  margin-bottom: 20px;
  transition: transform 0.3s ease;
}

.card:hover .card-btn {
```

```
transform: scale(1.1);  
}
```

```
/*books section*/
```

```
#carouselbookssection .carousel-inner,  
#carouselbookssection .carousel-item,  
#carouselbookssection img {  
    height: 90vh;  
    object-fit: fill;  
    object-position: center;  
}
```

```
#carouselbookssection .carousel-caption {  
    background-color: rgb(255, 204, 234);  
    color: black;  
}
```

```
#bookshelf .card-hover {  
    overflow: hidden;  
    border-radius: 20px;  
    transition: transform 0.3s ease;  
    position: relative;  
}
```

```
#bookshelf .card-hover .card-img {  
    border-radius: 20px; /* Add this */
```

```
    transition: transform 0.5s ease;
}
#bookshelf .card-hover:hover .card-img{
    transform: scale(1.05);
}
```

LearnEnglish :

- Making the carousel automated to tilt a little when hovering
- Adding background color
- Add a 3-item card and make both images and the title animate when hovering. Images will zoom a little, and titles will gain a purple background

HTML Code:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<!--Bootstrap -->

<link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.css" rel="stylesheet"

integrity="sha384-SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApcHrRKUc4W0kG879m7" crossorigin="anonymous">

<!--Bootstrap Icons-->

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css">

<!--Favicon-->

<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">

<!--Css Link-->

<link rel="stylesheet" href="style.css">

<!--Google Fonts-->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>


```
<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>Learn English</title>
</head>
```

```
<body>
```

```
<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

  <div class="container-fluid">

    

    <a id="engligobrand" class="navbar-brand" href="index.html">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

      aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

      <ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

        <li class="nav-item">
```

```
<a class="nav-link active" aria-current="page"
href="index.html">Home</a>
```

```
</li>
```

```
<li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
```

```
aria-expanded="false">
```

```
Learn English
```

```
</a>
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="learnEnglish.html">Learn
English</a></li>
```

```
<li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="preielts.html">Pre-
IELTS</a></li>
```

```
<li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
```

```
</ul>
```

```
</li>
```

```
<li>
```

```
<hr class="dropdown-divider">
```

```
</li>
```

```
<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
```

```
    <li><a class="dropdown-item" href="books.html">Books</a></li>
  </ul>
</li>
<li class="nav-item">
  <a class="nav-link" href="contactUs.html">Contact Us</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="aboutUs.html">About US</a>
</li>
</ul>
<form class="d-flex" role="search">
  <input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">
  <button class="btn btn-outline-success"
type="submit">Search</button>
</form>
<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-right:
10px;">
  <a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">
    <i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>
    <span style="font-weight: 500; text-transform: uppercase; font-size:
0.9rem;">Log In</span>
  </a>
```

```
<a href="#" class="nav-link position-relative" aria-label="View Cart">
  <i class="bi bi-cart3" style="font-size: 1.6rem;"></i>
  <span class="position-absolute top-0 start-100 translate-middle badge
rounded-pill bg-danger"
  style="font-size: 0.65em;">
    0
  <span class="visually-hidden">items in cart</span>
</span>
</a>
</div>
</div>
</div>
</nav>
<!--Main Content-->
<div class="container-fluid" style="background-color: rgb(191, 236, 255);">
  <div class="container">
    <div class="row justify-content-center">
      <div class="col-md-12 col-sm-12">
        <div id="carouselSlideslearnEnglish" class="carousel slide" data-bs-
ride="carousel">
          <div class="carousel-inner">
            <div class="carousel-item active">
              
```

</div>

<div class="carousel-item image-fluid">

</div>

<div class="carousel-item">

</div>

</div>

</div>

</div>

<div class="col-md-12 col-sm-12 d-flex flex-column justify-content-center align-items-center text-center "

style="font-size: 30px; ">

<p class="learnEnglishMainText" style="margin-top: 50px; margin-bottom: 50px; width:65ch;">Ready to take your

English skills to the next level? Discover the perfect learning path for you within EngliGo, choosing from

structured courses, personalized mentoring, helpful books, and our free Learning Hub resources.</p>

</div>

<hr style="width: 100%; height: 2px; background-color: #BFECFF; border: none; margin-top: 50px;">

<div class="learnEnglisgSections row" style=" margin-bottom: 50px;">

```

<div class="learnEnglisgSectionItem col-md-4 col-sm-12">
    <a href="courses.html"> </a>
    <p class="mt-3"><a href="courses.html">Courses</a></p>
</div>

<div class="learnEnglisgSectionItem col-md-4 col-sm-12">
    <a href="books.html"> </a>
    <p class="mt-3"><a href="books.html">Books</a></p>
</div>

<div class="learnEnglisgSectionItem col-md-4 col-sm-12">
    <a href="learningHub.html"> </a>
    <p class="mt-3"><a href="learningHub.html">Learning Hub</a></p>
</div>
</div>
</div>
</div>
</div>
<!--Footer-->
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

```

```
<div class="text-center pt-3" style="background-color: rgb(205, 193, 255);">
```

```
  © 2023 EngliGo:
```

```
  <a class="text-dark" href="#">EngliGo.net</a>
```

```
  <p>Design by: Aaron Alijani</p>
```

```
  <p>All rights reserved</p>
```

```
</div>
```

```
</footer>
```

```
<!--Bootstrap JS-->
```

```
<script
```

```
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.min.js"
```

```
  integrity="sha384-k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5zNLiq"
```

```
  crossorigin="anonymous"></script>
```

```
</body>
```

```
</html>
```

About US :

- Give a background color
- Make about us an absolute position and place in the middle with a background of the same as the body to make it something like the 3D title
- Adding Social media icons

HTML Code:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<!--Bootstrap -->
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c  
ss" rel="stylesheet"
```

```
integrity="sha384-  
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG  
879m7" crossorigin="anonymous">
```

```
<!--Bootstrap Icons-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.11.3/font/bootstrap-icons.min.css">
```

```
<!--Favicon-->
```

```
<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">
```

```
<!--Css Link-->
```

```
<link rel="stylesheet" href="style.css">
```

```
<!--Google Fonts-->
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```



```
<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>About Us</title>
```

```
</head>
```

```
<body>
```

```
<!--Navbar-->
```

```
<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">
```

```
<div class="container-fluid">
```

```

```

```
<a id="engligobrand" class="navbar-brand" href="index.html">EngliGo</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"
```

```
aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
<li class="nav-item">

  <a class="nav-link active" aria-current="page"
href="index.html">Home</a>

</li>

<li class="nav-item dropdown">

  <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
  aria-expanded="false">
    Learn English
  </a>

  <ul class="dropdown-menu">

    <li><a class="dropdown-item" href="learnEnglish.html">Learn
English</a></li>

    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>

      <ul class="dropdown-menu">

        <li><a class="dropdown-item" href="preielts.html">Pre-
IELTS</a></li>

        <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>

      </ul>

    </li>

    <li>

      <hr class="dropdown-divider">

    </li>
```

```
<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
```

```
<li><a class="dropdown-item" href="books.html">Books</a></li>
```

```
</ul>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="contactUs.html">Contact Us</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="aboutUs.html">About US</a>
```

```
</li>
```

```
</ul>
```

```
<form class="d-flex" role="search">
```

```
<input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">
```

```
<button class="btn btn-outline-success"
type="submit">Search</button>
```

```
</form>
```

```
<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-right:
10px;">
```

```
<a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">
```

```
<i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>
```

```
<span style="font-weight: 500; text-transform: uppercase; font-size: 0.9rem;">Log In</span>
```

```
</a>
```

```
<a href="#" class="nav-link position-relative" aria-label="View Cart">
```

```
<i class="bi bi-cart3" style="font-size: 1.6rem;"></i>
```

```
<span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-danger"
```

```
style="font-size: 0.65em;">
```

```
0
```

```
<span class="visually-hidden">items in cart</span>
```

```
</span>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!--Main Content of about us-->
```

```
<div class="container-fluid" style="background-color: #BFECFF;">
```

```
<div class="container" style="height:80vh;">
```

```
<h1 style="font-size:100px; position:relative; top: 90px; left:450px; display: inline-block;
```

```
background-color: #BFECFF; padding: 10px 20px; border-radius: 12px;
```

```
backdrop-filter: blur(3px)">About Us</h1>
```

```
<div class="row">
```

```
<div class="col-md-6 col-sm-12">

  

</div>

<div class="col-md-6 col-sm-12 d-flex flex-column justify-content-center
" style="font-size: 20px; text-align: justify;">

  <p>EngliGo helps you move beyond just learning English rules to feeling
fluent and communicating with

  confidence. We focus on practical application, building self-assurance,
and providing engaging, personalized

  learning paths through our courses (including IELTS prep), mentoring,
free Learning Hub resources, and

  curated books. Our mission is to empower you to find your voice in
English.</p>

</div>

</div>

<div class="row" style="margin-top: 50px; margin-left: 100px;">

  <div class="col-md-4 col-sm-12">

    <a href="https://twitter.com" target="_blank" class="mx-3" style="font-
size: 2rem; color: #333;">

      <i class="bi bi-twitter"></i>

    </a>

  </div>

  <div class="col-md-4 col-sm-12">
```

[](https://facebook.com)

<i class="bi bi-facebook"></i>

**

</div>

<div class="col-md-4 col-sm-12">

[](https://instagram.com)

<i class="bi bi-instagram"></i>

**

</div>

</div>

</div>

</div>

<!--Footer-->

<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

<div class="text-center " style="background-color: rgb(205, 193, 255);">

© 2023 EngliGo:

EngliGo.net

<p>Design by: Aaron Alijani</p>

<p>All rights reserved</p>

</div>

</footer>

```
<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

  integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+eplOQJWyd1fbcAu9OCUj5z
NLiq"

  crossorigin="anonymous"></script>

</body>

</html>
```

Contact US :

- Make a background picture for the whole body
- Give a JavaScript validation to the form

HTML Code :

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<!--Bootstrap -->
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c  
ss" rel="stylesheet"
```

```
integrity="sha384-  
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG  
879m7" crossorigin="anonymous">
```

```
<!--Bootstrap Icons-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.11.3/font/bootstrap-icons.min.css">
```

```
<!--Favicon-->
```

```
<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">
```

```
<!--Css Link-->
```

```
<link rel="stylesheet" href="style.css">
```

```
<!--Google Fonts-->
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```



```
<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">
```

```
<title>Contact US</title>
```

```
</head>
```

```
<body>
```

```
<!--Navbar-->
```

```
<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">
```

```
<div class="container-fluid">
```

```

```

```
<a id="engligo-brand" class="navbar-brand" href="index.html">EngliGo</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"
```

```
aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page"
href="index.html">Home</a>
```

```
</li>
```

```
<li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
```

```
aria-expanded="false">
```

```
Learn English
```

```
</a>
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="learnEnglish.html">Learn
English</a></li>
```

```
<li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>
```

```
<ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="preielts.html">Pre-
IELTS</a></li>
```

```
<li><a class="dropdown-item" href="ielts.html">IELTS</a></li>
```

```
</ul>
```

```
</li>
```

```
<li>
```

```
<hr class="dropdown-divider">
```

```
</li>
```

```
<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
```

```
    <li><a class="dropdown-item" href="books.html">Books</a></li>

  </ul>

</li>

<li class="nav-item">

  <a class="nav-link" href="contactUs.html">Contact Us</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="aboutUs.html">About US</a>

</li>

</ul>

<form class="d-flex" role="search">

  <input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">

  <button class="btn btn-outline-success"
type="submit">Search</button>

</form>

<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-right:
10px;">

  <a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">

    <i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>

    <span style="font-weight: 500; text-transform: uppercase; font-size:
0.9rem;">Log In</span>

  </a>
```

```
<a href="#" class="nav-link position-relative" aria-label="View Cart">
  <i class="bi bi-cart3" style="font-size: 1.6rem;"></i>
  <span class="position-absolute top-0 start-100 translate-middle badge
rounded-pill bg-danger"
  style="font-size: 0.65em;">
    0
  <span class="visually-hidden">items in cart</span>
</span>
</a>
</div>
</div>
</div>
</nav>
<!--Contact Us-->
<div class="container-fluid"
  style="background-image: url('Resources/Unplash-classrom.jpg');
background-size: cover; height: 100vh; background-position: center;
background-repeat: no-repeat;">
  <div class="container " style="padding-top: 100px; ">
    <div class="contact-form-container">
      <h3>Contact Us</h3>
      <form class="needs-validation" novalidate>

      <div class="mb-3">
```

```
<label for="contactName" class="form-label">Name</label>

<input type="text" class="form-control" id="contactName"
name="contact_name" placeholder="Enter your name"
required />

<div class="invalid-feedback">

    Please enter your Name.

</div>

<div class="valid-feedback">

    Looks good!

</div>
</div>


<div class="mb-3">

    <label for="contactEmail" class="form-label">Email Address</label>

    <input type="email" class="form-control" id="contactEmail"
name="contact_email"

        placeholder="name@example.com" required />

    <div class="invalid-feedback">

        Please enter your Email.

    </div>

    <div class="valid-feedback">

        Looks good!

    </div>

</div>
```

```
<div class="row mb-3">

  <div class="col-md-6 col-sm-12">

    <label for="contactPhone" class="form-label">Phone Number</label>

    <input type="tel" class="form-control" id="contactPhone"
name="contact_phone" placeholder="*****"

      required />

    <div class="invalid-feedback">

      Please enter your Phone Number.

    </div>

    <div class="valid-feedback">

      Looks good!

    </div>

  </div>

  <div class="col-md-6 col-sm-12">

    <label for="birthdate" class="form-label">Date of Birth</label>

    <input type="date" class="form-control" id="contactBirthdate"
name="contact_birthdate" required />

    <div class="invalid-feedback">

      Please enter your Date Of Birth.

    </div>

    <div class="valid-feedback">

      Looks good!

    </div>

  </div>

</div>
```

</div>

<div class="mb-3">

<label for="contactComment" class="form-label">Comment or
Message</label>

<textarea class="form-control" id="contactComment"
name="contact_comment" rows="5"

placeholder="Enter your message here..." required></textarea>

<div class="invalid-feedback">

Please Type your Comment.

</div>

<div class="valid-feedback">

Looks good!

</div>

</div>

<div class="text-center">

<button type="submit" class="btn btn-primary btn-lg">Submit
Message</button>

</div>

</form>

</div>

</div>

</div>

<!--Footer-->

<div>

<footer class="bg-light text-center text-lg-start " style="margin-top: 0px;">

<div class="text-center " style="background-color: rgb(205, 193, 255);">

© 2023 EngliGo:

EngliGo.net

<p>Design by: Aaron Alijani</p>

<p>All rights reserved</p>

</div>

</footer>

</div>

<!--Bootstrap JS-->

<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.min.js"

integrity="sha384-k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5zNLiq"

crossorigin="anonymous"></script>

<!--Adding Javascript-->

<script src="engliGo.js"></script>

</body>

</html>

Courses :

- Adding a title inside the hero image

- Adding another section with a colored background includes 2 cards and an animation hover style. When hovering, it will zoom a little, gain a dark overlay, and a button will appear at the bottom middle of it.

HTML Code:

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <!--Bootstrap -->

    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c
ss" rel="stylesheet"

    integrity="sha384-
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG
879m7" crossorigin="anonymous">

    <!--Bootstrap Icons-->

    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">

    <!--Favicon-->

    <link rel="icon" href="Resources/favicon-16x16.png" type="image/x-
icon">

    <!--Css Link-->

    <link rel="stylesheet" href="style.css">

    <!--Google Fonts-->
```

```

<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">

<title>Courses</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

<div class="container-fluid">



<a id="engligobrand" class="navbar-brand" href="index.html">EngliGo</a>

<button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

```

```
<li class="nav-item">

  <a class="nav-link active" aria-current="page"
href="index.html">Home</a>

</li>

<li class="nav-item dropdown">

  <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
  aria-expanded="false">
    Learn English
  </a>

  <ul class="dropdown-menu">

    <li><a class="dropdown-item" href="learnEnglish.html">Learn
English</a></li>

    <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>

      <ul class="dropdown-menu">

        <li><a class="dropdown-item" href="preielts.html">Pre-
IELTS</a></li>

        <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>

      </ul>

    </li>

    <li>

      <hr class="dropdown-divider">

    </li>
```

```
<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
```

```
<li><a class="dropdown-item" href="books.html">Books</a></li>
```

```
</ul>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="contactUs.html">Contact Us</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="aboutUs.html">About US</a>
```

```
</li>
```

```
</ul>
```

```
<form class="d-flex" role="search">
```

```
<input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">
```

```
<button class="btn btn-outline-success"
type="submit">Search</button>
```

```
</form>
```

```
<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-right:
10px;">
```

```
<a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">
```

```
<i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>
```

```
<span style="font-weight: 500; text-transform: uppercase; font-size: 0.9rem;">Log In</span>
```

```
</a>
```

```
<a href="#" class="nav-link position-relative" aria-label="View Cart">
```

```
<i class="bi bi-cart3" style="font-size: 1.6rem;"></i>
```

```
<span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-danger"
```

```
style="font-size: 0.65em;">
```

```
0
```

```
<span class="visually-hidden">items in cart</span>
```

```
</span>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!--Courses page-->
```

```
<!--Hero image & Hero Text-->
```

```
<div class="container-fluid" id="courseshero" style="position: relative; height:80vh">
```

```

```

```
<h1 class="coursesherotext">Learning Courses in Engli Go </h1>
```

```
</div>
```

<!--Courses Section-->

<div class="container-fluid" style="background-color: rgba(255, 204, 234, 0.4); padding-top:80px; padding-bottom:80px">

<div class="row justify-content-center g-4 p-4">

<div class="col-md-5 d-flex">

<div class="card w-100 position-relative">

<div class="overlay d-flex flex-column justify-content-end align-items-center">

Pre-IELTS

</div>

</div>

</div>

<div class="col-md-5 d-flex">

<div class="card w-100 position-relative">

<div class="overlay d-flex flex-column justify-content-end align-items-center">

IELTS

</div>

</div>

</div>

</div>

</div>

<!--Footer-->

<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

<div class="text-center " style="background-color: rgb(205, 193, 255);">

© 2023 EngliGo:

EngliGo.net

<p>Design by: Aaron Alijani</p>

<p>All rights reserved</p>

</div>

</footer>

<!--Bootstrap JS-->

<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.min.js"

integrity="sha384-k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5zNLiq"

crossorigin="anonymous"></script>

</body>

</html>

Books :

- Adding a carousel with a title and description
- Adding an item list section with 4 items in each row, and each item will zoom a little after hovering

HTML Code:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<!--Bootstrap -->
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.c  
ss" rel="stylesheet"
```

```
integrity="sha384-
```

```
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApCHrRKUc4W0kG  
879m7" crossorigin="anonymous">
```

```
<!--Bootstrap Icons-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.11.3/font/bootstrap-icons.min.css">
```

```
<!--Favicon-->
```

```
<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-  
icon">
```

```
<!--Css Link-->
```

```
<link rel="stylesheet" href="style.css">
```

```
<!--Google Fonts-->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">


<title>Books</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

  <div class="container-fluid">

    

    <a id="engligo" class="navbar-brand" href="index.html">EngliGo</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"

    aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">
```

```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

  <li class="nav-item">

    <a class="nav-link active" aria-current="page"
href="index.html">Home</a>

  </li>

  <li class="nav-item dropdown">

    <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
      Learn English
    </a>

    <ul class="dropdown-menu">

      <li><a class="dropdown-item" href="learnEnglish.html">Learn
English</a></li>

      <li class="dropdown-submenu"> <a class="dropdown-item dropdown-
toggle" href="courses.html">Courses</a>

        <ul class="dropdown-menu">

          <li><a class="dropdown-item" href="preielts.html">Pre-
IELTS</a></li>

          <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>

        </ul>

      </li>

      <li>

        <hr class="dropdown-divider">

      </li>

    </ul>

  </li>

</ul>
```

```
<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
```

```
<li><a class="dropdown-item" href="books.html">Books</a></li>
```

```
</ul>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="contactUs.html">Contact Us</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="aboutUs.html">About US</a>
```

```
</li>
```

```
</ul>
```

```
<form class="d-flex" role="search">
```

```
<input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">
```

```
<button class="btn btn-outline-success"
type="submit">Search</button>
```

```
</form>
```

```
<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-right:
10px;">
```

```
<a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">
```

```
<i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>
```

```

        <span style="font-weight: 500; text-transform: uppercase; font-size:
0.9rem;">Log In</span>

    </a>

    <a href="#" class="nav-link position-relative" aria-label="View Cart">

        <i class="bi bi-cart3" style="font-size: 1.6rem;"></i>

        <span class="position-absolute top-0 start-100 translate-middle badge
rounded-pill bg-danger"

            style="font-size: 0.65em;">

                0

            <span class="visually-hidden">items in cart</span>

        </span>

    </a>

</div>

</div>

</div>

</div>

</nav>

<!--Courasal-->

<div class="container my-4">

    <div id="carouselbookssection" class="carousel slide" style="max-height:
100vh;">

        <div class="carousel-indicators" style=" object-fit: cover; object-position:
center; ;">

            <button type="button" data-bs-target="#carouselbookssection" data-bs-
slide-to="0" class="active" aria-current="true" aria-label="Slide 1"></button>

```

```
<button type="button" data-bs-target="#carouselbookssection" data-bs-  
slide-to="1" aria-label="Slide 2"></button>
```

```
<button type="button" data-bs-target="#carouselbookssection" data-bs-  
slide-to="2" aria-label="Slide 3"></button>
```

```
</div>
```

```
<div class="carousel-inner">
```

```
<div class="carousel-item active">
```

```

```

```
<div class="carousel-caption d-none d-md-block" >
```

```
<h5>General Learning English Book</h5>
```

```
<p>A suitable book to start learning english</p>
```

```
</div>
```

```
</div>
```

```
<div class="carousel-item">
```

```

```

```
<div class="carousel-caption d-none d-md-block" >
```

```
<h5>English for everyone</h5>
```

```
<p>An easy and understandable book to learn english.</p>
```

```
</div>
```

```
</div>
```

```
<div class="carousel-item">
```

```

```

```

<div class="carousel-caption d-none d-md-block" >
  <h5>Oxford Picture dictionary</h5>
  <p>A Dictionary that helps you to learn with help of pictures.</p>
</div>
</div>
</div>
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselbookssection" data-bs-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselbookssection" data-bs-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Next</span>
</button>
</div>
</div>
<!--Books Section-->
<div class="container-fluid mx-2 mb-3">
  <div class="row g-4 " id="bookshelf">
    <div class="col-md-3 col-sm-12">
      <a href="#" class="text-decoration-none">
        <div class="card card-hover h-100 text-white">

```



```

```

```
<div class="card-img-overlay d-flex flex-column justify-content-end" style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">
```

```
<h5 class="card-title fw-bold">Beginners English</h5>
```

```
<p class="card-text small">Selfread</p>
```

```
</div>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<div class="col-md-3 col-sm-12">
```

```
<a href="#" class="text-decoration-none">
```

```
<div class="card card-hover h-100 text-white">
```

```

```

```
<div class="card-img-overlay d-flex flex-column justify-content-end" style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">
```

```
<h5 class="card-title fw-bold">Cambridge Practice 2</h5>
```

```
<p class="card-text small">Test</p>
```

```
</div>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<div class="col-md-3 col-sm-12">

  <a href="#" class="text-decoration-none">

    <div class="card card-hover h-100 text-white">

      

      <div class="card-img-overlay d-flex flex-column justify-content-end"
style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">

        <h5 class="card-title fw-bold">Cambridge First 3</h5>

        <p class="card-text small">Test</p>

      </div>

    </div>

  </a>

</div>
```

```
<div class="col-md-3 col-sm-12">

  <a href="#" class="text-decoration-none">

    <div class="card card-hover h-100 text-white">

      

      <div class="card-img-overlay d-flex flex-column justify-content-end"
style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">

        <h5 class="card-title fw-bold">Key English Test 1</h5>

        <p class="card-text small">Test</p>

      </div>

    </a>

  </div>
```

</div>

</div>

</div>

<div class="col-md-3 col-sm-12">

<div class="card card-hover h-100 text-white">

<div class="card-img-overlay d-flex flex-column justify-content-end" style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">

<h5 class="card-title fw-bold">Key English Test 1</h5>

<p class="card-text small">Test</p>

</div>

</div>

</div>

<div class="col-md-3 col-sm-12">

<div class="card card-hover h-100 text-white">


```
<div class="card-img-overlay d-flex flex-column justify-content-end"
style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">

    <h5 class="card-title fw-bold">Cambridge Preliminary English test</h5>

    <p class="card-text small">Test</p>

</div>

</div>

</a>

</div>
```

```
<div class="col-md-3 col-sm-12">

    <a href="#" class="text-decoration-none">

        <div class="card card-hover h-100 text-white">

            

            <div class="card-img-overlay d-flex flex-column justify-content-end"
style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">

                <h5 class="card-title fw-bold">Cambridge Proficiency1</h5>

                <p class="card-text small">Test</p>

            </div>

        </div>

    </a>

</div>
```

```
<div class="col-md-3 col-sm-12">
```

```
<a href="#" class="text-decoration-none">
  <div class="card card-hover h-100 text-white">
    
    <div class="card-img-overlay d-flex flex-column justify-content-end"
style="background: linear-gradient(to top, rgba(0,0,0,0.7), transparent);">
      <h5 class="card-title fw-bold">Cambridge First 4</h5>
      <p class="card-text small">Test</p>
    </div>
  </div>
</a>
</div>
</div>
</div>
```

```
<!--Footer-->
```

```
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">
  <div class="text-center " style="background-color: rgb(205, 193, 255);">
    © 2023 EngliGo:
    <a class="text-dark" href="#">EngliGo.net</a>
    <p>Design by: Aaron Alijani</p>
    <p>All rights reserved</p>
  </div>
</footer>
```

<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.
min.js"

integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5z
NLiq"

crossorigin="anonymous"></script>

</body>

</html>

Learning Hub :

- Adding a colored background and a section with two rows, each row having a text title and description alongside an image. These rows are opposite each other.

HTML Code:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<!--Bootstrap -->
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.min.css" rel="stylesheet"
```

```
integrity="sha384-SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApchRrRKUc4W0kG879m7" crossorigin="anonymous">
```

```
<!--Bootstrap Icons-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css">
```

```
<!--Favicon-->
```

```
<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-icon">
```

```
<!--Css Link-->
```

```
<link rel="stylesheet" href="style.css">

<!--Google Fonts-->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">


<title>Learning Hub</title>

</head>


<body>

  <!--Navbar-->

  <nav class="navbar navbar-expand-lg bg-body-tertiary" style=" position:
sticky; top: 0; z-index: 50;">

    <div class="container-fluid">

      

      <a id="engligobrand" class="navbar-brand"
href="index.html">EngliGo</a>

      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent"

        aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>
```


</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">

<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

<li class="nav-item">

<a class="nav-link active" aria-current="page"
href="index.html">Home

<li class="nav-item dropdown">

<a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"

aria-expanded="false">

Learn English

<ul class="dropdown-menu">

Learn
English

<li class="dropdown-submenu"> <a class="dropdown-item
dropdown-toggle" href="courses.html">Courses

<ul class="dropdown-menu">

Pre-
IELTS

IELTS


```
<li>

  <hr class="dropdown-divider">

</li>

<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>

  <li><a class="dropdown-item" href="books.html">Books</a></li>

</ul>

</li>

<li class="nav-item">

  <a class="nav-link" href="contactUs.html">Contact Us</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="aboutUs.html">About US</a>

</li>

</ul>

<form class="d-flex" role="search">

  <input class="form-control me-2" type="search"
placeholder="Search" aria-label="Search">

  <button class="btn btn-outline-success"
type="submit">Search</button>

</form>

<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-
right: 10px;">

  <a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">
```

```
<i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-align: middle;"></i>
```

```
<span style="font-weight: 500; text-transform: uppercase; font-size: 0.9rem;">Log In</span>
```

```
</a>
```

```
<a href="#" class="nav-link position-relative" aria-label="View Cart">
```

```
<i class="bi bi-cart3" style="font-size: 1.6rem;"></i>
```

```
<span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-danger"
```

```
style="font-size: 0.65em;">
```

```
0
```

```
<span class="visually-hidden">items in cart</span>
```

```
</span>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!--Main Section-->
```

```
<section class=" py-3 text-center border-bottom" style="background-color: rgb(255, 204, 234);">
```

```
<div class="container">
```

```
<h2 class="mb-0 h4">Learning Hub</h2>
```

```
</div>
```

</section>

<div class="container my-5">

<!-- First Row: Text Left, Image Right -->

<div class="row g-0 mb-4 border">

<div class="col-md-6 col-sm-12 d-flex flex-column justify-content-center align-items-center p-5" style="background-color: #BFECFF;">

<h3 class="mb-3">Master Your IELTS Journey</h3>

<p class="text-center">Get ready to ace your IELTS exam with our expert-designed courses. Improve your reading, writing, speaking, and listening skills with proven techniques and practical exercises tailored for high scores. Join now and unlock your path to global opportunities!</p>

Read More

</div>

<div class="col-md-6 col-sm-12 d-flex justify-content-center align-items-center" style="background-color: #CDC1FF;">

</div>

</div>

<!-- Second Row: Image Left, Text Right -->

<div class="row g-0 border">

```
<div class="col-md-6 col-sm-12 d-flex justify-content-center align-items-center" style="background-color: #CDC1FF;">
```

```

```

```
</div>
```

```
<div class="col-md-6 col-sm-12 d-flex flex-column justify-content-center
align-items-center p-5" style="background-color: #BFECFF;">
```

```
<h3 class="mb-3">Boost Your Everyday English</h3>
```

```
<p class="text-center">Build strong communication skills for daily life,
travel, and work! Our General English program helps you expand your
vocabulary, master grammar, and speak confidently in real-world
situations. Perfect for beginners and intermediate learners!</p>
```

```
<a href="#" class="btn btn-primary">Read More</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!--Footer-->
```

```
<footer class="bg-light text-center text-lg-start " style="margin: 0px;">
```

```
<div class="text-center " style="background-color: rgb(205, 193, 255);">
```

```
© 2023 EngliGo:
```

```
<a class="text-dark" href="#">EngliGo.net</a>
```

```
<p>Design by: Aaron Alijani</p>
```

<p>All rights reserved</p>

</div>

</footer>

<!--Bootstrap JS-->

<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.min.js"

integrity="sha384-k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj5zNLiq"

crossorigin="anonymous"></script>

</body>

</html>

IELTS & Pre-IELTS :

- Adding a hero image and a Bootstrap table that contains 9 columns and many rows.

HTML Code:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-  
scale=1.0">
```

```
<!--Bootstrap -->
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/css/bootstrap.mi  
n.css" rel="stylesheet"
```

```
integrity="sha384-  
SgOJa3Dml69IUzQ2PVdRZhwQ+dy64/BUtbMJw1MZ8t5HZApcHrRKUc4W0  
kG879m7" crossorigin="anonymous">
```

```
<!--Bootstrap Icons-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.11.3/font/bootstrap-icons.min.css">
```

```
<!--Favicon-->
```

```
<link rel="icon" href="Resources/favicon-16x16.png" type="image/x-  
icon">
```

```
<!--Css Link-->
```

```
<link rel="stylesheet" href="style.css">
```

```
<!--Google Fonts-->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link
href="https://fonts.googleapis.com/css2?family=Dynalight&display=swap"
rel="stylesheet">


<title>IELTS</title>

</head>

<body>

<!--Navbar-->

<nav class="navbar navbar-expand-lg bg-body-tertiary" style="position:
sticky; top: 0; z-index: 50;">

    <div class="container-fluid">

        

        <a id="engligobrand" class="navbar-brand"
href="index.html">EngliGo</a>

        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent"

            aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

            <span class="navbar-toggler-icon"></span>

        </button>

        <div class="collapse navbar-collapse" id="navbarSupportedContent"
style="margin-left: 150px; font-size: 20px;">
```



```
<ul id="navbarMenu" class="navbar-nav me-auto mb-lg-0 gap-4">

  <li class="nav-item">

    <a class="nav-link active" aria-current="page"
href="index.html">Home</a>

  </li>

  <li class="nav-item dropdown">

    <a class="nav-link dropdown-toggle" href="learnEnglish.html"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">

      Learn English

    </a>

    <ul class="dropdown-menu">

      <li><a class="dropdown-item" href="learnEnglish.html">Learn
English</a></li>

      <li class="dropdown-submenu"> <a class="dropdown-item
dropdown-toggle" href="courses.html">Courses</a>

        <ul class="dropdown-menu">

          <li><a class="dropdown-item" href="preielts.html">Pre-
IELTS</a></li>

          <li><a class="dropdown-item" href="ielts.html">IELTS</a></li>

        </ul>

      </li>

      <li>

        <hr class="dropdown-divider">

      </li>

    </ul>

  </li>

</ul>
```

```
<li><a class="dropdown-item" href="learningHub.html">Learning
Hub</a></li>
```

```
<li><a class="dropdown-item" href="books.html">Books</a></li>
```

```
</ul>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="contactUs.html">Contact Us</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="aboutUs.html">About US</a>
```

```
</li>
```

```
</ul>
```

```
<form class="d-flex" role="search">
```

```
<input class="form-control me-2" type="search"
placeholder="Search" aria-label="Search">
```

```
<button class="btn btn-outline-success"
type="submit">Search</button>
```

```
</form>
```

```
<div class="d-flex align-items-center ms-lg-3 gap-2 " style="margin-
right: 10px;">
```

```
<a href="#" class="nav-link d-flex align-items-center me-3" aria-
label="Log In">
```

```
<i class="bi bi-person-circle me-1" style="font-size: 1.6rem; vertical-
align: middle;"></i>
```

```
<span style="font-weight: 500; text-transform: uppercase; font-size: 0.9rem;">Log In</span>
```

```
</a>
```

```
<a href="#" class="nav-link position-relative" aria-label="View Cart">
```

```
<i class="bi bi-cart3" style="font-size: 1.6rem;"></i>
```

```
<span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-danger"
```

```
style="font-size: 0.65em;">
```

```
0
```

```
<span class="visually-hidden">items in cart</span>
```

```
</span>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!--Banner Image-->
```

```
<div class="container-fluid">
```

```

```

```
</div>
```

```
<!--Classes Lists-->
```

```
<div class="container-fluid p-3">
```

```
<!-- Filter and Search -->
```

```
<div class="d-flex justify-content-between align-items-center filter-bar"
>

<div>

  <button class="btn btn-outline-primary">Filter Search</button>

  <button class="btn btn-outline-danger">Delete Filters</button>

</div>

<input type="text" class="form-control w-25" placeholder="Search
Class Codes">

</div>
```

```
<!-- Table -->
```

```
<div class="table-responsive">

  <table class="table table-bordered text-center align-middle mt-5">

    <thead class="table-primary">

      <tr>

        <th>Class Code</th>

        <th>Skill</th>

        <th>Number of Sessions</th>

        <th>Day& Hour of Class</th>

        <th>Type of Class</th>

        <th>Length of class</th>

        <th>Class Starting Date</th>

        <th>Class Price</th>

        <th>Situation</th>
```

</tr>

</thead>

<tbody>

<tr class="first-row">

<td>IEL101</td>

<td>Reading</td>

<td>20</td>

<td>Teusdays (18:00 - 19:30)</td>

<td>Normal</td>

<td>7 Weeks</td>

<td>13 May 2025</td>

<td>700 AUD</td>

<td><button class="btn btn-danger text-white">Full</button></td>

</tr>

<tr class="second-row">

<tr class="first-row">

<td>IEL102</td>

<td>Writing</td>

<td>20</td>

<td>Wednesday(16:00 - 18:30)</td>

<td>Semi-Hard</td>

<td>4 Weeks</td>

```
<td>14 May 2025</td>

<td>700 AUD</td>

<td><button class="btn btn-success text-
white">Available</button></td>

</tr>

</tr>
```

```
<tr>

<tr class="third-row">

<td>IEL103</td>

<td>Listening</td>

<td>20</td>

<td>Teusdays (12:00 - 15:30)</td>

<td>Hard</td>

<td>7 Weeks</td>

<td>13 May 2025</td>

<td>750 AUD</td>

<td><button class="btn btn-success text-
white">Available</button></td>

</tr>

</tr>
```

```
<tr>

<tr class="fourth-row">
```

<td>IEL104</td>
<td>Speaking</td>
<td>20</td>
<td>Mondays (18:00 - 19:30)</td>
<td>Normal</td>
<td>7 Weeks</td>
<td>12 May 2025</td>
<td>700 AUD</td>
<td><button class="btn btn-success text-white">Available</button></td>
</tr>
</tr>

<tr class="fifth-row">
<td>IEL105</td>
<td>Reading</td>
<td>20</td>
<td>Teusdays (18:00 - 19:30)</td>
<td>Normal</td>
<td>7 Weeks</td>
<td>13 May 2025</td>
<td>700 AUD</td>
<td><button class="btn btn-success text-white">Available</button></td>

</tr>

<tr class="sixth-row">

<tr class="first-row">

<td>IEL106</td>

<td>Writing</td>

<td>20</td>

<td>Wednesday(16:00 - 18:30)</td>

<td>Semi-Hard</td>

<td>4 Weeks</td>

<td>14 May 2025</td>

<td>700 AUD</td>

<td><button class="btn btn-danger text-white">Full</button></td>

</tr>

</tr>

<tr>

<tr class="seventh-row">

<td>IEL107</td>

<td>Listening</td>

<td>20</td>

<td>Teusdays (12:00 - 15:30)</td>

<td>Hard</td>


```

<td>7 Weeks</td>

<td>13 May 2025</td>

<td>750 AUD</td>

<td><button class="btn btn-danger text-white">Full</button></td>

</tr>

</tr>

<tr>

<tr class="eighth-row">

<td>IEL108</td>

<td>Speaking</td>

<td>20</td>

<td>Mondays (18:00 - 19:30)</td>

<td>Normal</td>

<td>7 Weeks</td>

<td>12 May 2025</td>

<td>700 AUD</td>

<td><button class="btn btn-success text-
white">Available</button></td>

</tr>

</tr>

</tbody>

```

```
</table>

</div>

</div>

<!--Footer-->

<footer class="bg-light text-center text-lg-start " style="margin: 0px;">

  <div class="text-center " style="background-color: rgb(205, 193, 255);">

    © 2023 EngliGo:

    <a class="text-dark" href="#">EngliGo.net</a>

    <p>Design by: Aaron Alijani</p>

    <p>All rights reserved</p>

  </div>

</footer>

<!--Bootstrap JS-->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.5/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-
k6d4wzSlapyDyv1kpU366/PK5hCdSbCRGRCMv+epLOQJWyd1fbcAu9OCUj
5zNLiq"
  crossorigin="anonymous"></script>

</body>

</html>
```

JAVASCRIPT Code:

```
// Run the code only after the webpage is fully loaded

document.addEventListener('DOMContentLoaded', function () {

    const form = document.querySelector('.needs-validation'); // Get the form


    // contact form Js When the form is submitted

    form.addEventListener('submit', function (event) {

        event.preventDefault(); // Stop the form from submitting normally


        let isValid = true;


        // Get all form inputs

        const name = document.getElementById('contactName');
        const email = document.getElementById('contactEmail');
        const phone = document.getElementById('contactPhone');
        const birthdate = document.getElementById('contactBirthdate');
        const comment = document.getElementById('contactComment');


        // name validation

        if (name.value.trim() === "") {

            name.classList.add('is-invalid');

            isValid = false;

        } else {
```

```
name.classList.remove('is-invalid');  
name.classList.add('is-valid');  
}
```

```
// email validation
```

```
if (!validateEmail(email.value)) {  
    email.classList.add('is-invalid');  
    isValid = false;  
} else {  
    email.classList.remove('is-invalid');  
    email.classList.add('is-valid');  
}
```

```
// phone validation
```

```
if (!validatePhone(phone.value)) {  
    phone.classList.add('is-invalid');  
    isValid = false;  
} else {  
    phone.classList.remove('is-invalid');  
    phone.classList.add('is-valid');  
}
```

```
// birthday validation
```

```
if (birthdate.value === "") {  
    birthdate.classList.add('is-invalid');  
    isValid = false;  
} else {  
    birthdate.classList.remove('is-invalid');  
    birthdate.classList.add('is-valid');  
}  
  
// comment validation  
if (comment.value.trim() === "") {  
    comment.classList.add('is-invalid');  
    isValid = false;  
} else {  
    comment.classList.remove('is-invalid');  
    comment.classList.add('is-valid');  
}  
  
// If everything is valid, show a success message  
if (isValid) {  
    alert('Form submitted successfully!');  
    form.submit(); // Actually submit the form  
}  
});
```

```
// This function checks if an email looks correct

function validateEmail(email) {

    const re = /^[^\s@]+@[^\s@]+\.[^\s@]+$/; // Basic email pattern source:
    https://www.w3schools.blog/email-validation-javascript-js

    return re.test(email);

}
```

// This function checks if the phone number is only digits and the right length

```
function validatePhone(phone) {

    const re = /^[0-9]{8,15}$/; // Accepts only 8 to 15 digits

    return re.test(phone);

}

});
```