# **Verify the COBRA Toolbox**

Authors: Ronan Fleming, Leiden University

Reviewers:

### **MATERIALS - EQUIPMENT SETUP**

Please ensure that all the required dependencies (e.g. , git and curl) of The COBRA Toolbox have been properly installed by following the installation guide here.

## **PROCEDURE**

## Check available optimisation solvers

At initialisation, one from a set of available optimisation solvers will be selected as the default solver. If Gurobi is installed, it is used as the default solver for LP, QP and MILP problems. Otherwise, the GLPK solver is selected by for LP and MILP problems and QPNG is selected for QP problems. Check the currently selected solvers with:

#### changeCobraSolver

```
Defined solvers are:
    CBT_LP_SOLVER: glpk
    CBT_MILP_SOLVER: glpk
    CBT_OP_SOLVER: qpnq
```

## **ANTICIPATED RESULTS**

A list of solvers assigned to solve each class of optimisation solver is returned.

### CRITICAL STEP

A dependency on at least one linear optimisation solver must be satisfied for flux balance analysis.

## Verify a basic installation of the COBRA Toolbox

Test if flux balance analysis works

#### testFBA

```
Testing flux balance analysis using glpk ...
>> Optimal minimum 1-norm solution
BiomassEcoli
                               0.9219
EX_co2(e)
                                21.78
EX_glc(e)
                                41.29
EX_h2o(e)
EX_h(e)
                                8.428
EX_nh4(e)
                               -9.851
EX_o2(e)
                               -19.93
                              -0.8405
EX_pi(e)
                              -0.2149
EX_so4(e)
```

EX_glc(e)	-10
EX_h2o(e)	41.29
EX_h(e)	8.428
EX_nh4(e)	-9.851
EX_o2(e)	-19.93
EX_pi(e)	-0.8405

- >> Optimal anaerobic solution
- >> Optimal ethanol secretion rate solution

#### testSolveCobraLP

EX\_so4(e)

Running dummyModel with solveCobraLP using glpk ...

> [glpk] Optimality condition (1) in solveCobraLP satisfied.

-0.2149

- > [glpk] Optimality condition (2) in solveCobraLP satisfied.
- > [glpk] Optimality condition (1) in solveCobraLP satisfied.
- > [glpk] Optimality condition (2) in solveCobraLP satisfied.

Original LP has 2 rows, 2 columns, 4 non-zeros

Objective value = 600

OPTIMAL SOLUTION FOUND BY LP PRESOLVER

- > [glpk] Optimality condition (1) in solveCobraLP satisfied.
- > [glpk] Optimality condition (2) in solveCobraLP satisfied. Done.

Running ecoli with solveCobraLP using glpk  $\dots$  Done.

Running dummyModel with solveCobraLP using pdco ...

pdco.m Version pdco5 of 15 Jun 2018 Primal-dual barrier method to minimize a convex function subject to linear constraints Ax + r = b,  $bl \le x \le bu$ 

Michael Saunders

Contributors:

Byunggyoo Kim (SOL), Chris Maes (ICME)
Santiago Akle (ICME), Matt Zahr (ICME)
Aekaansh Verma (ME)

\_\_\_\_\_

The objective is linear

The matrix A is an explicit dense matrix

```
Bounds:
  [0,inf] [-inf,0] Finite bl Finite bu Two bnds Fixed Free
                    2 2 2 0 0
          0
  [0, bu] [bl, 0] excluding fixed variables
                0
      2
Itn mu stepx stepz Pinf Dinf Cinf Objective nf center
                                                                 Chol
 0
                     0.3 0.6 0.0 -5.9999997e+04 1.0
  1 -1.0 0.756 0.756 -0.3 -0.0 -0.4 -2.6962494e+04 1 30.9
  2 -1.0 0.078 0.078 -0.3 -0.0 -0.4 -2.5877439e+04 1 1164.7
  3 -1.0 0.147 0.147 -0.4 -0.1 -0.5 -2.2098922e+04 1 143.5
  4 -1.1 0.006 0.006 -0.4 -0.1 -0.5 -2.1984231e+04 1 6471.0
  5 -1.1 0.014 0.014 -0.4 -0.1 -0.5 -2.1261135e+04 1 434.8
  6 -1.1 0.019 0.019 -0.4 -0.1 -0.5 -1.7870918e+04 1 3621.6
  7 -1.1 1.000 1.000 -16.5 -8.5 0.4 3.7050583e+06 1 305.1
  8 -1.1 1.000 1.000 -17.8 -12.6 -1.0 3.6809979e+06 1 1.2
  9 -2.9 0.998 0.998 -17.8 -12.7 -2.7 3.6794412e+06 1
                                                          2.1
 10 -4.2 1.000 1.000 -17.8 -12.6 -4.2 3.6794068e+06 1
                                                          1.0
 11 -6.2 1.000 1.000 -18.3 -13.1 -6.2 3.6794056e+06 1
                                                          1.0
  Converged
            0.010 \max |y| = 38400.000 \max |z| = 1728.333 scaled 1.000 \max |y| = 3840000.006 \max |z| = 172833.334 unscaled
\max |x| = 0.010
\max |x| =
            11 Cholitns = 0 cputime = 0.0
PDitns =
Distribution of vector x
[ 1e+05, 1e+06 ) 0
[ 1e+04, 1e+05 ) 0
[ 1e+03, 1e+04 ) 0
[ 100, 1e+03 ) 0
[ 10, 100 ) 0
[ 1, 10 ) 0
[ 0.1, 1 ) 2
[ 0.01, 0.1 ) 0
                                   Z
                                  0
                                  0
                                  0
                                   0
                                   0
[ 0.001, 0.01 ) 0
[ 0, 0.001 ) 0
Elapsed time is 0.018898 seconds.
 > [pdco] Optimality condition (1) in solveCobraLP satisfied.
 > [pdco] Optimality condition (2) in solveCobraLP satisfied.
   pdco.m Version pdco5 of 15 Jun 2018
   Primal-dual barrier method to minimize a convex function
   subject to linear constraints Ax + r = b, bl <= x <= bu
   Michael Saunders
                      SOL and ICME, Stanford University
   Contributors: Byunggyoo Kim (SOL), Chris Maes (ICME)
                    Santiago Akle (ICME), Matt Zahr (ICME)
                    Aekaansh Verma (ME)
```

The objective is linear
The matrix A is an explicit dense matrix

m	=	2	n	=	2	nnz(A) =	= 4
max  b	=	1	max  x0	=	1.0e+00	xsize =	= 1.0e+02
max  y0	=	0	max  z0	=	1.0e+00	zsize =	= 1.0e+02
x0min	=	1	featol	=	1.0e-06	d1max =	= 5.0e-04
z0min	=	1	opttol	=	1.0e-06	d2max =	= 5.0e-04
mu0	=	1.0e-01	steptol	=	0.99	bigcenter:	= 1000

```
atol1 = 1.0e-10 atol2 = 1.0e-15 btol = 0.0e+00 conlim = 1.0e+12 itnlim = 20 show = 0
             1
                       (1 or 11=chol 2 or 12=QR 3 or 13=LSMR 4 or 14=MINRES 21=SQD(LU) 22=SQD(MA57))
Eliminating dy before dx
Bounds:
 [0,inf] [-inf,0] Finite bl Finite bu Two bnds Fixed Free
   0 0 2 2 2 0 0
  [0, bu] [bl, 0] excluding fixed variables
                 Ω
Itn mu stepx stepz Pinf Dinf Cinf Objective nf center
                                                                     Chol
                      0.3 0.6 0.0 -5.9999997e+04 1.0
  1 -1.0 0.756 0.756 -0.3 -0.0 -0.4 -2.6962494e+04 1 30.9
  2 -1.0 0.078 0.078 -0.3 -0.0 -0.4 -2.5877439e+04 1 1164.7
  3 - 1.0 \ 0.147 \ 0.147 \ -0.4 \ -0.1 \ -0.5 \ -2.2098922e+04 \ 1 \ 143.5
  4 -1.1 0.006 0.006 -0.4 -0.1 -0.5 -2.1984231e+04 1 6471.0
  5 -1.1 0.014 0.014 -0.4 -0.1 -0.5 -2.1261135e+04 1 434.8
  6 -1.1 0.019 0.019 -0.4 -0.1 -0.5 -1.7870918e+04 1 3621.6
  7 -1.1 1.000 1.000 -16.5 -8.5 0.4 3.7050583e+06 1 305.1
  9 -2.9 0.998 0.998 -17.8 -12.7 -2.7 3.6809979e+06 1 2.1
10 -4.2 1.000 1.000 -17 8 -12 6 4 2 2 5 5 5 6 1
  8 -1.1 1.000 1.000 -17.8 -12.6 -1.0 3.6809979e+06 1
 10 -4.2 1.000 1.000 -17.8 -12.6 -4.2 3.6794068e+06 1
11 -6.2 1.000 1.000 -18.3 -13.1 -6.2 3.6794056e+06 1
  Converged
\max |x| = 0.010 \quad \max |y| = 38400.000 \quad \max |z| = 1728.333 \quad \text{scaled}
\max |x| =
            1.000 \max |y| = 3840000.006 \max |z| = 172833.334 unscaled
PDitns =
            11 Cholitns = 0 cputime = 0.0
Distribution of vector \mathbf{x} \mathbf{z}
Distribution of vector x

[ 1e+05, 1e+06 ) 0

[ 1e+04, 1e+05 ) 0

[ 1e+03, 1e+04 ) 0

[ 100, 1e+03 ) 0

[ 10, 100 ) 0

[ 1, 10 ) 0

[ 0.1, 1 ) 2

[ 0.01, 0.1 ) 0

[ 0.001, 0.01 ) 0

Elapsed time is 0.010743 seconds
                                    2
Elapsed time is 0.010743 seconds.
 > [pdco] Optimality condition (1) in solveCobraLP satisfied.
 > [pdco] Optimality condition (2) in solveCobraLP satisfied.
   pdco.m Version pdco5 of 15 Jun 2018
   Primal-dual barrier method to minimize a convex function
   subject to linear constraints Ax + r = b, bl <= x <= bu
   Michael Saunders
                        SOL and ICME, Stanford University
   Contributors: Byunggyoo Kim (SOL), Chris Maes (ICME)
                    Santiago Akle (ICME), Matt Zahr (ICME)
                    Aekaansh Verma (ME)
   ______
The objective is linear
The matrix A is an explicit dense matrix
```

 $m = 2 \qquad n = 2$ 

LSMR/MINRES:

nnz(A) =

```
\max |b| = 1 \max |x0| = 1.0e+00 xsize = 1.0e+02 \max |y0| = 0 \max |z0| = 1.0e+00 zsize = 1.0e+02
      = 1
= 1
                      featol = 1.0e-06
                                              d1max = 5.0e-04
x0min
                    opttol = 1.0e-06
steptol = 0.99
                                           d2max = 5.0e-04
bigcenter= 1000
z0min =
mu0 = 1.0e-01
LSMR/MINRES:
atol1 = 1.0e-10 atol2 = 1.0e-15 btol = 0.0e+00
conlim = 1.0e+12
                      itnlim = 20
                                              show = 0
Method = 1 (1 or 11=chol 2 or 12=QR 3 or 13=LSMR 4 or 14=MINRES 21=SQD(LU) 22=SQD(MA57))
Eliminating dy before dx
Bounds:
  [0,inf] [-inf,0] Finite bl Finite bu Two bnds Fixed Free
      0 0 2 2 2 0
  [0, bu] [bl, 0] excluding fixed variables
                 Ω
       2.
Itn mu stepx stepz Pinf Dinf Cinf Objective nf center
                                                                Chol
                     0.3 0.6 0.0 -5.9999997e+04
                                                        1.0
 0
  1 -1.0 0.756 0.756 -0.3 -0.0 -0.4 -2.6962494e+04 1
                                                         30.9
                                                                    3
  2 -1.0 0.078 0.078 -0.3 -0.0 -0.4 -2.5877439e+04 1 1164.7
  3 -1.0 0.147 0.147 -0.4 -0.1 -0.5 -2.2098922e+04 1 143.5
  4 -1.1 0.006 0.006 -0.4 -0.1 -0.5 -2.1984231e+04 1 6471.0
 5 -1.1 0.014 0.014 -0.4 -0.1 -0.5 -2.1261135e+04 1 434.8
6 -1.1 0.019 0.019 -0.4 -0.1 -0.5 -1.7870918e+04 1 3621.6
7 -1.1 1.000 1.000 -16.5 -8.5 0.4 3.7050583e+06 1 305.1
  8 -1.1 1.000 1.000 -17.8 -12.6 -1.0 3.6809979e+06 1 1.2
                                                          2.1
 9 -2.9 0.998 0.998 -17.8 -12.7 -2.7 3.6794412e+06 1
 10 -4.2 1.000 1.000 -17.8 -12.6 -4.2 3.6794068e+06 1
                                                         1.0
 11 -6.2 1.000 1.000 -18.3 -13.1 -6.2 3.6794056e+06 1
                                                         1.0
  Converged
\max |x| = 0.010 \quad \max |y| = 38400.000 \quad \max |z| = 1728.333 \quad \text{scaled}
            1.000 max |y| = 3840000.006 max |z| = 172833.334 unscaled
\max |x| =
             11 Cholitns = 0 cputime = 0.0
Distribution of vector x [ 1e+05, 1e+06 ) 0
                                  2
                       0
[ 1e+04, 1e+05)
                                  0
                     0
[ 1e+03, 1e+04)
                                  0
                       0
   100, 1e+03)
                                  0
[
                        0
    10, 100)
                                   0
[
         10 )
                        0
[
     1,
                                   0
                        2
[ 0.1, 1 )
[ 0.01, 0.1 )
[ 0.001, 0.01 )
[ 0, 0.001 )
                                   0
                                   0
                        0
                         0
Elapsed time is 0.019409 seconds.
> [pdco] Optimality condition (1) in solveCobraLP satisfied.
> [pdco] Optimality condition (2) in solveCobraLP satisfied.
Done.
  Running ecoli with solveCobraLP using pdco ... Done.
Testing model with linear constraint matrix that has 72 rows and 95 columns...
  Testing testDifferentLPSolvers using cplex direct ... Done.
  Testing testDifferentLPSolvers using glpk ... Done.
  Testing testDifferentLPSolvers using gurobi ... Done.
```

Testing testDifferentLPSolvers using ibm\_cplex ... Done. Testing testDifferentLPSolvers using matlab ... Done.

```
Testing testDifferentLPSolvers using mosek ... Done.
  Testing testDifferentLPSolvers using pdco ... Done.
  Testing testDifferentLPSolvers using quadMinos ... Done.
  Testing testDifferentLPSolvers using tomlab_cplex ... Done.
  Testing testDifferentLPSolvers using mosek_linprog ... Done.
  Testing testDifferentLPSolvers using dggMinos ... Done.
 Summary:
                                        y(rand)
                                                       w(rand)
                                                                            solver
                             obj
             time
 1
         0.009595
                       0.873922
                                        0.113308
                                                       0.091665
                                                                             glpk
 2
         0.031681
                       0.873922
                                       0.113047
                                                      0.235520
                                                                              pdco
Testing model with linear constraint matrix that has 2 rows and 2 columns...
  Testing testDifferentLPSolvers using cplex_direct ... Done.
  Testing testDifferentLPSolvers using glpk ... Done.
  Testing testDifferentLPSolvers using gurobi ... Done.
  Testing testDifferentLPSolvers using ibm_cplex ... Done.
  Testing testDifferentLPSolvers using matlab ... Done.
  Testing testDifferentLPSolvers using mosek ... Done.
  Testing testDifferentLPSolvers using pdco ...
Step lengths too smallDone.
  Testing testDifferentLPSolvers using quadMinos ... Done.
  Testing testDifferentLPSolvers using tomlab_cplex ... Done.
  Testing testDifferentLPSolvers using mosek_linprog ... Done.
  Testing testDifferentLPSolvers using dqqMinos ... Done.
 Summary:
                             obj
                                       y(rand)
                                                                             solver
             time
                                                       w(rand)
         0.011557
                      600.000000
                                                                              glpk
                                       -0.000000
                                                    -200.000000
                      600.000000
         0.009231
                                      0.000000
                                                  -200.000000
                                                                              pdco
Testing model with linear constraint matrix that has 1 rows and 1 columns...
  Testing testDifferentLPSolvers using cplex_direct ... Done.
  Testing testDifferentLPSolvers using glpk ... Done.
  Testing testDifferentLPSolvers using gurobi ... Done.
  Testing testDifferentLPSolvers using ibm_cplex ... Done.
  Testing testDifferentLPSolvers using matlab ... Done.
  Testing testDifferentLPSolvers using mosek ... Done.
  Testing testDifferentLPSolvers using pdco ... Done.
  Testing testDifferentLPSolvers using quadMinos ... Done.
  Testing testDifferentLPSolvers using tomlab_cplex ... Done.
  Testing testDifferentLPSolvers using mosek_linprog ... Done.
  Testing testDifferentLPSolvers using dqqMinos ... Done.
 Summary:
             time
                             obj
                                        y(rand)
                                                       w(rand)
                                                                             solver
 1
         0.013073
                        1.000000
                                        1.000000
                                                     -0.000000
                                                                               glpk
         0.062806
                        1.000000
                                       1.000000
                                                      0.000000
                                                                               pdco
  Running optimalityConditions tests in solveCobraLP using pdco ... Done.
  Running optimalityConditions tests in solveCobraLP using glpk ...
```

## (Optional) Verify and test the entire COBRA Toolbox

### TIMING 30 min

Optionally test the functionality of The COBRA Toolbox locally, especially if one encounters an error running a function. The test suite runs tailored tests that verify the output and proper execution of core functions on the locally configured system. The full test suite can be invoked by typing:

```
testCOBRAToolbox=0;
if testCOBRAToolbox
```

## **ANTICIPATED RESULTS**

The test suite starts by initialising The COBRA Toolbox and thereafter, all of the tests are run. At the end of the test run, a comprehensive summary table is presented in which the respective tests and their test outcome is shown. On a properly configured system that is compatible with the most recent version of The COBRA Toolbox, all tests should pass.

## **TROUBLESHOOTING**

If some third party dependencies are not properly installed, some tests may fail. The test suite, despite some tests failing, is not interrupted. The tests that fail are listed with a false status in the column Passed. The specific test can then be run individually to determine the exact cause of the error. If the error can be fixed, follow the tutorial on how to contribute to The COBRA Toolbox and contribute a fix.