```
1.- install docker
2.- https://hub.docker.com/
3.- run hello-world
$ sudo docker run hello-world
$ sudo docker images
$ sudo docker ps
$ sudo docker ps -a
$ sudo docker rm xxx
4.- hello world Apache
$ sudo docker login
$ sudo docker pull httpd
$ sudo docker images httpd
$ sudo docker run --name container-httpd -p 80:80 -d httpd
$ curl localhost
$ sudo docker exec -it xxx bash
# apt-get update
# apt-get install vim-tiny
# cd htdocs
# vi index.html
# exit
$ curl localhost
$ sudo docker ps
$ sudo docker stop xxx
$ sudo docker ps
$ sudo docker ps -a
$ sudo docker start xxx
5.- create Dockerfile, push, pull
$ mkdir nodeimage
$ cd nodeimage
$ vi Dockerfile
# We use debian as our base distro for this container.
FROM debian: jessie
# Refresh apt-get.
RUN apt-get update
# Install some utilities needed by node, npm.
RUN apt-get install -y curl make g++
```

```
# Install Node.js and npm.
RUN curl -sL https://deb.nodesource.com/setup_10.x | bash -
RUN apt-get install -y nodejs
# Install required npm packages.
ADD package.json /package.json
RUN npm install
# Set /src as the working directory for this container.
WORKDIR /src
# Open up external access to port 80.
EXP0SE 8080
# Run startup command.
CMD ["node", "/src/server.js"]
$ vi package.json
  "name": "node-image",
  "private": true,
  "version": "1.0.0",
  "description": "Docker image - node",
  "author": "Adolfo Centeno <adsoft@live.com.mx>",
  "dependencies": {
    "express": "3.2.4"
  }
}
$ mkdir src
$ cd src
$ vi server.js
var express = require('express');
// Constants
var PORT = 8080;
// App
var app = express();
app.get('/', function (req, res) {
    res.sendfile('/src/index.html');
});
app.listen(PORT);
console.log('Running on port ' + PORT);
```

```
$ vi index.html
```

Hello World!

by adsoft

- \$ sudo docker build -t <dockeruser>/my-node .
- \$ sudo docker run --name containernode -p 8080:8080 -v \$PWD/src:/src -
- d <dockeruser>/my-node
- \$ sudo docker push <dockeruser>/my-node