Part III Semantic Search

Semantic search

- What is "semantic" search?
 - understanding intent, contextual meaning
 - finding actual answers for information needs
 - combining text and structure
- "Entity-centric search"


Named Entities in Queries

[Guo et al. 2009]

- Entities in 71% of queries
- Context per type:


Movie	Game	Book	Music
# movie	# games	# summary	# lyrics
# photos	# cheats	# book	# video
# soundtrack	lego#	# review	# song
# pics	# download	# star	lyrics #
# movies	# wallpaper	# synopsis	lyrics to #


Distribution of web search queries [Pound et al. 2010]




Semantic search


- First step: recognize, label, and disambiguate entities in queries
 - add: attributes/aspects
 - add: types
 - add: relationships
 - add: actions/verbs
 - etc.
- Then: query understanding
 - what is the intent?
 - currently: mostly template-based [Agarwal et al. 2010]






History - Future - Other uses - Transport connections







Query understanding

- Rule-based approaches (editorial)
 - high precision
 - difficult to generalize
 - costly to create/maintain
- Research into more generic approaches is ongoing, e.g., ...

Query understanding

- Approaches
 - Structured annotation of web queries [Sarkas et al. 2010]
 - Interpreting keyword queries over KBs [Pound et al. 2012]
 - Ranking for structured queries [Elbassuoni et al. 2009]
 - Trends
 - purely structured queries
 - keyword-augmented structured queries
 - relaxed queries
 - <u>QALD</u>

Evaluation

- Do traditional metrics cover semantic search?
 - do we know the user's intent from a keyword query?
 - haven't users grown accustomed to not getting actual answers?
 - no interaction when the correct answer is shown
- Other "dimensions" of relevance
 - recency
 - interestingness
 - popularity
 - social

But, we have some tools now: How to go about QU?

- Entity linking

- assume some knowledge base/structure/graph
- link to the entity that is mentioned in the input
 - "recognize, label, and disambiguate"
- leverage various signals
 - titles, redirects, anchor text, ...
 - graph information
 - machine learning: clicks/editorial data

But, we have some tools now: How to go about QU?

- Entity retrieval
 - retrieve the actual answer
 - single entity
 - set/list of entities
 - attribute value(s)
 - snippet
 - from the KB, the web, a vertical, ...
- In some cases, EL/ER can be one and the same...

Let's take a step back

- Assume you want to build a "semantic" search engine
 - What would you need?
 - What would you do?
 - Which of the building blocks we have seen do we need and how do they fit together?

- "How tall is the eiffel tower"
 - "eiffel tower height"

- "Which airlines fly the Airbus A380?"
 - "airbus a380 airlines"

- "woody allen movies"

- "Who was the oldest person in outer space?"
 - "oldest person outer space"

- "jfk arrivals"

Open challenges

- Tail entities
- (Hyper)local
- Social
- Aggregation/Summarization¹
- "Provenance" ~ result explanation
- (Online) evaluation
- Freshness

¹http://www.bing.com/blogs/site blogs/b/search/archive/2014/02/21/timeline-understanding-important-event-s-in-people-s-lives.aspx

Wrap-up

- Introduction
- Part 1 Entity Linking
- Part 2 Entity Retrieval
- Part 3 Semantic Search

Questions?

Edgar Meij – @edgarmeij Krisztian Balog – @krisztianbalog Daan Odijk – @dodijk