Deterministic Software Architectures for Federal Alcohol Administration Act Compliance

Introduction to Programmatic Regulatory Validation

The translation of Federal Alcohol Administration (FAA) Act labeling laws into a deterministic, machine-implementable software ruleset represents a critical evolution in regulatory compliance technology. The Alcohol and Tobacco Tax and Trade Bureau (TTB) dictates highly specific, unyielding requirements across the Code of Federal Regulations (CFR), specifically within 27 CFR Part 4 (Wine), Part 5 (Distilled Spirits), Part 7 (Malt Beverages), and Part 16 (Health Warning Statement). Historically, the parsing of these regulations and the subsequent issuance of Certificates of Label Approval (COLAs) have relied upon human contextual deduction.[1] However, human review is inherently subjective and prone to fatigue, resulting in inconsistent compliance enforcement and costly delays in beverage commercialization.

A programmatic validation engine necessitates the transition from subjective legal prose to rigid boolean logic. The architecture of such a system cannot rely on probabilistic natural language models or artificial intelligence hallucinations; it must operate as an absolute state machine. Every pixel, geometric relationship, and textual token on a beverage label must be measured against explicitly codified statutory arrays. To achieve a functional Minimum Viable Product (MVP), the software architecture must seamlessly integrate advanced Optical Character Recognition (OCR) for token extraction, Computer Vision (CV) bounding-box heuristics for spatial analysis, and hyper-strict Regular Expression (Regex) algorithms for syntactical validation.

This comprehensive architectural report details the systematic distillation of TTB labeling regulations into an executable software matrix. The analysis focuses heavily on programmatic solutions for typographical anomalies, the computational detection of prohibited colloquialisms, the enforcement of exact volumetric conversions, and the geometric evaluation of mandatory fields of vision. The culmination of this analysis is the master rule matrix that serves as the deterministic spine of the compliance validation engine.

Ingestion Pipeline and Computer Vision Architecture

The foundational layer of the compliance engine is the ingestion and preprocessing pipeline. Before deterministic rules can be applied, raw raster images (JPEG, PNG, TIFF) must be transformed into structured, machine-readable objects. The pipeline begins with image thresholding, binarization, and affine transformations to correct for cylindrical skew, a common issue when analyzing labels photographed directly on bottles.

Once the image is normalized, the Computer Vision module isolates label components,

generating a data structure that maps detected text strings to precise geometric bounding polygons. This structure contains coordinate matrices for each text block, approximations of font weight via stroke thickness analysis, and background pixel color profiles for contrast evaluation. The output is a JSON-like topographical map of the label.

The validation engine processes these objects sequentially through spatial and syntactical filters. Spatial rules dictate the placement and isolation of specific texts. For instance, the system calculates the Euclidean distance between the bounding box of mandatory warning statements and the nearest adjacent text polygon. If the minimum distance vector falls below a dynamically calculated threshold derived from the text's baseline line height, the engine flags a spatial violation. Following spatial validation, the tokenized strings are sanitized to strip unintentional OCR line breaks and resolve common algorithmic hallucinations, such as the misinterpretation of the digit "0" as the letter "O". The sanitized tokens are then evaluated against the deterministic rule matrix detailed in subsequent sections.

Validation Engine Architectural Pipeline



The processing pipeline required to enforce TTB labeling laws, demonstrating the bifurcation of spatial compliance (CV) and syntactical compliance (NLP/Regex).

Part 16: The Government Warning Statement Topology

The requirements of 27 CFR Part 16, subpart C, constitute the most rigidly enforced typographical regulations within the FAA Act. The formatting, punctuation, and character

density of the Government Warning are mathematically exact. Any deviation from the statutory string, including the modification of a single punctuation mark, renders a beverage label non-compliant and legally unmarketable.

Punctuation and Exact Substring Matching

As specified in 27 CFR § 16.21, the required warning statement is an unyielding string that demands exact character matching. The statute dictates the presence of a colon immediately following the introductory phrase, which precedes the numbered clauses.[2] The absolute target string is: "GOVERNMENT WARNING: (1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects. (2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems." [2]

From a programmatic parsing perspective, optical character recognition engines frequently misinterpret the required colon as a semicolon, or overlook it entirely due to ink bleed in physical printing. Furthermore, spacing around the numbered parentheses (1) and (2) represents a frequent point of failure in human graphic design.[2] The validation ruleset must utilize a regular expression that enforces the lexical sequence of the words while allowing for minor, predefined spatial variances. The regex engine must detect the exact characters (1) and (2) directly in line with the text.[2] Missing parentheses, or the substitution of the number "1" for the letter "l", must trigger an immediate fail condition in the evaluation script.

Typography: The Bolding and Capitalization Paradox

Section 16.22(a)(2) introduces a complex boolean constraint regarding font weight and capitalization. The first two words, "GOVERNMENT WARNING," must appear in all capital letters and in bold type.[2] Critically, the remainder of the warning statement may not appear in bold type.[2]

This specific regulation represents a persistent compliance trap for designers who frequently bold the entire statement to achieve visual uniformity. The software engine cannot rely solely on plain text extraction to detect this violation; it requires the Computer Vision module to conduct pixel density and stroke width analysis within the isolated bounding box. The validation algorithm establishes a baseline stroke width for the body text of the warning statement and compares it mathematically to the stroke width of the phrase "GOVERNMENT WARNING." If the stroke width ratio approaches 1:1, indicating uniform thickness, the system must trigger a critical fail condition for improper bolding.[2]

Spatial Isolation and Affixation Constraints

Section 16.22(a)(1) mandates that the warning statement must be "readily legible under ordinary conditions" and must appear on a "contrasting background".[2] Furthermore, the warning must be placed "separate and apart from all other information".[4] For the Python engine, "separate and apart" is quantified as a spatial distance heuristic. The algorithm calculates a protective geometric halo around the warning text's bounding box. If any non-mandatory marketing text intrudes upon this calculated halo, the label is flagged for

spatial non-compliance.
Regarding contrast, the engine extracts the RGB values of the text pixels and the immediate surrounding background pixels. It calculates the relative luminance based on the Web Content Accessibility Guidelines (WCAG) contrast ratio formulas. If the contrast ratio falls below an acceptable threshold, indicating poor legibility, the software flags a visibility violation.
Additionally, Section 16.22(c) states that if a label is not an integral part of the container, it must be firmly affixed such that it cannot be removed without the thorough application of water or other solvents.[2] While physical affixation cannot be strictly tested via a 2D image validation engine, the system must prompt the user with a mandatory checkbox confirming adherence to the adhesive requirements prior to final certification.

Legibility Limits: Character Density and Type Size Algorithms

Section 16.22(a)(3) dictates that the letters and words of the warning cannot be compressed in a manner that renders them difficult to read.[2] This is mathematically enforced in Section 16.22(a)(4), which imposes strict limits on text compression, defined as the maximum number of characters (including letters, numbers, and punctuation marks) allowed per inch.[2]
The minimum required type size, and its corresponding character density limit, scales inversely with the volumetric capacity of the beverage container as outlined in Section 16.22(b).[2] The deterministic matrix relies on the following dimensional mapping array to execute compliance logic:

Container Volume Capacity	Minimum Required Type Size	Maximum Characters Per Inch	Source Citation
< 237 mL (8 fl. oz.)	1 millimeter	40 characters	[2]
> 237 mL up to 3 Liters (101 fl. oz.)	2 millimeters	25 characters	[2]
> 3 Liters (101 fl. oz.)	3 millimeters	12 characters	[2]

To execute this validation programmatically, the engine must ingest the physical DPI (Dots Per Inch) metadata embedded in the digital artwork file. The algorithm calculates the physical width of the text block in inches. It then counts the total string length of the warning statement and divides the length by the physical width to derive the characters-per-inch metric. If the computed value exceeds the thresholds outlined in the corresponding matrix array, the warning is deemed illegally compressed.[2]

Parts 4, 5, and 7: Syntactical Boundaries of Alcohol Content

The expression of alcohol content is heavily regulated, with diverging rulesets governing Wine (Part 4), Distilled Spirits (Part 5), and Malt Beverages (Part 7). A primary directive for the automated parser is the detection and rejection of non-compliant industry shorthand, enforcing absolute adherence to authorized statutory formats.

The Explicit Prohibition of the "ABV" Acronym

Within the craft brewing and artisan distilling industries, the acronym "ABV" (Alcohol by Volume) is ubiquitous in marketing and consumer parlance. However, under strict FAA Act interpretation, "ABV" is an illegal abbreviation when used as the mandatory statement of alcohol content on a physical label.[3] The TTB explicitly mandates that the alcohol content must be fully spelled out or constructed utilizing a highly restricted list of authorized abbreviations.

For malt beverages (27 CFR § 7.65) and distilled spirits (27 CFR § 5.65), the foundational authorized formats are: "Alcohol percent by volume", "percent alcohol by volume", and "Alcohol by volume: percent".[10]

The regulations permit the truncation of these specific words into authorized abbreviations. The parser must accept only the following substitutions: "alc" for Alcohol, "vol" for volume, the "%" symbol for percent, and a forward slash "/" in lieu of the word "by".[10] Periods may be optionally included after the abbreviations.[10] Parentheses may optionally enclose words or symbols within the statement.[10] Consequently, strings mapped as 40% alc/vol, Alc. 40 percent by vol., Alc 4% by vol, and 5.9% Alcohol by Volume are entirely compliant.[10]

The validation engine must utilize a strict negative lookahead regex constraint to instantaneously fail any label where the primary alcohol statement contains the contiguous character sequence A, B, V. The engine must also account for case insensitivity and the presence of intermediate punctuation, identifying strings like a.b.v. or ABV as fatal errors.[3]

Field of Vision Geometric Requirements

The statutory framework imposes strict geometric constraints on the placement of alcohol content information relative to other brand identifiers. For distilled spirits, 27 CFR § 5.63 and § 5.65 mandate that the alcohol content statement must appear within the "same field of vision" as the brand name and the class, type, or other designation.[11]

The TTB defines this field of vision mathematically. For a cylindrical container, a single field of vision is defined as a side comprising exactly 40 percent of the container's total circumference.[11] The regulation stipulates that all required pieces of information within this field must be viewable simultaneously without necessitating the physical turning of the container.[11]

Within a 2D software validation environment, translating a 3D cylindrical surface requirement presents a complex mapping challenge. The Computer Vision engine must analyze the geometric coordinates of the bounding boxes containing the Brand Name, the Class/Type Designation, and the Alcohol Content. The system assumes the uploaded primary display image represents the frontal 40% plane. It asserts that the bounding boxes for all three mandatory elements must reside within this single image file's coordinate grid. If the alcohol content is detected on an image explicitly marked as the "back label" while the brand name resides on the "front label," the engine logs a field of vision failure.[11]

Mathematical Tolerances and Low-Alcohol Distinctions

The regulatory parser must extract the numerical integer or floating-point value of the alcohol

content and evaluate it against permitted statutory tolerances, which vary significantly by beverage classification. The system logic routes the parsed numerical value through the following tolerance decision trees:

Beverage Classification	Stated Alcohol Volume	Allowed Variance (Tolerance)	Source Citation
Distilled Spirits	All volumes	$\pm$ 0.3 percentage points	[11]
Malt Beverages	$>$ 0.5%	$\pm$ 0.3 percentage points	[10]
Wine	> 14%	$\pm$ 1.0 percentage point	[13]
Wine	$<$ 14%	$\pm$ 1.5 percentage points	[13]

The validation engine must also process categorical definitions regarding the absence of alcohol. For malt beverages, a product may be labeled as "Low Alcohol" or "Reduced Alcohol" only if it contains less than 2.5% alcohol by volume; furthermore, the actual content cannot equal or exceed 2.5% regardless of standard tolerances.[10] The designation "Non-alcoholic" is highly restricted. It may only be utilized if the beverage contains less than 0.5% alcohol by volume, and the label must explicitly bear the qualifying statement "contains less than 0.5% (or.5%) alcohol".[10] The absolute claim of "Alcohol free" requires the product to contain 0.0% alcohol, permitting absolutely no tolerance variance, and often requires specialized formula submission.[10] Any conflict between these designated textual claims and the numerical alcohol content parsed by the engine results in an automatic system failure.

Volumetric Constraints: The Imperial and Metric Algorithms

Net content labeling introduces a highly complex parsing scenario governed by legacy standards of fill. The logic required for imperial conversions does not follow standard, infinitely divisible mathematical algorithms. Instead, it adheres to rigid statutory syntax where fractions must be reduced, and specific volumetric benchmarks trigger absolute vocabulary changes.

The Malt Beverage Imperial Conversion Cascade

According to 27 CFR § 7.70 and the TTB Beverage Alcohol Manual (BAM) for Malt Beverages, net contents must be stated in standard United States customary measures. The algorithm must force conversions into the largest applicable whole units—pints, quarts, and gallons.[7] The parsing rules are fiercely specific and represent a common point of compliance failure:

1. **Volumes Less Than One Pint:** The net contents must be stated exclusively in fluid ounces or as fractions of a pint (e.g., 12 fl. oz.).[7]

2. **Exactly One Pint, One Quart, or One Gallon:** The net contents must be stated exactly as the singular unit word. The use of 16 fl. oz. or 16 oz. without the accompanying phrase 1 pint is an automatic and non-negotiable failure. The text must read 1 pint, 1 quart, or 1 gallon.[3]
3. **Between One Pint and One Quart:** The volume must be stated in fractions of a quart, or as a combination of pints and fluid ounces. For example, a standard 22-ounce container must be parsed and labeled strictly as 1 pint 6 fl. oz.; labeling it simply as 22 fl. oz. violates the requirement to convert to the largest whole unit.[3]
4. **Between One Quart and One Gallon:** The volume must be stated in fractions of a gallon, or as a combination of quarts, pints, and fluid ounces.[7]
5. **More Than One Gallon:** The volume must be stated in gallons and fractions thereof.[7]
6. **Denominator Reduction:** All fractions utilized in the statement must be computationally expressed in their lowest possible denominations.[7]

Metric measures, such as milliliters (mL), may be utilized as supplementary information but can never be used in lieu of the mandatory U.S. customary units. If metric measures are provided (e.g., 1 pint (473 mL)), they must appear in the same field of vision as the imperial units.[7] To enforce this cascade programmatically, the validation engine utilizes a regex extractor to pull any integer preceding volume identifiers (oz, fl oz, pint). If the extracted integer corresponds to fluid ounces, the engine initiates a modulo mathematical operation (parsed_oz % 16). If the operation yields exactly 16, and the string "pint" is absent from the adjacent token array, the engine throws a critical exception.[3]

Algorithmic Routing for Malt Beverage Net Contents



The statutory conversion logic for malt beverages under 27 CFR 7.70, dictating when fluid ounces must be converted into pints, quarts, or combinations thereof.

Wine and Spirits: Metric Standards of Fill

In stark contrast to the continuous mathematical boundaries of malt beverages, Wine (Part 4) and Distilled Spirits (Part 5) operate on an entirely different regulatory chassis based on mandatory metric standards of fill. The validation engine evaluates these products using absolute arrays of permitted container sizes.

For Wine, 27 CFR § 4.37 dictates that containers lacking a prescribed standard of fill must utilize the metric system. If the volume exceeds one liter, the contents must be stated in liters and decimal portions accurate to the nearest one-hundredth (e.g., 1.50 L).[13] Containers holding less than one liter must state contents in milliliters (mL).[13] When U.S. equivalent measures are optionally included, they must be highly precise. For volumes under 100 fluid ounces, the equivalent must be accurate to the nearest one-tenth of a fluid ounce (e.g., 750 mL must equate to 25.4 fl. oz.).[13] The engine evaluates wine volumes against the authorized standards of fill matrix detailed in 27 CFR § 4.72:

Authorized Wine Standards of Fill (Metric)	Source Citation
3 Liters, 1.5 Liters, 1 Liter	[24]

750 mL, 500 mL, 375 mL, 355 mL	[24]
250 mL, 200 mL, 187 mL, 100 mL, 50 mL	[24]

(Note: For wine packed in bulk containers of 4 to 17 liters, the net contents must be expressed in even liters. Regulations requiring standard wine containers do not apply to containers of 18 liters or more, or to Saké.[24])

For Distilled Spirits, 27 CFR § 5.203 enforces an equally rigid array of standard fill volumes. Any parsed volume that does not match this array precisely triggers an automatic rejection by the validation software:

Authorized Distilled Spirits Standards of Fill (Metric)	**Source Citation**
1.8 Liters, 1.75 Liters, 1 Liter	[25]
900 mL, 750 mL, 700 mL, 500 mL (until June 30, 1989 exception)	[25]
375 mL, 200 mL, 100 mL, 50 mL	[25]

Furthermore, the type size for the net contents of spirits is governed by a hard computational floor. Containers larger than 200 mL require a minimum character height of 2 millimeters, while containers of 200 mL or less require a minimum character height of 1 millimeter.[25] This minimum type size applies to every single numeral and letter in the statement, demanding uniform vertical pixel scaling from the graphic designer.[25]

Physical Placement and Affixation of Net Contents

The validation engine must also account for the physical manifestation of the label regarding net contents. Unlike the brand name or alcohol content, the net contents statement is not mathematically required to exist within the primary front-facing field of vision; it may appear on any label securely affixed to the front, back, or side of the container.[11]

Crucially, the regulations expand the definition of a "label" strictly for the purpose of the net contents statement and the name/address statement. The information is deemed legally compliant if it is blown, embossed, etched, engraved, sandblasted, branded, or molded directly into the physical material of the container as part of the manufacturing process.[7] However, there are absolute prohibitions on placement. Information appearing solely on the bottom surface of the container does not satisfy mandatory labeling requirements.[7] Similarly, information placed on temporary closures such as caps, corks, or foil heat-shrink capsules, or printed on materials not firmly affixed to the container like booklets, leaflets, or hang tags, is legally void and computationally ignored by the compliance engine.[7]

Name, Address, and Production Declarations

The deterministic parsing of the name and address statement requires advanced natural language processing to verify the relationships between entities, physical locations, and production roles.

The label must state the name and address of the producer, bottler, or importer. The address

must identify the specific city and state of the operation. Abbreviations of the state name using standard postal codes (e.g., CA for California) are programmatically permitted.[26] The use of a registered Trade Name or a "Doing Business As" (DBA) descriptor is allowed, provided it matches the master permit database.[8]

For operations involving multiple facilities, the computational logic accommodates principal location exceptions. The principal place of business of a producing brewer may be utilized on the label in lieu of listing every specific brewing location owned by the entity, assuming all coding requirements under 27 CFR § 25.141 are met.[8]

Specific prefatory phrases dictate the legal relationship between the product and the address. The phrase "Bottled By" or "Bottled For" specifically refers to wine placed in containers of 4 liters or less.[13] Conversely, the phrase "Packed By" or "Packed For" strictly refers to wine placed in containers holding more than 4 liters.[13] In the case of imported goods, the required format changes to "Imported by" followed by the principal place of business in the United States.[13] The validation algorithm parses these introductory phrases and executes conditional checks against the previously extracted net contents variable to ensure phraseology matches the container's volumetric reality.

The TTB Regulatory MVP Validation Matrix

The following master matrix represents the foundational database architecture for the target Python validation engine. It translates the subjective statutory requirements detailed throughout this report into computable objects, outlining the exact regex patterns, computer vision detection methods, and boolean state conditions required for MVP execution.

Rule ID	Beverage Type	Field	Exact Requirement	Source Citation	Detection Method (Strict/Fuzzy/CV)	Pass Condition	Fail Condition	Needs Review Condition	Regex/Parser Idea	Test Cases	MVP vs Deferred
R-HW-001	All	Gov Warning	Must appear as a continuous paragraph/statement separate and apart from	[2]	CV Spatial & Regex	Bounding box detected > x pixels from other text blocks. Text is continuous.	Warning broken across different sides of the label or intermingled with marketi	Warning is tightly boxed with brand text, triggering distance thresho	Compute Euclidean distance of box_HW to box_Nearest.	**Pass:** Warning in isolated footer. **Fail:** Warning embedded inside	MVP

			other info.				ng copy.	ld warnings.		flavor description.	
R-HW-002	All	Gov Warning	First two words "GOVERNMENT WARNING:" must be ALL CAPS, Bold, and followed by a colon.	[2]	Strict Regex + CV (Font Weight)	Regex finds exact string, CV confirms pixel density of "GOVERNMENT WARNING" > body text density.	String is "Government Warning" (lowercase) or missing the mandatory colon.	Colon is present but separated by wide kerning space, or bolding is ambiguous in CV module.	^GOVERNMENT WARNING:\s*\(1\) combined with CV font-weight scalar logic.	**Pass:** "GOVERNMENT WARNING: (1)..." **Fail:** "GOVERNMENT WARNING (1)..."	MVP
R-HW-003	All	Gov Warning	The remainder of the warning statement may not appear in bold type.	[2]	CV (Font Weight Analysis)	Median font weight of text post-colon matches baseline unbolded font weight.	Entire warning is bolded to uniformly match the opening phrase.	OCR detects heavy ink spread causing false positive for thick stroke width bolding.	calc_font_weight(body_tokens) < calc_font_weight(header_tokens)	**Pass:** Standard body text weight. **Fail:** Uniform bold block.	MVP
R-HW-004	All	Gov Warning	Verbatim phrasing of the numbered	[2]	Fuzzy Regex (Tolerance for OCR artifacts)	Levenshtein distance between parsed	Entire clauses are missing, fundamentall	Minor typos detected that are likely OCR	\(1\)\s*According to the Surgeon General.*\(2\)\s	**Pass:** Exact statutory match. **Fail:** Missing	MVP

			points (1) and (2) regarding pregnancy and machinery.			string and statutory string is < 5%.	y reworded, or placed out of order.	errors (e.g., "birrh defects").	*Consumption of	point (2).	
R-HW-005	All	Gov Warning	Character density must not exceed 40 char/inch (1mm type), 25 char/inch (2mm), or 12 char/inch (3mm).	[2]	CV Spatial Analytics	Total_Chars / Box_Width_Inches <= Max_Density	Characters are severely compressed, exceeding maximum statutory density threshold.	Threshold is met but DPI metadata from uploaded image is unreliable or missing.	Measure bounding box pixel width, divide by image DPI, calculate character count ratio.	**Pass:** 20 chars/inch on 2mm type. **Fail:** 50 chars/inch on 1mm type.	Deferred (V2)
R-ALC-001	Malt, Spirits	Alcohol Content	"ABV" abbreviation strictly prohibited. Must use "alc", "vol", "%".	[3]	Strict Regex	Token matches allowed array (e.g., alc/vol) and does NOT contain ABV.	Primary alcohol string contains "ABV" or "A.B.V."	"ABV" appears elsewhere on the label (e.g., in a brand name "ABV Brewing"), requirin	(?i)\bA\.?B\.?V\.?\b (Negative match applied exclusively to target bounding box).	**Pass:** "5% alc/vol". **Fail:** "5% ABV".	MVP

								g contextual review.			
R-ALC-002	Malt	Alcohol Content	Formatting must be "Alcohol % by vol" or similar exact variations. Periods optional.	[10]	Strict Regex	String exactly matches permitted structural configurations and abbreviations.	"5% Alcohol" (missing volume) or "5% Volume" (missing alcohol references).	Symbol % is missing but the word percent is utilized in the string.	`(?i)(?:alc	alcohol).?\s*(?:%	percent)?\s*(?:by
R-ALC-003	Spirits	Alcohol Content	Formatting must be "% alcohol by volume". Must be in same field of vision as Brand/Class.	[11]	Regex + CV Spatial	Alcohol format valid AND bounding box is on same 40% cylindrical plane as brand text.	Format invalid OR placed on back label while brand identifier is on front label.	Labels physically wrap around edges; geometric boundary of "40%" is ambiguous in 2D image plane.	Check coordinate distance vectors between Box_Brand and Box_Alc.	**Pass:** "40% alc/vol" directly under brand. **Fail:** Alc on separate back tag.	MVP
R-ALC-004	Wine	Alcohol Content	Tolerances: >14% volume allows 1% variance;	[13]	Regex + Value Extraction	Parsed numerical float conforms to formatting	Format uses forbidden "ABV" or omits percen	Contains a range format "X% to Y%" where the	(?i)Alcohol\s*(\d+(\.\d+)?)%\s*(?:to\s*(\d+(\.\d+)?)%)?\s*by\s*	**Pass:** "Alcohol 12.5% by volume". **Fail:** "12% ABV".	MVP

			<=14% volume allows 1.5% variance.			"Alcohol X% by volume".	tage indicator entirely.	delta exceeds the 2% or 3% statutory limit.	volume		
R-ALC-005	Malt	Non-Alcoholic Claims	"Non-alcoholic" permitted ONLY if < 0.5% volume. Must state "contains less than 0.5% alcohol".	[10]	Regex	String reads "Non-alcoholic" AND bounding box nearby reads "contains less than 0.5% alcohol".	String claims "Non-alcoholic" but numeric value parsed is >= 0.5%.	Claim is "Alcohol Free" which requires strict 0.0% validation, not 0.5%.	(?i)non-alcoholic must be paired logically with < 0.5%.	**Pass:** "Non-alcoholic. Contains < 0.5% alc/vol." **Fail:** "Non-alcoholic 1.0%".	MVP
R-NET-001	Malt	Net Contents	Volumes of exactly 16 fluid ounces MUST be labeled exactly as "1 pint".	[3]	Strict Regex	String reads exactly "1 pint" (supplemental metric addition is optional).	String reads "16 oz" or "16 fl. oz." without stating the required "1 pint".	String reads "1 Pint (16 fl. oz.)" - legally permitted since the "1 pint" base is satisfied.	(?i)^.*1\s*pint.*$ required if derived volume integer equals 16. Fail (?i)16\s*(fl\.?)?\s*oz.	**Pass:** "1 pint (473 mL)". **Fail:** "16 FL OZ".	MVP
R-NET-002	Malt	Net Contents	Volumes > 1 pint and < 1 quart	[3]	Regex + Math Engine	A 22 oz actual volume is correct	A 22 oz volume is written plainly	Fractions of a quart are used	Extract integer val, if 16 < val < 32,	**Pass:** "1 pint 6 fl. oz." **Fail:** "22 fl.	MVP

			MUST be expressed in fractions of a quart or pints + fl. oz.			ly parsed and formatted as "1 pint 6 fl. oz."	as "22 fl. oz." violating largest unit rule.	but the algorithm detects they are not reduced to lowest denominators.	enforce strict 1 pint \d+ fl oz string pattern.	oz."	
R-NET-003	Malt	Net Contents	Volumes < 1 pint must be stated strictly in fluid ounces.	[7]	Regex	Volumes under 16 oz are followed by "fl. oz."	Omission of "fl.", resulting in an illegal raw weight measure "oz."	"Fluid Ounces" is misspelled, triggering fuzzy logic failure.	(?i)^\d+\s*fl(?:uid)?\.?\s*oz(?:unces)?\.?$	**Pass:** "12 fl. oz." **Fail:** "12 oz."	MVP
R-NET-004	Wine	Net Contents	Volumes > 1 Liter must use Liters to the nearest 0.01 decimal (e.g., 1.50 L).	[13]	Regex	Parsed value > 1 has exactly two decimal places and is followed by "L" or "Liter".	Value is strictly an integer "1 L" or uses improper non-metric U.S. base system.	1.5 L used without the trailing zero (e.g., 1.5 L instead of the statutory 1.50 L).	(?i)\d+\.\d{2}\s*L(?:iters?)?	**Pass:** "1.50 L". **Fail:** "1.5 Liters".	MVP
R-NET-005	Spirits	Net Contents	Minimum type size corresponds to container volume	[25]	CV Typography	Height of physical alphanumeric characters	Type is severely reduced to save label space,	DPI scaling of input image makes absolute physica	Measure pixel height of bounding text box, correla	**Pass:** 2mm height on 750mL bottle. **Fail:** <1mm	Deferred (V2)

			(1mm for <=200 mL, 2mm for >200mL).			meets the baseline 1mm/2mm pixel scale mapping.	falling below the 1mm floor.	l measurement impossible without a physical ruler reference.	te with standardized container DPI map.	height.	
R-NET-006	Wine, Spirits	Net Contents	U.S. equivalents are optional, but if present must be highly accurate to nearest tenth of fl oz.	[13]	Regex + Math Engine	Example: 750mL is mapped mathematically to exactly "25.4 fl. oz."	750mL is mapped to "25 fl. oz." representing illegal and inaccurate rounding.	Metric conversion mathematical result falls exactly on a boundary requiring complex rounding review.	Parse (\d+)\s*mL and verify against mathematical result of (\d+\.\d+)\s*fl equivalent.	**Pass:** "750 mL (25.4 fl. oz.)". **Fail:** "750 mL (25 fl. oz.)".	MVP
R-ADD-001	All	Name & Address	Mandatory city and state identification for the producer, bottler, or importer.	[8]	Regex	Token parses recognizable U.S. city and standard 2-letter state postal code abbrevi	Address is completely missing, or lists only a country without city/state routing.	City matches but state code is a non-standard abbreviation not recognized by USPS.	(?i)(?:[A-Z][a-z]+(?:\s[A-Z][a-z]+)*),\s*(?:[A-Z]{2})	**Pass:** "Portland, OR". **Fail:** "Portland, Oregon Province".	MVP

						ation.					
R-ADD-002	Wine	Name & Address	Prefix "Bottled By" mandatory for containers <= 4 liters. "Packed By" for > 4 liters.	[13]	Regex + Logic Gate	Regex detects "Bottled By" AND parsed net content variable is <= 4L.	"Packed By" is used on a standard 750mL consumer wine bottle.	"Produced and Bottled By" is utilized, requiring parsing of the combined conditional phrase.	`(?i)(bottled	packed)\s*(?:by	for)` mapped against container volume boolean.

Algorithmic Edge Cases and Computer Vision Limitations

Translating the intricate, legacy-bound prose of the FAA Act into binary software introduces severe systemic vulnerabilities, primarily localized to the limits of current Computer Vision architectures and typographical interpretation. The CFR regulations were drafted for subjective human compliance officers capable of inferring designer intent, whereas deterministic algorithms fail abruptly upon encountering unstructured edge cases.

The Computational Definition of "Separate and Apart"

As previously discussed regarding 27 CFR 16.21, the Government Warning must appear "separate and apart from all other information".[4] For the Python validation engine, legal terms like "separate and apart" possess no inherent mathematical value. The engine must draw a bounding polygon around the warning cluster and calculate the shortest distance vector to the bounding box of the nearest non-mandatory marketing text.

However, defining the minimum pixel threshold that satisfies the legal definition of "apart" is highly subjective. If the empty space between the warning and a product barcode is exactly 2 millimeters, does that satisfy the requirement? To solve this for the MVP, the engine relies on a dynamic, self-referential padding algorithm. It computes the average physical line height (leading) of the warning text itself. The protective threshold distance is then computationally set to 1.5 * average_line_height. If any external bounding box edge intrudes upon this generated halo, the validation script returns a failure. While logically sound, highly compressed labels with dense graphic design will frequently trigger false positive failures under this heuristic, requiring a human override protocol.

Mitigation Strategies for OCR Hallucinations

Due to the highly stylized nature of commercial beverage labels—which routinely feature aggressive graphic design, intentional distress patterns, drop shadows, and non-standard typography—OCR engines frequently hallucinate characters. A stylized "O" in "GOVERNMENT WARNING" might be rendered by Tesseract as the number zero. A thin sans-serif "l" in the abbreviation "alc/vol" is routinely misread as the number "1" or a capital "I".

To achieve an acceptable rate of reliability, the regex rules within the master matrix utilize fuzzy matching algorithms (such as Levenshtein distance) for large text blocks that are not strictly required to be exact character-for-character statutory replicas (e.g., the body text of the health warning).[2] However, for the health warning prefix and net content formatting where absolute exactitude is legally mandated (such as the presence of the colon after WARNING: or the precise spelling of 1 pint), fuzzy matching risks passing illegally formatted labels.[2]

Thus, the engine must operate on a cascading, multi-pass OCR paradigm. If the primary strict regex algorithm fails on the initial OCR output, the system does not immediately issue a rejection. Instead, it applies secondary image thresholding, binarization, and deskewing transformations specifically to the isolated bounding box and re-runs the extraction protocol. If the secondary pass still fails to match the strict statutory strings (e.g., 1 pint or alc/vol), the document is forcefully routed into the Needs Review Condition for manual adjudication by a compliance officer.

Implementation Limits and Deferred Logic Pipelines

Several foundational TTB rules require physical, real-world context that simply cannot be accurately deduced from a digital image file alone. For example, character density metrics (the mandate of maximum characters per inch) [2] and absolute typographical sizes (the 1mm vs. 2mm floor requirements) [2] rely entirely on knowing the physical dimensions of the printed label. Unless the validation engine receives a 1:1 scale vector file (such as a production-ready PDF containing embedded physical trim box metadata), Computer Vision pixel calculations can be heavily skewed by the arbitrary resolution or zoom level of an uploaded JPEG. A low-resolution photo of a massive bottle and a high-resolution photo of a miniature bottle look geometrically identical to the parser without a reference scale.

Therefore, absolute physical dimension rules (represented in the matrix as R-HW-005 and R-NET-005) are classified as Deferred (V2) for the initial MVP deployment. In the current iteration, the software will strictly validate the presence, syntax, relative spatial weighting (such as stroke-width bolding comparisons), and sequential formatting of the required text. The physical dimensional validation must be deferred until the system architecture integrates a mandatory user-input form during the upload process. This form will require operators to explicitly declare the physical dimensions (width and height in inches) of the uploaded artwork, allowing the engine to generate an accurate pixel-to-millimeter translation matrix to unlock full dimensional compliance testing.

Works cited

1. 27 CFR Part 5 -- Labeling and Advertising of Distilled Spirits - eCFR, accessed April 28, 2026, https://www.ecfr.gov/current/title-27/chapter-I/subchapter-A/part-5
2. 27 CFR Part 16 Subpart C -- Health Warning Statement ... - eCFR, accessed April 28, 2026, https://www.ecfr.gov/current/title-27/chapter-I/subchapter-A/part-16/subpart-C
3. Labeling - TTB, accessed April 28, 2026, https://www.ttb.gov/system/files?file=images/pdfs/presentations/part6.pdf
4. Malt Beverage Labeling: Health Warning Statement | TTB: Alcohol and Tobacco Tax and Trade Bureau, accessed April 28, 2026, https://www.ttb.gov/regulated-commodities/beverage-alcohol/beer/labeling/malt-beverage-health-warning
5. Distilled Spirits Labeling: Health Warning Statement | TTB: Alcohol and Tobacco Tax and Trade Bureau, accessed April 28, 2026, https://www.ttb.gov/regulated-commodities/beverage-alcohol/distilled-spirits/ds-labeling-home/ds-health-warning
6. 27 CFR Part 16 -- Alcoholic Beverage Health Warning Statement - eCFR, accessed April 28, 2026, https://www.ecfr.gov/current/title-27/chapter-I/subchapter-A/part-16
7. 27 CFR Part 7 Subpart E -- Mandatory Label Information - eCFR, accessed April 28, 2026, https://www.ecfr.gov/current/title-27/chapter-I/subchapter-A/part-7/subpart-E#7.70
8. Formulas and Labels for Beer/Malt Beverages - TTB, accessed April 28, 2026, https://www.ttb.gov/system/files/images/pdfs/NYS_Brewers_Conference_2022--_Formulas_and_Labels--_For_posting.pdf
9. Anatomy of a Distilled Spirits Label Tool | TTB: Alcohol and Tobacco Tax and Trade Bureau, accessed April 28, 2026, https://www.ttb.gov/regulated-commodities/beverage-alcohol/distilled-spirits/ds-labeling-home/anatomy-of-a-distilled-spirits-label-tool
10. 27 CFR Part 7 Subpart E -- Mandatory Label Information - eCFR, accessed April 28, 2026, https://www.ecfr.gov/current/title-27/chapter-I/subchapter-A/part-7/subpart-E
11. 27 CFR Part 5 Subpart E -- Mandatory Label Information - eCFR, accessed April 28, 2026, https://www.ecfr.gov/current/title-27/chapter-I/subchapter-A/part-5/subpart-E
12. Modernization of the Labeling and Advertising Regulations for Distilled Spirits and Malt Beverages - Federal Register, accessed April 28, 2026, https://www.federalregister.gov/documents/2022/02/09/2022-00841/modernization-of-the-labeling-and-advertising-regulations-for-distilled-spirits-and-malt-beverages
13. 27 CFR Part 4 Subpart D -- Labeling Requirements for Wine - eCFR, accessed April 28, 2026,

https://www.ecfr.gov/current/title-27/chapter-I/subchapter-A/part-4/subpart-D
14. TTB Releases Low and No Alcohol Beverage Guidance | The Daily Intake, accessed April 28, 2026, https://www.dailyintakeblog.com/2026/03/ttb-releases-low-and-no-alcohol-beverage-guidance/
15. Federal Regulation of Low and No Alcohol Beverages - TTB, accessed April 28, 2026, https://www.ttb.gov/system/files/2026-02/Low-No_Alcohol_Products_for_TTB_web-_FINAL.pdf
16. 27 CFR § 7.70 - Net contents. - Cornell Law School, accessed April 28, 2026, https://www.law.cornell.edu/cfr/text/27/7.70
17. Malt Beverage Labeling: Net Contents | TTB: Alcohol and Tobacco ..., accessed April 28, 2026, https://www.ttb.gov/regulated-commodities/beverage-alcohol/beer/labeling/malt-beverage-net-contents
18. Design Guide to Beer Label Requirements, accessed April 28, 2026, https://www.jumpingjackrabbit.com/blog-post/design-guide-to-beer-label-requirements/
19. TTB Boot Camp: Labeling, accessed April 28, 2026, https://www.ttb.gov/images/pdfs/TTB_Boot_Camp_for_Brewers-_Labeling.pdf
20. CRAFT BREWERS CONFERENCE ONLINE MAY 2020 - TTB, accessed April 28, 2026, https://www.ttb.gov/system/files?file=images/pdfs/presentations/CBC-Online2020-Labeling.pdf
21. LABELING | TTB Boot Camp Webinar Series for Brewers, accessed April 28, 2026, https://www.ttb.gov/system/files/2024-04/Part_5_Labeling.pdf
22. TTB Bootcamp for Brewers, accessed April 28, 2026, https://www.ttb.gov/system/files?file=images/pdfs/presentations/ttb-bootcamp-brewers-2019-full.pdf
23. 27 CFR § 4.37 - Net contents. - Law.Cornell.Edu, accessed April 28, 2026, https://www.law.cornell.edu/cfr/text/27/4.37
24. Wine Labeling: Net Contents | TTB: Alcohol and Tobacco Tax and Trade Bureau, accessed April 28, 2026, https://www.ttb.gov/regulated-commodities/beverage-alcohol/wine/labeling-wine/wine-labeling-net-contents
25. Distilled Spirits Labeling: Net Contents | TTB: Alcohol and Tobacco Tax and Trade Bureau, accessed April 28, 2026, https://www.ttb.gov/regulated-commodities/beverage-alcohol/distilled-spirits/ds-labeling-home/ds-net-contents
26. 109 PART 7—LABELING AND ADVERTISING OF MALT BEVERAGES - GovInfo, accessed April 28, 2026, https://www.govinfo.gov/link/cfr/27/7?link-type=pdf&year=mostrecent
27. Wine BAM Chapter 1 08-09-2018 - TTB, accessed April 28, 2026, https://www.ttb.gov/system/files/images/pdfs/wine_bam/c1-mandatory-label-information.pdf

28. Wine Beverage Alcohol Manual 08-09-2018 - TTB, accessed April 28, 2026, https://www.ttb.gov/system/files/images/pdfs/wine_bam/complete-wine-beverage-alcohol-manual.pdf