

Search ⌘J
Winter '26 (API version 6.1) Latest ▾

- Dataflow Resources
- Dataset Resources
  - Dependencies Resource
- Eclair Chart Resources
- Features Configuration Resource
- Folder Resources
  - JsonXform Transformation Resource
  - Limits Resource
- Lens Resources
  - Query Resource
  - Recipe Resources
- Replicated Dataset Resources
  - Schedule Resource
- Subscription Resources
  - Security Coverage Dataset Version Resource
  - Security Coverage Object Resource
- Template Resources
- Trended Report Resources
- Watchlist Resources

Requests / Analytics Asset Collection Query Input

# Analytics Asset Collection Query Input

The query parameters used to request a collection of Analytics assets.

## Properties

Parameter Name	Type	Description	Required or Optional	Available Version
filterPlaceholderDatasets	Boolean	Indicates whether to filter the assets with placeholder datasets from the collection (true) or not (false).	Optional	50.0
filters	Map<String, AnalyticsAssetFilterInput>	A map of filters to apply to the collection query.	Optional	47.0
includeSubfolders	Boolean	Indicates whether to include the assets in subfolders in the collection (true) or not (false).	Optional	56.0
limit	Integer	The limit of assets to include in the collection.	Optional	47.0
mobileHidden	Boolean	Indicates whether to exclude mobile assets from the collection (true) or not (false).	Optional	47.0
nextPageToken	String	The next page token value for the collection.	Optional	47.0
offset	Integer	The offset value for the collection.	Optional	47.0
order	ConnectWaveSortOrderTypeEnum	The type of sort order to be applied to the returned collection. Valid values are: <ul style="list-style-type: none"> <li>App</li> <li>CreatedBy</li> <li>CreatedById</li> <li>CreatedDate</li> <li>FolderName</li> <li>LastModified</li> <li>LastModifiedById</li> <li>LastModifiedDate</li> <li>Location</li> <li>Mru (Most Recently Used, last viewed date)</li> <li>Name</li> <li>Outcome</li> <li>Owner</li> <li>RefreshDate (for assets like datasets)</li> <li>RunDate (for assets like reports)</li> <li>Status</li> <li>Title</li> <li>Type</li> </ul>	Optional	52.0
scope	ConnectWaveScopeTypeEnum	The type of scope to be applied to the returned collection. Valid values are: <ul style="list-style-type: none"> <li>Browse</li> <li>CreatedByMe</li> <li>InsightsApplicationsIsCansEdit</li> <li>Mru (Most Recently Used)</li> <li>SharedWithMe</li> </ul>	Optional	38.0
searchTerm	String	The search term to use for assets in the collection.	Optional	47.0
sortDirection	ConnectWaveSortOrderEnum	The ordering applied to the collection results. Valid values are: <ul style="list-style-type: none"> <li>Ascending</li> <li>Descending</li> </ul>	Optional	52.0
useAutoSuggestions	Boolean	Indicates whether to use automated suggestions to populate the collection (true) or not (false).	Optional	48.0

### See Also

- [Analytics Assets Collection Resource](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)

### DEVELOPER CENTERS

[Heroku](#)
[MuleSoft](#)
[Tableau](#)
[Commerce Cloud](#)
[Lightning Design System](#)
[Einstein](#)
[Quip](#)

### POPULAR RESOURCES

[Documentation](#)
[Component Library](#)
[APIs](#)
[Trailhead](#)
[Sample Apps](#)
[Podcasts](#)
[AppExchange](#)

### COMMUNITY

[Trailblazer Community](#)
[Events and Calendar](#)
[Partner Community](#)
[Blog](#)
[Salesforce Admins](#)
[Salesforce Architects](#)