
Setup instructions for TikTok web events

TikTok For Business <no-reply@notifications.tiktok.com>
To: suxesluxthread@gmail.com

Sun, Dec 21, 2025 at 12:39 AM



Pixel Information

The following information is used to identify your pixel and in your base code.

Pixel ID

D53J4HRC77U9GK0PCE80

This is the unique number assigned to your pixel.

Pixel Name

Suxeslux

Events API Configuration

Follow these steps to complete setting up events with Events API.

1. Generate access token

An access token gives you access to Events API. Each time you make a call, you're required to use your access token.

After a token is generated, make sure to copy it. For security, TikTok won't save the token.

2. Send events through the API

Once you have an access token, choose which events you want to send from your server, build

your payload and make requests. Your payload will include information about the events and parameters you want to send.

Make a POST request

To send new events, make a POST request to this API's endpoint from this path:

/open_api/v1.3/event/track/

When you post to this edge, TikTok creates new server events.

3. Build a payload

See how your payload should be structured and check for any structural errors by using the Payload Helper to create a sample payload for your events.

[Go to Payload Helper](#)

Set up ViewContent event

Measure when a visitor views a specific page. TikTok recommends tracking pages important to your business such as product comparison, announcement, or release pages.

Event parameters	value, currency, content_id, content_type, content_name, price, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up AddToWishlist event

Measure when a visitor adds an item to the wishlist

Event parameters	value, currency, content_id, content_type, content_name, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up Search event

Measure when a visitor searches

Event parameters	value, currency, content_id, content_type, content_name, query, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up AddPaymentInfo event

Measure when a visitor adds their payment info at checkout

Event parameters	value, currency, content_id, content_type, content_name, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up AddToCart event

Measure when a visitor adds an item to the cart

Event parameters	value, currency, content_id, content_type, content_name, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up InitiateCheckout event

Measure when a visitor proceeds to checkout

Event parameters	value, currency, content_id, content_type, content_name, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up PlaceAnOrder event

Measure when a visitor places an order. TikTok recommends this when placing an order and making a payment are not the same.

Event parameters	value, currency, content_id, content_type, content_name, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up CompleteRegistration event

Measure when a visitor signs up for something such as account registration

Event parameters	value, currency, content_id, content_type, content_name, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

Set up Purchase event

Purchase_describe

Event parameters	value, currency, content_id, content_type, content_name, event_id, timestamp, url
Customer information parameters	email, phone_number, external_id, ip, user_agent, callback, ttp

This email cannot receive replies. For more information, please visit the [TikTok Ads Help Center](#)

@ 2022 TikTok