

# Chef Workshop

Awesome Appliance Repair



Chef Fundamentals by [Chef Software, Inc.](#) is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

# Agenda

- Introduce the project
- Discuss learning objectives
- Hacking!
- Regular check-ins, Q & A, and hints
- Demos
- Next Steps

# Awesome Appliance Repair

- Simple python application
- Uses Apache and MySQL
- Has an install script
- [github.com/learnchef/Awesome-Appliance-Repair](https://github.com/learnchef/Awesome-Appliance-Repair)



<http://awesome.modeled-computation.com/>

# Objectives

- Build something in Chef with very little guidance
- Write custom Chef recipes
- Use the Chef Documentation to identify and use resources that will help you model the desired state of your infrastructure
- Include guards in Chef resources

## In this workshop we will

- Work as individuals or pairs to find a solution
- Value the process more than the solution
- Demo work in progress, bad ideas, and solutions
- Make mistakes

## In this workshop we will not

- Guide you through the project step-by-step
- Give you THE answer

# Getting started

- AARinstall.py
  - Describes the pre-requisites
  - Includes python code to implement many of the steps
    - Install some packages
    - Write a few configuration files
    - Execute some `.sql` files to manipulate the database
  - Is incomplete
  - Is inaccurate in parts

## AARinstall.py

```
#!/usr/bin/python
# -*- coding: utf-8 -*-
from subprocess import Popen
import os, sys, getpass, binascii

# The following script assumes that
apache2, mysql, and unzip have been
installed.
```



## AARinstall.py

```
# 1. wget https://github.com/colinca/Awesome-Appliance-Repair/archive/  
master.zip  
# 2. unzip master.zip  
# 3. cd into Awesome-Appliance-Repair  
# 4. sudo mv AAR to /var/www/  
# 5. sudo su root  
# 6. run script: python AARinstall.py  
# 7. manually execute: apachectl  
graceful
```

## AARinstall.py

```
if __name__ == '__main__':  
    root_dbpswd =  
    getpass.getpass('enter the mysql  
root user password: ')  
  
    Popen([ 'chown', '-R', 'www-  
data:www-data', '/var/www/AAR'],  
shell=False).wait()
```

## AARinstall.py

```
# apt-get the stuff we need  
proc = Popen([  
    'apt-get', 'install', '-y',  
    'libapache2-mod-wsgi',  
    'python-pip',  
    'python-mysqldb'], shell=False)  
proc.wait()
```

# AARinstall.py

```
# pip install flask  
Popen(['pip', 'install', 'flask'], shell=False).wait()
```

# AARinstall.py

```
# Generate the apache config file in sites-enabled
Popen(['apachectl', 'stop'], shell=False).wait()

pth = '/etc/apache2/sites-enabled/'
for f in os.listdir(pth):
    os.remove(pth + f)

f = open('/etc/apache2/sites-enabled/AAR-apache.conf', 'w')
f.write("""
<VirtualHost *:80>
    ServerName /
    WSGIDaemonProcess /AAR user=www-data group=www-data threads=5
    WSGIProcessGroup /AAR
    WSGIScriptAlias / /var/www/AAR/awesomeapp.wsgi

    <Directory /var/www/AAR>
        WSGIApplicationGroup %{GLOBAL}
        WSGIScriptReloading On
        Order deny,allow
        Allow from all
    </Directory>

    CustomLog ${APACHE_LOG_DIR}/access.log combined
    ServerAdmin ops@example.com
</VirtualHost>
""")
f.close()
```

# AARinstall.py

```
# Generate AAR_config.py with secrets
f = open('/var/www/AAR/AAR_config.py', 'w')
appdbpw = binascii.b2a_base64(os.urandom(6)).strip('\n')
secretkey = binascii.b2a_base64(os.urandom(12)).strip('\n')

conn_args_string = """CONNECTION_ARGS = {"host":"localhost",
"user":"aarapp", "passwd":"%s", "db":"AARdb"}\n\n""" % appdbpw

secret_key_string = """SECRET_KEY = "%s"\n\n""" % secretkey

database_values_string = """DB_VALUES = [(3,'Maytag','Washer',...)]
"""

f.write(conn_args_string + secret_key_string + database_values_string)
f.close()
```

# AARinstall.py

```
# Create DB, user, and permissions
import MySQLdb
db = MySQLdb.connect(host='localhost', user='root', passwd=root_dbpswd)
sql_script = open('make_AARdb.sql', 'r').read()

cur = db.cursor()
cur.execute(sql_script)
cur.close()

cur = db.cursor()
cur.execute('use AARdb')
cur.execute("CREATE USER 'aarapp'@'localhost' IDENTIFIED BY %s",
(appdbpw,))
cur.execute("GRANT CREATE,INSERT,DELETE,UPDATE,SELECT on AARdb.* to
aarapp@localhost")
cur.close()
db.close()
```



CHEF

# Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>



# Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

## dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

*noun*

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.  
"it is not capable of mathematical demonstration"  
*synonyms*: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.  
"physical demonstrations of affection"  
*synonyms*: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.  
"a microwave cooking demonstration"  
*synonyms*: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.  
*synonyms*: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

### Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

## Hints

*# The following script assumes that apache2, mysql, and unzip have been installed.*

- `mysql-server` is probably the package you're looking for.

# Time to hack!




<https://www.flickr.com/photos/peterpearson/424047087>

# Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

## dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

*noun*

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.  
"it is not capable of mathematical demonstration"  
*synonyms*: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.  
"physical demonstrations of affection"  
*synonyms*: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.  
"a microwave cooking demonstration"  
*synonyms*: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.  
*synonyms*: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

### Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

# Hints

```
# 1. wget https://github.com/colinca/Awesome-  
Appliance-Repair/archive/master.zip  
# 2. unzip master.zip  
# 3. cd into Awesome-Appliance-Repair  
# 4. sudo mv AAR to /var/www/
```

- Do you need to download every time the chef-client runs?
- What are the pros and cons of doing so?



# Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>

# Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

## dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

*noun*

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.  
"it is not capable of mathematical demonstration"  
*synonyms*: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.  
"physical demonstrations of affection"  
*synonyms*: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.  
"a microwave cooking demonstration"  
*synonyms*: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.  
*synonyms*: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

### Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

# Hints

```
# Create DB, user, and permissions
import MySQLdb
db = MySQLdb.connect(host='localhost', user='root', passwd=root_dbpwd)
sql_script = open('make_AARdb.sql', 'r').read()

cur = db.cursor()
cur.execute(sql_script)
cur.close()

cur = db.cursor()
cur.execute('use AARdb')
cur.execute("CREATE USER 'aarapp'@'localhost' IDENTIFIED BY %s", (appdbpw,))
cur.execute("GRANT CREATE,INSERT,DELETE,UPDATE,SELECT on AARdb.* to aarapp@localhost")
cur.close()
db.close()
```

- Should you do this every time the chef-client runs?
- How would you prevent that from happening?



# Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>

# Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

## dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

*noun*

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.  
"it is not capable of mathematical demonstration"  
*synonyms*: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.  
"physical demonstrations of affection"  
*synonyms*: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.  
"a microwave cooking demonstration"  
*synonyms*: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.  
*synonyms*: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

### Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

## Next steps

- Refactor
- Testing
- Multi-tier implementation
- Community Cookbooks
- Multi-OS Support
- Cloud deployment
- Operationalize
  - Monitoring
  - Central logging
- Application deployments



# Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>

# Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

## dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

*noun*

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.  
"it is not capable of mathematical demonstration"  
*synonyms*: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.  
"physical demonstrations of affection"  
*synonyms*: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.  
"a microwave cooking demonstration"  
*synonyms*: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.  
*synonyms*: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

### Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

# Objectives

- Build something in Chef with very little guidance
- Write custom Chef recipes
- Use the Chef Documentation to identify and use resources that will help you model the desired state of your infrastructure
- Include guards in Chef resources

# Thank you!

- What did you learn?
- What questions do you have?
- What are you going to do next?
- Share your solutions – <http://github.com/learnchef/workshops>