

Chef Workshop

Awesome Appliance Repair



Chef Fundamentals by [Chef Software, Inc.](#) is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

Agenda

- Introduce the project
- Discuss learning objectives
- Hacking!
- Regular check-ins, Q & A, and hints
- Demos
- Next Steps

Objectives

- Build something in Chef with very little guidance
- Write custom Chef recipes
- Use the Chef Documentation to identify and use resources that will help you model the desired state of your infrastructure
- Include guards in Chef resources

Awesome Appliance Repair

<https://github.com/learnchef/Awesome-Appliance-Repair>

- Simple python application
- Uses Apache and MySQL
- Has an install script



<http://awesome.modeled-computation.com/>

Defining Success - TISMTOWTDI

- There are no right solutions for this workshop
 - If it works & doesn't throw an error, then its right
 - Best practices can be implemented in subsequent steps
- This is a totally open-ended exercise
 - No matter how far you get, there will be more you can do
 - Get as far as you can at the pace that's right for you
 - Take it away and hack in your own time!

What is Your Objective?

- You determine, define, and describe what success means for you.
 - Know where to start
 - Confidence to experiment
 - Deploy Awesome Appliance Repair with Chef
- What is your objective?

In this workshop we will

- Work as individuals or pairs to find a solution
- Value the process more than the solution
- Demo work in progress, bad ideas, and solutions
- Make mistakes

In this workshop we will not

- Guide you through the project step-by-step
- Give you THE answer

Getting started

- AARinstall.py
 - Describes the pre-requisites
 - Includes python code to implement many of the steps
 - Install some packages
 - Write a few configuration files
 - Execute some `.sql` files to manipulate the database
 - Is incomplete
 - Is inaccurate in parts

AARinstall.py

```
#!/usr/bin/python
# -*- coding: utf-8 -*-
from subprocess import Popen
import os, sys, getpass, binascii

# The following script assumes that
apache2, mysql, and unzip have been
installed.
```

AARinstall.py

```
# 1. wget https://github.com/colinca/Awesome-Appliance-Repair/archive/  
master.zip  
# 2. unzip master.zip  
# 3. cd into Awesome-Appliance-Repair  
# 4. sudo mv AAR to /var/www/  
# 5. sudo su root  
# 6. run script: python AARinstall.py  
# 7. manually execute: apachectl  
graceful
```

AARinstall.py

```
if __name__ == '__main__':  
    root_dbpswd =  
getpass.getpass('enter the mysql  
root user password: ')  
  
    Popen([ 'chown', '-R', 'www-  
data:www-data', '/var/www/AAR'],  
shell=False).wait()
```

AARinstall.py

```
# apt-get the stuff we need  
proc = Popen([  
    'apt-get', 'install', '-y',  
    'libapache2-mod-wsgi',  
    'python-pip',  
    'python-mysqldb'], shell=False)  
proc.wait()
```

AARinstall.py

```
# pip install flask  
Popen(['pip', 'install', 'flask'], shell=False).wait()
```

AARinstall.py

```
# Generate the apache config file in sites-enabled
Popen(['apachectl', 'stop'], shell=False).wait()

pth = '/etc/apache2/sites-enabled/'
for f in os.listdir(pth):
    os.remove(pth + f)

f = open('/etc/apache2/sites-enabled/AAR-apache.conf', 'w')
f.write("""
<VirtualHost *:80>
    ServerName /
    WSGIDaemonProcess /AAR user=www-data group=www-data threads=5
    WSGIProcessGroup /AAR
    WSGIScriptAlias / /var/www/AAR/awesomeapp.wsgi

    <Directory /var/www/AAR>
        WSGIApplicationGroup %{GLOBAL}
        WSGIScriptReloading On
        Order deny,allow
        Allow from all
    </Directory>

    CustomLog ${APACHE_LOG_DIR}/access.log combined
    ServerAdmin ops@example.com
</VirtualHost>
""")
f.close()
```

AARinstall.py

```
# Generate AAR_config.py with secrets
f = open('/var/www/AAR/AAR_config.py', 'w')
appdbpw = binascii.b2a_base64(os.urandom(6)).strip('\n')
secretkey = binascii.b2a_base64(os.urandom(12)).strip('\n')

conn_args_string = """CONNECTION_ARGS = {"host":"localhost",
"user":"aarapp", "passwd":"%s", "db":"AARdb"}\n\n""" % appdbpw

secret_key_string = """SECRET_KEY = "%s"\n\n""" % secretkey

database_values_string = """DB_VALUES = [(3,'Maytag','Washer',...)]
"""

f.write(conn_args_string + secret_key_string + database_values_string)
f.close()
```


AARinstall.py

```
# Create DB, user, and permissions
import MySQLdb
db = MySQLdb.connect(host='localhost', user='root', passwd=root_dbpswd)
sql_script = open('make_AARdb.sql', 'r').read()

cur = db.cursor()
cur.execute(sql_script)
cur.close()

cur = db.cursor()
cur.execute('use AARdb')
cur.execute("CREATE USER 'aarapp'@'localhost' IDENTIFIED BY %s",
(appdbpw,))
cur.execute("GRANT CREATE,INSERT,DELETE,UPDATE,SELECT on AARdb.* to
aarapp@localhost")
cur.close()
db.close()
```



CHEF


Exercise: Create GitHub Repo

Create a New Repository

GitHub, Inc. [US] <https://github.com/new>

Search or type a command

Explore Gist Blog Help

Owner:  / Repository name:

Great repository names are short and memorable. Need inspiration? How about [glowing-octo-bear](#).

Description (optional)

☒ Public
Anyone can see this repository. You choose who can commit.

☐ Private
You choose who can see and commit to this repository.

☒ Initialize this repository with a README
This will allow you to `git clone` the repository immediately. Skip this step if you have already run `git init` locally.

Add .gitignore: **None** | Add a license: **None** ⓘ

Create repository

Exercise: Create AAR cookbook

```
$ chef generate cookbook AAR
```

```
Compiling Cookbooks...
```

```
Recipe: code_generator::cookbook
```

```
  * directory[/Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR] action create
    - create new directory /Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR
  * template[/Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR/metadata.rb] action create
    - create new file /Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR/metadata.rb
    - update content in file /Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR/
metadata.rb from none to f4bd5e
    (diff output suppressed by config)
  * template[/Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR/README.md] action create
    - create new file /Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR/README.md
    - update content in file /Users/YOU/Documents/Scratch/AAR-temp/Awesome-Appliance-Repair/AAR/AAR/README.md
from none to 1666ef
  ...
```

Exercise: Add cookbook to git

```
$ cd AAR
$ git add .
$ git commit -m "first commit of AAR cookbook"
[master (root-commit) 5c162aa] first commit
7 files changed, 151 insertions(+)
create mode 100644 .gitignore
create mode 100644 .kitchen.yml
create mode 100644 Berksfile
create mode 100644 README.md
create mode 100644 chefignore
create mode 100644 metadata.rb
create mode 100644 recipes/default.rb
```

Exercise: Upload cookbook to GitHub repo

```
$ git remote add origin git@github.com:YOU/my-aar.git
$ git push -u origin master
Counting objects: 10, done.
Delta compression using up to 8 threads.
Compressing objects: 100% (8/8), done.
Writing objects: 100% (10/10), 1.51 KiB | 0 bytes/s, done.
Total 10 (delta 0), reused 0 (delta 0)
To git@github.com:YOU/my-aar.git
 * [new branch]      master -> master
Branch master set up to track remote branch master from origin.
```

Exercise: View your cookbook in GitHub

The screenshot shows a web browser window displaying a GitHub repository page for 'johnfitzpatrick/my-aar'. The browser's address bar shows the URL 'https://github.com/[redacted]/my-aar'. The repository page includes a header with the repository name, a search bar, and navigation links. Below the header, there are buttons for 'Unwatch', 'Star', and 'Fork'. The main content area features a 'Description' section with a text input field, a 'Website' section with another text input field, and 'Save' and 'Cancel' buttons. Below these sections, a summary bar shows '1 commit', '1 branch', '0 releases', and '1 contributor'. A table lists the files in the repository, including 'recipes', '.gitignore', '.kitchen.yml', 'Berkfile', 'README.md', and 'chefignore', all of which were first committed '5 minutes ago'. The right sidebar contains links to 'Code', 'Issues', 'Pull Requests', 'Wiki', 'Pulse', 'Graphs', and 'Settings', along with the 'SSH clone URL' and a note about cloning with HTTPS, SSH, or Subversion.

johnfitzpatrick/my-aar

GitHub, Inc. [US] https://github.com/[redacted]/my-aar

This repository Search or type a command Explore Gist Blog Help

[redacted] / my-aar Unwatch 1 Star 0 Fork 0

Description Website

Short description of this repository Website for this repository (optional) Save or Cancel

1 commit 1 branch 0 releases 1 contributor

branch: master my-aar / +

first commit

[redacted] authored 5 minutes ago latest commit c29b2ee411

recipes	first commit	5 minutes ago
.gitignore	first commit	5 minutes ago
.kitchen.yml	first commit	5 minutes ago
Berkfile	first commit	5 minutes ago
README.md	first commit	5 minutes ago
chefignore	first commit	5 minutes ago

Code

Issues 0

Pull Requests 0

Wiki

Pulse

Graphs

Settings

SSH clone URL

git@github.com:john1

You can clone with HTTPS, SSH, or Subversion.

Getting started tips...

- You can start with the default recipe, `default.rb`

- Backup to GitHub regularly

```
$ git commit -am "commit message here"
```

```
$ git push
```

Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>

Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

noun

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.
"it is not capable of mathematical demonstration"
synonyms: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.
"physical demonstrations of affection"
synonyms: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.
"a microwave cooking demonstration"
synonyms: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.
synonyms: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

Hints

The following script assumes that apache2, mysql, and unzip have been installed.

- `mysql-server` is probably the package you're looking for.

Time to hack!




<https://www.flickr.com/photos/peterpearson/424047087>

Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

noun

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.
"it is not capable of mathematical demonstration"
synonyms: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.
"physical demonstrations of affection"
synonyms: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.
"a microwave cooking demonstration"
synonyms: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.
synonyms: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

Hints

```
# 1. wget https://github.com/colinca/Awesome-  
Appliance-Repair/archive/master.zip  
# 2. unzip master.zip  
# 3. cd into Awesome-Appliance-Repair  
# 4. sudo mv AAR to /var/www/
```

- Do you need to download every time the chef-client runs?
- What are the pros and cons of doing so?

Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>

Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

noun

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.
"it is not capable of mathematical demonstration"
synonyms: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.
"physical demonstrations of affection"
synonyms: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.
"a microwave cooking demonstration"
synonyms: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.
synonyms: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

Hints

```
# Create DB, user, and permissions
import MySQLdb
db = MySQLdb.connect(host='localhost', user='root', passwd=root_dbpwd)
sql_script = open('make_AARdb.sql', 'r').read()

cur = db.cursor()
cur.execute(sql_script)
cur.close()

cur = db.cursor()
cur.execute('use AARdb')
cur.execute("CREATE USER 'aarapp'@'localhost' IDENTIFIED BY %s", (appdbpw,))
cur.execute("GRANT CREATE,INSERT,DELETE,UPDATE,SELECT on AARdb.* to aarapp@localhost")
cur.close()
db.close()
```

- Should you do this every time the chef-client runs?
- How would you prevent that from happening?

Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>

Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

noun

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.
"it is not capable of mathematical demonstration"
synonyms: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.
"physical demonstrations of affection"
synonyms: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.
"a microwave cooking demonstration"
synonyms: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.
synonyms: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

Next steps

- Refactor
- Testing
- Multi-tier implementation
- Community Cookbooks
- Multi-OS Support
- Cloud deployment
- Operationalize
 - Monitoring
 - Central logging
- Application deployments

Time to hack!



<https://www.flickr.com/photos/peterpearson/424047087>

Demo Time!

- Show your work
- Discuss your choices
- Gather feedback and ideas

dem·on·stra·tion


/ˌdemənˈstrāSHən/ 

noun

noun: **demonstration**; plural noun: **demonstrations**

1. the action or process of showing the existence or truth of something by giving proof or evidence.
"it is not capable of mathematical demonstration"
synonyms: [proof](#), substantiation, [confirmation](#), [affirmation](#), [corroboration](#), [verification](#), validation; [More](#)
- the outward showing of feeling.
"physical demonstrations of affection"
synonyms: [manifestation](#), [indication](#), [sign](#), [mark](#), [token](#), [embodiment](#); [More](#)
- a practical exhibition and explanation of how something works or is performed.
"a microwave cooking demonstration"
synonyms: [exhibition](#), [presentation](#), [display](#), [exposition](#), [teach-in](#), [expo](#); [More](#)
2. a public meeting or march protesting against something or expressing views on a political issue.
synonyms: [protest](#), [march](#), [rally](#), [lobby](#), [sit-in](#), [counterdemonstration](#); [More](#)

Origin



late Middle English (also in the senses 'proof provided by logic' and 'sign, indication'): from Latin *demonstratio(n)-*, from *demonstrare* 'point out' (see [demonstrate](#)). Sense 2 dates from the mid 19th century.

Objectives

- Build something in Chef with very little guidance
- Write custom Chef recipes
- Use the Chef Documentation to identify and use resources that will help you model the desired state of your infrastructure
- Include guards in Chef resources

Your Objectives

- Review the objectives you set for yourself at the beginning of the workshop.
- Have you met them?
- Take a few minutes to reflect on what you've learned today.

Thank you!

- What did you learn?
- What questions do you have?
- What are you going to do next?
- Share your solutions – <http://github.com/learnchef/workshops>