



Avid® Audio-Video Editing Workflows

Legal Notices

Product specifications are subject to change without notice and do not represent a commitment on the part of Avid Technology, Inc.

This product is subject to the terms and conditions of a software license agreement provided with the software. The product may only be used in accordance with the license agreement.

Avid products or portions thereof are protected by one or more of the following United States Patents: 5,267,351; 5,355,450; 5,396,594; 5,440,348; 5,528,310; 5,557,423; 5,577,190; 5,584,006; 5,724,605; 5,726,717; 5,745,637; 5,752,029; 5,754,851; 5,812,216; 5,905,841; 5,930,445; 5,959,610; 6,057,829; 6,091,778; 6,105,083; 6,118,444; 6,141,691; 6,160,548; 6,201,531; 6,269,195; 6,330,369; 6,336,093; 6,353,862; 6,404,435; 6,407,775; 6,426,778; 6,477,271; 6,489,969; 6,512,522; 6,546,190; 6,552,731; 6,553,142; 6,570,624; 6,571,255; 6,583,824; 6,618,547; 6,665,450; 6,678,461; 6,687,407; 6,704,445; 6,728,682; 6,747,705; 6,763,134; 6,766,063; 6,791,556; 6,810,157; 6,847,373; 6,871,003; 6,871,161; 6,901,211; 6,907,191; 6,928,187; 7,043,058; 7,081,900; 7,103,231; 7,145,567; 7,266,241; 7,280,117; 7,403,561; 7,433,519; 7,441,193; 7,545,957; 7,671,871; 7,684,096; 7,725,812; 7,729,423; and D515,095, D396,853. Other patents are pending.

Avid products or portions thereof are protected by one or more of the following European Patents: 0506870; 0635188; 0674414; 0752174; 0811290; 0811292; 0811293; 0857293; 0976108; 0988756; 1050048; 1068734; 1111910; 1173850; 1629675. Other patents are pending.

Avid products or portions thereof are protected by one or more of the following United States Patents: 5,267,351; 5,309,528; 5,355,450; 5,396,594; 5,440,348; 5,467,288; 5,513,375; 5,528,310; 5,557,423; 5,577,190; 5,584,006; 5,640,601; 5,644,364; 5,654,737; 5,724,605; 5,726,717; 5,745,637; 5,752,029; 5,754,851; 5,799,150; 5,812,216; 5,828,678; 5,842,014; 5,852,435; 5,959,610; 5,986,584; 5,999,406; 6,038,573; 6,057,829; 6,069,668; 6,141,007; 6,211,869; 6,336,093; 6,532,043; 6,546,190; 6,596,031; 6,728,682; 6,747,705; 6,763,523; 6,766,357; 6,847,373; 7,081,900; 7,403,561; 7,433,519; 7,441,193; 7,671,871; 7,684,096; D352,278; D372,478; D373,778; D392,267; D392,268; D392,269; D395,291; D396,853; D398,912. Other patents are pending.

Avid products or portions thereof are protected by one or more of the following European Patents: 0506870; 0635188; 0674414; 0752174; 0811290; 0811292; 0811293; 1050048; 1111910; 1629675. Other patents are pending.

This document is protected under copyright law. An authorized licensee of Avid Media ComposerNewsCutterAvid Symphony Nitris may reproduce this publication for the licensee's own use in learning how to use the software. This document may not be reproduced or distributed, in whole or in part, for commercial purposes, such as selling copies of this document or providing support or educational services to others. This document is supplied as a guide for Avid Media ComposerNewsCutter and NewsCutter XPAvid Symphony Nitris. Reasonable care has been taken in preparing the information it contains. However, this document may contain omissions, technical inaccuracies, or typographical errors. Avid Technology, Inc. does not accept responsibility of any kind for customers' losses due to the use of this document. Product specifications are subject to change without notice.

Copyright © 2010 Avid Technology, Inc. and its licensors. All rights reserved.

The following disclaimer is required by Apple Computer, Inc.:

APPLE COMPUTER, INC. MAKES NO WARRANTIES WHATSOEVER, EITHER EXPRESS OR IMPLIED, REGARDING THIS PRODUCT, INCLUDING WARRANTIES WITH RESPECT TO ITS MERCHANTABILITY OR ITS FITNESS FOR ANY PARTICULAR PURPOSE. THE EXCLUSION OF IMPLIED WARRANTIES IS NOT PERMITTED BY SOME STATES. THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY PROVIDES YOU WITH SPECIFIC LEGAL RIGHTS. THERE MAY BE OTHER RIGHTS THAT YOU MAY HAVE WHICH VARY FROM STATE TO STATE.

The following disclaimer is required by Sam Leffler and Silicon Graphics, Inc. for the use of their TIFF library:

Copyright © 1988–1997 Sam Leffler
Copyright © 1991–1997 Silicon Graphics, Inc.

Permission to use, copy, modify, distribute, and sell this software [i.e., the TIFF library] and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The following disclaimer is required by the Independent JPEG Group:

This software is based in part on the work of the Independent JPEG Group.

This Software may contain components licensed under the following conditions:

Copyright (c) 1989 The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms are permitted provided that the above copyright notice and this paragraph are duplicated in all such forms and that any documentation, advertising materials, and other materials related to such distribution and use acknowledge that the software was developed by the University of California, Berkeley. The name of the University may not be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Copyright (C) 1989, 1991 by Jef Poskanzer.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. This software is provided "as is" without express or implied warranty.

Copyright 1995, Trinity College Computing Center. Written by David Chappell.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. This software is provided "as is" without express or implied warranty.

Copyright 1996 Daniel Dardailler.

Permission to use, copy, modify, distribute, and sell this software for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Daniel Dardailler not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Daniel Dardailler makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Modifications Copyright 1999 Matt Koss, under the same license as above.

Copyright (c) 1991 by AT&T.

Permission to use, copy, modify, and distribute this software for any purpose without fee is hereby granted, provided that this entire notice is included in all copies of any software which is or includes a copy or modification of this software and in all copies of the supporting documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR AT&T MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

This product includes software developed by the University of California, Berkeley and its contributors.

The following disclaimer is required by Nexidia Inc.:

© 2010 Nexidia Inc. All rights reserved, worldwide. Nexidia and the Nexidia logo are trademarks of Nexidia Inc. All other trademarks are the property of their respective owners. All Nexidia materials regardless of form, including without limitation, software applications, documentation and any other information relating to Nexidia Inc., and its products and services are the exclusive property of Nexidia Inc. or its licensors. The Nexidia products and services described in these materials may be covered by Nexidia's United States patents: 7,231,351; 7,263,484; 7,313,521; 7,324,939; 7,406,415, 7,475,065; 7,487,086 and/or other patents pending and may be manufactured under license from the Georgia Tech Research Corporation USA.

The following disclaimer is required by Paradigm Matrix:

Portions of this software licensed from Paradigm Matrix.

The following disclaimer is required by Ray Sauers Associates, Inc.:

"Install-It" is licensed from Ray Sauers Associates, Inc. End-User is prohibited from taking any action to derive a source code equivalent of "Install-It," including by reverse assembly or reverse compilation, Ray Sauers Associates, Inc. shall in no event be liable for any damages resulting from reseller's failure to perform reseller's obligation; or any damages arising from use or operation of reseller's products or the software; or any other damages, including but not limited to, incidental, direct, indirect, special or consequential Damages including lost profits, or damages resulting from loss of use or inability to use reseller's products or the software for any reason including copyright or patent infringement, or lost data, even if Ray Sauers Associates has been advised, knew or should have known of the possibility of such damages.

The following disclaimer is required by Videomedia, Inc.:

"Videomedia, Inc. makes no warranties whatsoever, either express or implied, regarding this product, including warranties with respect to its merchantability or its fitness for any particular purpose."

"This software contains V-LAN ver. 3.0 Command Protocols which communicate with V-LAN ver. 3.0 products developed by Videomedia, Inc. and V-LAN ver. 3.0 compatible products developed by third parties under license from Videomedia, Inc. Use of this software will allow "frame accurate" editing control of applicable videotape recorder decks, videodisc recorders/players and the like."

The following disclaimer is required by Altura Software, Inc. for the use of its Mac2Win software and Sample Source Code:

©1993–1998 Altura Software, Inc.

The following disclaimer is required by Ultimatte Corporation:

Certain real-time compositing capabilities are provided under a license of such technology from Ultimatte Corporation and are subject to copyright protection.

The following disclaimer is required by 3Prong.com Inc.:

Certain waveform and vector monitoring capabilities are provided under a license from 3Prong.com Inc.

The following disclaimer is required by Interplay Entertainment Corp.:

The "Interplay" name is used with the permission of Interplay Entertainment Corp., which bears no responsibility for Avid products.

This product includes portions of the Alloy Look & Feel software from Incors GmbH.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

© DevelopMentor

This product may include the JCifs library, for which the following notice applies:

JCifs © Copyright 2004, The JCIFS Project, is licensed under LGPL (<http://jcifs.samba.org/>). See the LGPL.txt file in the Third Party Software directory on the installation CD.

Avid Interplay contains components licensed from LavanTech. These components may only be used as part of and in connection with Avid Interplay.

Attn. Government User(s). Restricted Rights Legend

U.S. GOVERNMENT RESTRICTED RIGHTS. This Software and its documentation are "commercial computer software" or "commercial computer software documentation." In the event that such Software or documentation is acquired by or on behalf of a unit or agency of the U.S. Government, all rights with respect to this Software and documentation are subject to the terms of the License Agreement, pursuant to FAR §12.212(a) and/or DFARS §227.7202-1(a), as applicable.

Trademarks

003, 192 Digital I/O, 192 I/O, 96 I/O, 96i I/O, Adrenaline, AirSpeed, ALEX, Alienbrain, AME, AniMatte, Archive, Archive II, Assistant Station, AudioPages, AudioStation, AutoLoop, AutoSync, Avid, Avid Active, Avid Advanced Response, Avid DNA, Avid DNxcel, Avid DNxHD, Avid DS Assist Station, Avid Liquid, Avid Media Engine, Avid Media Processor, Avid MEDIArray, Avid Mojo, Avid Remote Response, Avid Unity, Avid Unity ISIS, Avid VideoRAID, AvidRAID, AvidShare, AVIDStripe, AVX, Axiom, Beat Detective, Beauty Without The Bandwidth, Beyond Reality, BF Essentials, Bomb Factory, Boom, Bruno, C[24], CaptureManager, ChromaCurve, ChromaWheel, Cineractive Engine, Cineractive Player, Cineractive Viewer, Color Conductor, Command[24], Command[8], Conectiv, Control[24], Cosmonaut Voice, Countdown, d2, d3, DAE, Dazzle, Dazzle Digital Video Creator, D-Command, D-Control, Deko, DekoCast, D-Fi, D-fx, Digi 003, DigiBase, DigiDelivery, Digidesign, Digidesign Audio Engine, Digidesign Development Partners, Digidesign Intelligent Noise Reduction, Digidesign TDM Bus, DigiLink, DigiMeter, DigiPanner, DigiProNet, DigiRack, DigiSerial, DigiSnake, DigiSystem, Digital Choreography, Digital Nonlinear Accelerator, DigiTest, DigiTranslator, DigiWear, DINR, DNxchange, DPP-1, D-Show, DSP Manager, DS-StorageCalc, DV Toolkit, DVD Complete, D-Verb, Eleven, EM, Euphonix, EUCON, EveryPhase, Expander, ExpertRender, Fader Pack, Fairchild, FastBreak, Fast Track, Film Cutter, FilmScribe, Flexevent, FluidMotion, Frame Chase, FXDeko, HD Core, HD Process, HDPack, Home-to-Hollywood, HYBRID, HyperControl, HyperSPACE, HyperSPACE HDCAM, iKnowledge, Image Independence, Impact, Improv, iNEWS, iNEWS Assign, iNEWS ControlAir, Instantwrite, Instinct, Intelligent Content Management, Intelligent Digital Actor Technology, IntelliRender, Intelli-Sat, Intelli-sat Broadcasting Recording Manager, InterFX, Interplay, inTONE, Intraframe, iS Expander, ISIS, IsoSync, iS9, iS18, iS23, iS36, ISIS, IsoSync, KeyRig, KeyStudio, LaunchPad, LeaderPlus, LFX, Lightning, Link & Sync, ListSync, LKT-200, Lo-Fi, Luna, MachineControl, Magic Mask, Make Anything Hollywood, make manage move | media, Marquee, MassivePack, Massive Pack Pro, M-Audio, M-Audio Micro, Maxim, Mbox, Media Composer, MediaFlow, MediaLog, MediaMatch, MediaMix, Media Reader, Media Recorder, MEDIArray, MediaServer, MediaShare, MetaFuze, MetaSync, MicroTrack, MIDI I/O, Midiman, Mix Rack, MixLab, Moviebox, Moviestar, MultiShell, NaturalMatch, NewsCutter, NewsView, Nitris, NL3D, NLP, Nova, NRV-10 interFX, NSDOS, NSWIN, Octane, OMF, OMF Interchange, OMM, OnDVD, Open Media Framework, Open Media Management, Ozone, Ozonic, Painterly Effects, Palladium, Personal Q, PET, Pinnacle, Pinnacle DistanTV, Pinnacle GenieBox, Pinnacle HomeMusic, Pinnacle MediaSuite, Pinnacle Mobile Media, Pinnacle Scorefitter, Pinnacle Studio, Pinnacle Studio MovieBoard, Pinnacle Systems, Pinnacle VideoSpin, Podcast Factory, PowerSwap, PRE, ProControl, ProEncode, Profiler, Pro Tools LE, Pro Tools M-Powered, Pro Transfer, Pro Tools, QuickPunch, QuietDrive, Realtime Motion Synthesis, Recti-Fi, Reel Tape Delay, Reel Tape Flanger, Reel Tape Saturation, Reprise, Res Rocket Surfer, Reso, RetroLoop, Reverb One, ReVibe, Revolution, rS9, rS18, RTAS, Salesview, Sci-Fi, Scorch, Scorefitter, ScriptSync,

SecureProductionEnvironment, Serv[LT, Serv[GT, Session, Shape-to-Shape, ShuttleCase, Sibelius, SIDON, SimulPlay, SimulRecord, Slightly Rude Compressor, Smack!, Soft SampleCell, Soft-Clip Limiter, Solaris, SoundReplacer, SPACE, SPACEShift, SpectraGraph, SpectraMatte, SteadyGlide, Streamfactory, Streamgenie, StreamRAID, Strike, Structure, Studiophile, SubCap, Sundance Digital, Sundance, SurroundScope, Symphony, SYNC HD, Synchronic, SynchroScope, SYNC I/O, Syntax, TDM FlexCable, TechFlix, Tel-Ray, Thunder, Titansync, Titan, TL Aggro, TL AutoPan, TL Drum Rehab, TL Everyphase, TL Fauxlder, TL In Tune, TL MasterMeter, TL Metro, TL Space, TL Utilities, tools for storytellers, Torq, Torq Xponent, Transfuser, Transit, TransJammer, Trigger Finger, Trillium Lane Labs, TruTouch, UnityRAID, Vari-Fi, Velvet, Video the Web Way, VideoRAID, VideoSPACE, VideoSpin, VTEM, Work-N-Play, Xdeck, X-Form, Xmon, XPAND!, Xponent, X-Session, and X-Session Pro are either registered trademarks or trademarks of Avid Technology, Inc. in the United States and/or other countries.

Adobe and Photoshop are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Apple and Macintosh are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. Windows is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. All other trademarks contained herein are the property of their respective owners.

Footage

Arri — Courtesy of Arri/Fauer — John Fauer, Inc.
Bell South "Anticipation" — Courtesy of Two Headed Monster — Tucker/Wayne Atlanta/GMS.
Canyonlands — Courtesy of the National Park Service/Department of the Interior.
Eco Challenge British Columbia — Courtesy of Eco Challenge Lifestyles, Inc., All Rights Reserved.
Eco Challenge Morocco — Courtesy of Discovery Communications, Inc.
It's Shuttletime — Courtesy of BCP & Canadian Airlines.
Nestlé Coffee Crisp — Courtesy of MacLaren McCann Canada.
Saturn "Calvin Egg" — Courtesy of Cossette Communications.
"Tigers: Tracking a Legend" — Courtesy of www.wildlifeworlds.com, Carol Amore, Executive Producer.
"The Big Swell" — Courtesy of Swell Pictures, Inc.
Windhorse — Courtesy of Paul Wagner Productions.

Arizona Images — KNTV Production — Courtesy of Granite Broadcasting, Inc.,
Editor/Producer Bryan Foote.
Canyonlands — Courtesy of the National Park Service/Department of the Interior.
Ice Island — Courtesy of Kurtis Productions, Ltd.
Tornados + Belle Isle footage — Courtesy of KWTW News 9.
WCAU Fire Story — Courtesy of NBC-10, Philadelphia, PA.
Women in Sports – Paragliding — Courtesy of Legendary Entertainment, Inc.

Avid Audio-Video Editing Workflows • October 2011

Contents

Chapter 1	Post-Production Editing Workflows for Film and Television	9
	Overview of Production Workflows	9
Chapter 2	Supported Pro Tools Configurations for Video I/O and Monitoring	14
	Pro Tools Basic Video Import	14
	Pro Tools with Avid Video Peripherals	15
	Pro Tools Video Satellite System	16
Chapter 3	Exchanging Projects between Avid Audio and Video Editing Systems . .	18
	Methods of Transferring Projects between Audio and Video Editing Applications	18
	AAF or OMF?	19
	Linked or Embedded Media?	20
	Unified Nomenclature for Audio and Video Editing	22
	Checklists for Audio/Video Editing	24
	Checklist: Exporting a Sequence to Pro Tools	25
	Checklist: Importing a Sequence from the Avid Video Editing Application	27
	Checklist: Sending the Audio Mix to the Video Editing Application	30
	Checklist: Importing the Audio Mix into the Video Editing Application	31
	Checklist: Exchanging Project Files between Co-installed Audio & Video Editing Applications	32
	Exporting Sequences from Avid Video Editing Applications	36
	Exporting AAF Sequences with Special Options	36
	Opening a Sequence on a Video Satellite System	39
Chapter 4	Interoperability Support for Avid Audio & Video Editing Applications	40
	Hardware Solutions for Avid Audio and Video Editing Applications	40
	Video I/O and Monitoring Options	40
	Control Surface Options	42
	Shared Storage Options	42
	Co-Editing with Avid Audio and Video Editing Applications	43
	Avid Media Composer Support for Pro Tools	43
	Avid Pro Tools Support for Media Composer	44
	Transferring Projects and Media between Audio and Video Editing Applications	45

1 Post-Production Editing Workflows for Film and Television


Production companies, post houses, and audio post facilities need to stay connected and in constant contact to meet tight deadlines and stringent quality requirements. Offline editing, sound post, effects and graphics work can take place at different facilities, and Avid editing tools and interconnectivity solutions support the file interchange workflows between these specialized post facilities.

This guide describes best practices recommended by Avid specifically for audio and video editing. The products discussed in this guide include the Avid Pro Tools audio editing application and the Avid video editing applications—Media Composer, Symphony and NewsCutter. (The name Media Composer is used throughout this guide as a reference to the Avid video editing applications.)

Where necessary, this guide also refers you to other product documentation for more details.

Overview of Production Workflows

The illustration below shows a typical workflow where offline/online editing of audio and video components are conducted within the same facility. It shows the workflow between standalone editing systems, as well as how they can be integrated within a larger network interconnecting audio and post houses.



Acquisition

You can capture and edit footage from tape or from digital file format (originating from digital cameras or CGI applications) directly into the video editing application. If you receive footage from a traditional film reel, you need to either scan it to file or transfer it through Telecine onto tape in a digital HD format.

The sound is usually recorded separately on a digital audio system, such as a BWF file-based recorder, or a field recorder. The audio can be captured directly from the recorder, and synced with the video during the editing process.

Video Editing in Media Composer

You can perform all your video editing with Avid Media Composer, and even create some basic audio tracks with surround sound and audio effects, that can later be sweetened in Pro Tools.

The key to maintaining a high level of interoperability between Media Composer and Pro Tools is to use an AAF file. This is currently the best format for transferring and reassembling the sequence or session composition from one application to another.

In Media Composer, you can export the audio tracks to an AAF, as well as perform separate exports of the media files (e.g. QuickTime or MXF). If the destination Pro Tools system has an Avid video peripheral or a Video Satellite system, you can also export Avid video tracks as part of the AAF.

Audio Editing in Pro Tools

When you open an AAF in Pro Tools, it will populate a new session with all the audio media and/or video metadata needed to recreate any initial edits done in Media Composer. This includes any markers placed on the timeline by the video editor to indicate where sound effects need to be added.

During the editing session, you can enhance and improve the rough audio track (also known as the “guide track”) produced by the video editor, and use the markers to help spot where sound effects need to be added. You can also view any volume automation, clip gain or pan automation information imported for individual tracks and easily add and manipulate break points using the Pro Tools editing functions.



You can also edit with accompanying video in Pro Tools by either importing and viewing a QuickTime file, capturing with an attached video peripheral, or viewing playback from a connected Media Composer Video Satellite system—see “Supported Pro Tools Configurations for Video I/O and Monitoring” on page 14 for details.

You can then create any other necessary audio tracks for dialog, ADR, foley, music, and sound effects in either mono or stereo. When the final audio sweetening session is complete, mix it down, and export both the AAF and audio media back to Media Composer.

Conforming Audio

After audio is imported into a Pro Tools session from a video editing system, the project’s picture is often re-edited, which requires all of the audio to be re-edited to match the new picture changes. This process is known as conforming which involves cutting and re-editing audio to match new picture changes that have occurred since the last audio edits were made. Before the conforming of audio can occur, the video editing system usually outputs a text file called an EDL (Edit Decision List) with the new picture edits. The EDL can be used with a third-party conforming tool to match the changes to the sound track in Pro Tools.

Export for Review or Final Delivery

When the project is completed, you can output and transfer the project for final delivery to the client. Depending on your client's delivery specifications, you will need to either export final sequence with the combined video and audio, or deliver the audio and video components separately.

There are a variety of linear tape final delivery formats (such as Digital Betacam, DVC-Pro, DVCAM, and Timecode DAT), as well as digital file formats such as QuickTime, AAF, OMFI, WAV, AIFF, MXF, and MP3.

Editing on Interplay

The exchange process between Avid audio and video editing systems can be facilitated with Avid interconnectivity solutions. Media Composer, Symphony, NewsCutter, and Pro Tools systems support integration with Avid's Interplay asset management system and shared storage. This allows workflows with greater speed, flexibility and team collaboration. Both post and broadcast facilities can configure a project-wide, multi-resolution workflow, that allow producers, assistants and editors to log, mark and edit large amounts of material quickly and accurately.

When connected to an Interplay system, Avid video editing systems can check in/out projects, sequences, and media from Interplay, created for or by Pro Tools.

When equipped with the Pro Tools Interplay Integration Option, Pro Tools can interact directly with Avid Interplay to:

- Open AAF sequences directly from Interplay
- Export the session and any new media back to the sequence on Interplay
- Send sequences directly to 3rd-party playback servers, for live playback (Interplay Transfer option and Pro Tools Send to Playback web service required).

For more information on these workflows, see the *Avid Editing on Interplay Workflow Guide* (for video editors) and the *Pro Tools Avid Interplay Guide* (for audio editors).

Avid Editing Systems and Shared Storage

With an Avid shared storage solution, you can quickly increase collaboration in a post facility. There are Avid storage solutions for facilities with standalone editing systems, as well as larger networked systems requiring high-resolution storage and bandwidth.

Avid ISIS® and Unity MediaNetwork are high-speed network storage systems that let multiple users store and share media through a gigabit Ethernet or Fibre Channel connection.

Pro Tools, Media Composer, Symphony, and NewsCutter can use a common shared storage system to share the same media as follows:

- Stream audio and video media in real time
- Share AAF or OMF audio and video sequences
- Share audio and video media in a push-pull workflow (Mac and Windows)

2 Supported Pro Tools Configurations for Video I/O and Monitoring

There are three main types of Pro Tools system configurations for audio-video editing:


- “Pro Tools Basic Video Import” on page 14
- “Pro Tools with Avid Video Peripherals” on page 15
- “Pro Tools Video Satellite System” on page 16

In addition, Pro Tools and Media Composer software can be installed on the same computer. For a table of compatible software versions, as well as a list of Pro Tools interfaces which can be used as audio I/O devices with Avid video editing applications, refer to the Co-Install Notes on the Avid Knowledge Base.

Pro Tools Basic Video Import

All Pro Tools systems can import and view QuickTime (SD and HD) movies in a floating window on the desktop.

On Macintosh systems only, a PCIe BlackMagic card or DV transcoder can be installed in the Pro Tools system to play full resolution QuickTime files on a secondary video monitor.



Pro Tools with Avid Video Peripherals

Pro Tools and Avid video peripherals combine to support import and playback of QuickTime, and Avid MXF/OMF video media.

When using an Avid video peripheral such as Mojo SDI with Pro Tools, you must have Pro Tools HD software running on HDX, HD Native, or Pro Tools|HD hardware with a synchronization peripheral (such as SYNC HD) in order to maintain near sample accurate audio/video sync.

While it is possible to use an Avid video peripheral without the presence of any hardware (Pro Tools software only), audio and video synchronization is not guaranteed.



In addition to the [“Pro Tools Basic Video Import” on page 14](#), this system offers several advantages:

- Import an AAF and copy/relink to existing Avid MXF video (SD) or audio media for playback in Pro Tools.

Avid Mojo SDI with the SYNC HD hardware, works with many popular Avid video resolutions, including uncompressed SD, DV25 and DV50, 15:1s, and several 24p/25p progressive-scan resolutions.




All audio I/O is handled by the Pro Tools audio hardware.

- Import QuickTime video and playback via Mojo SDI.
- Capture Avid video directly to the Pro Tools timeline.
- Play back to an external SD-SDI, NTSC or PAL monitor.
- Mojo SDI also offers simultaneous output to both broadcast monitors and tape, and features Genlock for video sync with external devices.

Pro Tools Video Satellite System

Pro Tools and a Media Composer with the video satellite option are known collectively as a Video Satellite system. Pro Tools HD software running on HDX, HD Native, or Pro Tools|HD hardware with a synchronization peripheral (such as SYNC HD) can play any Avid HD or SD sequence from a second dedicated computer running Avid Media Composer or Symphony software, in sync with a Pro Tools session.

The two computers are connected via Avid's satellite Ethernet protocol. The Media Composer system supports the Avid Mojo DX and Nitris DX video peripherals for high quality output to an external HD NTSC or PAL monitor.



The Pro Tools system may consist of:

- Pro Tools|HD, HD Native or HDX cards
- One or more Avid HD audio interfaces (e.g. HD I/O, HD OMNI, and HD MADI)

- SYNC HD or SYNC I/O
- Avid video I/O hardware (optional)
- Video reference (connected to the SYNC HD or SYNC I/O)
- Local and/or shared audio storage
- Ethernet connection, either directly through an Ethernet hub or over a larger Ethernet network

The Media Composer/Symphony system consists of:

- External monitor for video playback (optional) (NTSC, PAL or HD)
- Avid video I/O hardware (optional)
- Video reference (connected to the Avid video peripheral and the VTR, if present)
- VTR (optional)
- Keyspan USA-19HS adapter for 9-pin deck connection (Mac only)
- RS-232 to RS-422 serial adapter (Mac only)
- Local and/or shared storage for audio and video
- Ethernet connection, either directly through an Ethernet hub or over a larger Ethernet network

Compared to [“Pro Tools with Avid Video Peripherals” on page 15](#), the Video Satellite system offers the following additional advantages:

- Eliminates the need to render effects, copy files, or do video mixdowns as the Media Composer Video Satellite system can simply open the Avid bin or sequence and play the picture exactly as it was seen in the video editing suite. It also takes the heavy load of video playback off the Pro Tools system.

The Video Satellite option enables loop playback and scrubbing of picture as well.

- Media Composer/Symphony with the Video Satellite option can capture, output and playback synchronized video, through the video peripherals listed below.

Monitor	Required Peripherals
NTSC or PAL video monitor, HD-SDI video monitor, HDMI video monitor	Avid Nitris DX or Avid Mojo DX
Analog HD video monitor	Avid Nitris DX
Computer monitor using DVI output (Full-screen playback mode)	Available by default from the graphics card.

3 Exchanging Projects between Avid Audio and Video Editing Systems

Before you begin exchanging files between your Avid video and audio editing systems, make sure that you understand the possible workflows for the editing of audio and video—see [“Overview of Production Workflows” on page 9](#).

You should also familiarize yourself with the various functions that support interoperability between Media Composer and Pro Tools—see [“Interoperability Support for Avid Audio & Video Editing Applications” on page 40](#).

Methods of Transferring Projects between Audio and Video Editing Applications

AAF (Advanced Authoring Format) and OMF (Open Media Framework) are the two main industry-standard formats that you can use to exchange compositions and media between different applications and platforms.

Avid editing applications can export an AAF or OMF file that contains the editing information (metadata) for the selected sequence, along with the video and audio media files for the master clips within the sequence. The media files can either be embedded or linked with the AAF or OMF file.

When an editing application receives AAF or OMF sequence files, it uses the metadata to automatically and quickly reassemble the composition. A simple metaphor for this approach is that media files are the pieces of a puzzle and metadata is the set of instructions for assembling the puzzle.

- [“AAF or OMF?” on page 19](#)
- [“Linked or Embedded Media?” on page 20](#)



Pro Tools can also export audio media files (such as AIFF and WAV) with an OMF wrapper which can be imported into Media Composer.

AAF or OMF?

AAF sequences are the best way to exchange projects between your Avid video and audio editing applications. AAF is a more comprehensive standard of exchange and amongst many other media formats, it can also embed/refer to MXF media files which the OMF format cannot.

Both AAF and OMF can store the editing metadata as well as the digital media (video, audio, graphics and animation) required to rebuild the composition in another editing application. However, not all settings may be saved in an OMF file, and therefore certain information may not be transferred to another application. Avid strongly recommends that you use AAF as it supports the latest features in Media Composer and Pro Tools.

Only AAF can exchange markers, export RTAS plug-ins, multichannel audio tracks, clip-based gain from Pro Tools, as well as support HD video. For a more detailed list of metadata that can be interchanged with each format, refer to [“Interchange Support for AAF and OMF”](#) on page 65.

AAF

AAF is a sequence file format. AAF sequences are the best way to exchange projects and maintain valuable metadata. An AAF sequence can refer to OMF and/or MXF media files, or have OMF and MXF media files embedded within them.

Pro Tools will import, play back, and export an AAF sequence that either links to media files or has audio embedded within it.

When you import an AAF file with embedded audio into Pro Tools, the audio will be extracted into the appropriate tracks using the current session’s audio file format.

OMF

OMF is both a media file and sequence format.

OMF media files can be audio or video, and Pro Tools can import and play back OMF audio and video media files. Pro Tools can also export OMF audio, but not OMF video media files.

An OMF sequence generated in an Avid video editing application cannot reference or have HD video embedded within it. Also, Pro Tools can import an OMF sequence with embedded audio, but not embedded video.

MXF

MXF is a media file format. There are MXF video files and MXF audio files, but there are no MXF sequences. An AAF sequence may refer to or include MXF media files, but OMF sequences cannot refer to or include MXF files.

Pro Tools can import and play back MXF audio and video files created in Media Composer or other Avid applications.



Video files digitized in Pro Tools are technically in the MXF format, but are intended only for use in Pro Tools and are not tested for compatibility with other applications.

Linked or Embedded Media?

There are two ways to handle media files when exporting AAF or OMF files—Embedded media (in which the media files are embedded in the sequence) versus Linked media (in which media files are referenced by the AAF or OMF sequence).

With both approaches, media can first be consolidated so that only the necessary portions of the media files are kept before embedding or linking them during the export process.




You can also export sequences with media that is both embedded and linked. For example, the audio can be embedded, but the video linked.

Embedded Media

Embedding media results in one large OMF or AAF file containing both the sequence metadata and all associated media. Although it is easier to transfer a single file with embedded media, it is important to note that this file is also slower to export and import.

When Media Composer exports an embedded AAF, Pro Tools must copy and import the audio files.

Pro Tools imports just the audio media from an embedded AAF or OMF. If you have a Media Composer Video Satellite system, you can import AAF or OMF sequences containing embedded video files. In such a case, only the video metadata is imported onto a satellite track, and not the video media.



Linked Media

Exporting AAF or OMF with linked media results in a metadata file (.AAF or .OMF) and any associated media stored as separate files. This keeps the size of the sequence file small and the export/import process becomes relatively fast.


Using the linked option is much more efficient especially when you have multiple media files to access within your sequence. However, you need to ensure these files are kept well organized since there are potentially numerous files to be transported between systems.

Linked media is also beneficial and recommended in environments where both Media Composer and Pro Tools are installed, or where media is shared between the two systems. Large amounts of storage space can be saved by linking to the media instead of duplicating it.

When Media Composer exports a sequence with files that are linked, Pro Tools automatically links to these files when the AAF is imported.



You cannot export an AAF with AMA-linked clips. You must transcode the media before exporting the AAF.



Unified Nomenclature for Audio and Video Editing

To ease the workflows between the Avid audio and video editing applications, nomenclature changes have been made to certain tools and options in the Media Composer and Pro Tools applications.

New Nomenclature for Pro Tools 10

Old Term	New Term
Region	Clip
Region List	Clip List
Region Groups	Clip Groups
Region Clip indicator (rendered EA only)	Elastic Audio Processing Clipping indicator
Trimmer Tools	Trim Tools
Timeline selection start marker	Timeline Selection In Point
Timeline selection end marker	Timeline Selection Out Point

Old Term	New Term
Time Code	Timecode
Locators To Import (Import Session Data dialog)	Markers To Import (Import Session Data dialog)
Process (AudioSuite)	Render (AudioSuite)

Additionally, “Digidesign” has been replaced with “Avid” for all file names and file path names.

Old Name	New Name
Digidesing CoreAudio Manager	Avid Core Audio Manager
Digidesign CoreAudio Driver	Avid Core Audio Driver
Digidesign ASIO Driver	Avid ASIO Driver
DigiTest	Avid DigiTest
/Digidesign/Pro Tools/	Avid Pro Tools/

New Nomenclature for Media Composer/Symphony/NewsCutter

Old Term	New Term
Auto Gain	Volume
Auto Pan	Pan
Locator	Marker
Sample Bit Depth	Bit Depth
Enable/Disable (audio tracks)	Active/Inactive
Gang (audio faders only)	Group

Checklists for Audio/Video Editing

Use the following checklists as guidelines when exchanging project files between the Avid video and audio editing systems.

If you are a smaller studio operator, or a single machine operator with an Avid video editing application and Pro Tools co-installed, then you only need to refer to the following checklist:

- [“Checklist: Exchanging Project Files between Co-installed Audio & Video Editing Applications” on page 32](#)

If you are editing on a separate Avid video editing system, refer to the following depending on whether you are importing or exporting a sequence/session:

- [“Checklist: Exporting a Sequence to Pro Tools” on page 25](#)
- [“Checklist: Importing the Audio Mix into the Video Editing Application” on page 31](#)

If you are editing on a separate Avid Pro Tools system, refer to the following depending on whether you are importing or exporting a sequence/session:

- [“Checklist: Importing a Sequence from the Avid Video Editing Application” on page 27](#)
- [“Checklist: Sending the Audio Mix to the Video Editing Application” on page 30](#)



For guidelines on exchanging sequences and media in an Interplay environment, refer to the Pro Tools Avid Interplay Guide.



For version compatibility and any known limitations, refer to the Readme for the associated Avid products.

Checklist: Exporting a Sequence to Pro Tools

The following checklist contains some quick steps to send a sequence to Pro Tools for the audio sweetening session. If you require information on more custom options, refer to the topics in the **Further reference** column.

Step	Further reference
Setting up the storage:	
There are many ways to exchange files between the audio and video editing systems. When using shared storage, media does not have to be duplicated. When you export your sequence, you have the benefit of linking to a common location for the audio or video media. Here are cases where you can use shared storage: • Video and audio editing systems are on the same network and connected to Avid shared storage. • Video and audio editing applications are installed on the same system. Non-shared storage devices or electronic delivery methods can also be used to exchange files. The media can be consolidated before or during export. Both the sequence files and media need to be transferred and placed in a similar structure so that the appropriate links can be re-established on the receiving system.	“Devices and Methods for Transferring Files” - Media Composer Help
☐ If you are sharing storage with the audio editor, make sure that your system is connected to the storage that is most appropriate for the types of files that you will be transferring back and forth. <i>For shared storage such as an Avid ISIS, make sure the drive is mounted and that you have access to the appropriate workspace(s) where the project files and media are located.</i>	
☐ Create the necessary exchange folders on your storage space. We recommend that you create at least two folders for the exported sequence files—for example, one labeled ‘To Audio Editor’ and the other ‘From Audio Editor’.	
Export the Sequence:	
☐ Duplicate the finished video sequence and name it appropriately. For example, Sequence_ForMix.	
☐ Before you begin the export process, read about the ways in which you can optimize your sequence for a quick and easy export.	“Preparing to Export a Sequence” - Media Composer Help

Step	Further reference
☐ Set up an export template with options that streamline your specific production workflow—see the reference alongside for the recommended settings.  <i>Optionally, you can use the Export function. The Export dialog box also has an Export To Pro Tools template that can be modified and used for exporting your sequences and media.</i>	“Exporting Sequences from Avid Video Editing Applications” on page 36. “Exporting AAF Sequences with Special Options” on page 36.
☐ Right-click on the duplicated sequence and choose the Send To > and the template that you set up for the export.	
☐ If necessary, enter a new file name for the exported sequence. Click the Set button and select the storage location for the exported files.	
☐ Click Ok to begin the Export process. If you are doing a video mixdown, the export may take some time depending on the length and quality of the media. The exported sequence will be displayed in the bin.	
☐ <i>If you exported to a shared storage device</i>, the sequence and any associated media are placed in the proper location for the audio editor.	
☐ <i>If you are using a non-shared storage</i>, then you need to copy/send the exported sequence and any linked media to the audio editor.	

Checklist: Importing a Sequence from the Avid Video Editing Application

The following checklist outlines some quick steps to import a sequence from a video editing application, such as Media Composer, into Pro Tools for the audio sweetening session. If you require information on more custom options, refer to the topics in the **Further reference** column.

Step	Further reference
Set up the storage:	
There are many ways to exchange files between the audio and video editing systems. When using shared storage, media does not have to be duplicated. When you export your sequence, you have the benefit of linking to a common location for the audio or video media. Here are cases where you can use shared storage: • Video and audio editing systems are on the same network and connected to an Avid shared storage. • Video and audio editing applications are installed on the same system. Non-shared storage devices or electronic delivery methods can also be used to exchange files. The media can be consolidated before or during export. Both the sequence files and media need to be transferred and placed in a similar structure so that the appropriate links can be re-established on the receiving system.	
☐	If you are sharing storage with the video editor, make sure that your system is connected to the storage.
☐	<i>For shared storage such as an Avid ISIS, make sure the drive is mounted and that you have access to the appropriate workspace(s) where the project files and media are located.</i>

Step	Further reference
☐ <i>If the Pro Tools system is connected to a Video Satellite system, it is preferable to mount the video storage on the Pro Tools system.</i> Alternatively, you can mount the audio storage on the satellite system if you frequently use any of the following workflows: • You receive updated versions of AAF sequences with additional audio files. • You export audio from Pro Tools for import into Media Composer. • Your satellite system is connected to a shared storage system, but your Pro Tools system is not. • Your satellite system is connected to Avid Interplay, but your Pro Tools system is not. ☐ We recommend that at least two folders should be available for the exported sequence files—one labeled ‘To Audio Editor’ and the other ‘From Audio Editor’.	“Cross-Mounting Media Storage on Remote Systems” - Avid Pro Tools Video Satellite Guide
Transfer the files: ☐ <i>If you are sharing storage</i> between the audio and video editing systems, or if your audio and video editing applications are co-installed on the same system, then the files should already have been exported directly to the appropriate workspace or folder. ☐ <i>If you are not sharing storage</i> between the audio and video editing applications, copy the files that you received from the video editor to the appropriate folder on your audio storage. ☐ Make sure that any alternate source files from your recordings (such as those from a field recorder) are also placed on your storage. These will need to be imported into Pro Tools.	“Field Recorder Workflows” - Pro Tools Help
Import the sequence for the mixing session: ☐ Choose File > Open Session and navigate to the sequence that you want to import. Choose a place to save the session, then name it, and click Save. This will create a new session with the correct parameters and automatically launch the Import Session Data dialog.  <i>Optionally, you can create a new session from a template, and import the sequence into it.</i>	“Importing an AAF or OMF Sequence as a Pro Tools Session” - Pro Tools Help

Step	Further reference
☐ In the Import Session Data dialog, select the options to import the track information and link to the media.	“Import Options when Importing AAF or OMF Sequences” - Pro Tools Help
☐ Pro Tools supports a number of video playback functions that are dependant on the type of hardware configuration of your system. Here are some options if you want to view video media while performing your audio editing:	“Working with Video in Pro Tools” - Pro Tools Help
☐ Link/import and view QuickTime files (SD or HD) in a floating window on the desktop. Choose File > Import > Video.  <i>Make sure you have QuickTime installed (Downloads are available on www.apple.com).</i>	“Importing Video into Pro Tools” - Pro Tools Help
☐ <i>On Macintosh systems only.</i> Link/import and view QuickTime files (SD or HD) on an external monitor with a supported Blackmagic card.	
☐ <i>On Pro Tools systems with a connected Mojo SDI peripheral.</i> Link/import and view Avid MXF/OMF, or QuickTime files (SD only), on an external monitor.	“Importing Sequences from Avid Applications” and “Digitizing Video to the Pro Tools Timeline” - Avid Video Peripherals Guide
☐ <i>On Video Satellite systems only.</i> You can open and playback sequences with Avid SD/HD video (using the Full Screen playback mode, on an external monitor connected to Media Composer.	“Opening a Sequence on a Video Satellite System” on page 39.
☐ Perform the necessary audio editing.	
☐ At this point in the workflow, the finished sequence with the new audio tracks can be sent on to the next stage of production. You have the following possible scenarios:	
☐ <i>Review and approval via the video suite.</i> The sequence can be exported back to the video editing application for playback, or to a playout server for transmission.  <i>You can only export audio tracks as AAF/OMF. This excludes auxiliary, master fader and MIDI tracks.</i>	“Checklist: Sending the Audio Mix to the Video Editing Application” on page 30.

Step	Further reference
☐ <i>Layback to tape.</i> If you have a tape deck attached to your system, you can layback an audio mix to create a tape master of your project.	“Arming Tracks Remotely for Layback” - Pro Tools MachineControl Guide
☐ <i>Bounce to file.</i> Output a BWF/WAV mixdown of your session, or an MP3 for streaming and downloading audio over the Internet. <i>If you have a Video Satellite system,</i> you can export the audio and video tracks to a QuickTime or Windows Media digital movie.	“Bounce to Disk” - Pro Tools Help Exporting Audio and Video as a Digital Movie from a Video Satellite” - Avid Video Satellite Guide

Checklist: Sending the Audio Mix to the Video Editing Application

The following checklist outlines all the basic steps required to send a Pro Tools audio session back to a video editing application, such as Media Composer, for the final review and edit. If you require information on more custom options, refer to the topics in the **Further reference** column.

Step	Further reference
Export the Mix:	
☐ After the audio sweetening session is complete, you can export the session as an AAF, or if the video editor only needs the resulting mix, export the audio session to a media file such as aiff, wav, or QuickTime.	
☐ <i>To export the session metadata and/or media.</i> Select the finished audio tracks, and choose File > Export Selected Tracks as New AAF/OMF. Select the format for the exported media. Navigate to the appropriate folder where the files will be exported, and click Save to begin the export.	“Exporting Pro Tools Tracks as AAF or OMFI Sequences” - Pro Tools Help

Step	Further reference
☐ <i>If you exported to a shared storage device</i> , the sequence and any associated media are placed in the proper location for the audio editor.	
☐ <i>If you are using a non-shared storage</i> , then you need to copy/send the exported sequence and any linked media to the audio editor.	

Checklist: Importing the Audio Mix into the Video Editing Application

The following checklist outlines some quick steps to import an audio mix into an existing video sequence (in an application such as Media Composer), for the final editing and output. If you require information on more custom options, refer to the topics in the **Further reference** column.

Step	Further reference
Transfer the files:	
☐ <i>If you are sharing storage</i> between your audio and video editing systems, or if your audio and video editing applications are co-installed on the same system, then the files should already have been exported directly to the appropriate workspace or folder.	
☐ <i>If you are not sharing storage</i> between the audio and video editing applications, copy the files that you received from the audio editor to the appropriate folder on your video storage. It's important to save these files in a location where Media Composer expects them—see topic under Further reference for specific details.	“Transferring Project and Media Files Using Nonshared Storage” - Media Composer Help

Import the Mix:

- ☐ Import the AAF and final media into the video editing system.
If the media was embedded in the AAF, Media Composer will extract the media on import and place it in the media files folder. If the media was linked, then the files will be automatically located if they were placed in the appropriate storage location.

- ☐ Edit the final sequence in Media Composer.

Output the final sequence:

- ☐ Output or export the final sequence. Here are your options:

Step	Further reference
☐ Create a digital cut to a tape master.	“Generating Output” - Media Composer Help
☐ Export the sequence as a digital movie for final distribution or for further processing in another application.	“Exporting QuickTime Movies” or “Exporting as Windows Media” - Media Composer Help
☐ Transfer completed sequences from your video editing system, to an AirSpeed system for playout to air.	“Playout” - AirSpeed Multi Stream Help
 <i>In a newsroom environment you can use the Avid iNEWS® Command application to create your playlists.</i>	<i>Avid iNews Command User's Guide</i>

Checklist: Exchanging Project Files between Co-installed Audio & Video Editing Applications

The following checklist contains some quick steps to exchange project files on a system where both the video and audio editing applications are installed. If you require information on more custom options, refer to the topics in the **Further reference** column.

Step	Further reference
------	-------------------

Co-installing Media Composer and Pro Tools:

Pro Tools and Media Composer software can be installed on the same computer. You must follow specific instructions to ensure that they perform correctly.

Co-Install Notes
- Avid Knowledge Base

Setting up the storage:

Since your video and audio editing applications are installed on the same system, you have the benefit of linking to a common location for the audio or video media.

Step	Further reference
☐ Create the necessary exchange folders on your storage space. We recommend that you create at least two folders for the exported sequence files—for example, one labeled ‘To Audio’ and the other ‘From Audio’.	
Export the Sequence from the video editing application:	
☐ Duplicate the finished video sequence and name it appropriately. For example, Sequence_ForMix.	
☐ Before you begin the export process, read about the ways in which you can optimize your sequence for a quick and easy export.	“Preparing to Export a Sequence” - Media Composer Help
☐ <i>Optional.</i> Set up an export template with options that streamline your specific production workflow—see the reference alongside for the recommended settings.	“Exporting Sequences from Avid Video Editing Applications” on page 36.
 <i>Alternatively, you can use the Export function. The Export dialog box also has an Export To Pro Tools template that can be modified and used for exporting your sequences and media.</i>	“Exporting AAF Sequences with Special Options” on page 36.
☐ Right-click on the duplicated sequence and choose the Send To > Pro Tools option or use the template that you set up for the export.	
☐ If necessary, enter a new file name for the exported sequence. Click the Set button and select the storage location for the exported files.	
☐ Click Ok to begin the Export process. If you are doing a video mixdown, the export may take some time depending on the length and quality of the media. The exported sequence will be displayed in the bin. The AAF sequence and any associated media are placed in the proper location for access by the audio editing application.	

Import the sequence into Pro Tools:

Step	Further reference
☐ Choose File > Open Session and navigate to the sequence that you want to import. Choose a place to save the session, then name it, and click Save. This will create a new session with the correct parameters and automatically launch the Import Session Data dialog.  <i>Optionally, you can create a new session from a template, and import the sequence into it.</i>	“Importing an AAF or OMF Sequence as a Pro Tools Session” - Pro Tools Help
☐ In the Import Session Data dialog, select the options to import the track information and link to the media.  <i>If you are re-importing a sequence from Media Composer into an existing Pro Tools session, we do not recommend that you select the Match Tracks button as this overwrites the existing tracks and you’d lose any changes that were made.</i> <i>Instead, make sure that you import to new tracks, and then compare the new tracks and manually fix any timing changes on the tracks on which you were already working.</i>	“Import Options when Importing AAF or OMF Sequences” - Pro Tools Help
☐ Pro Tools supports a number of video playback functions that are dependant on the type of hardware configuration of your system. Here are some options if you want to view video media while performing your audio editing: ☐ Import and view SD or HD QuickTime files in a floating window on the desktop. Choose File > Import > Video or Audio.  <i>Make sure you have QuickTime installed (Downloads are available on www.apple.com).</i> ☐ <i>On Macintosh systems only.</i> Import and view SD or HD QuickTime files on an external monitor with a supported Blackmagic card. ☐ <i>With a connected Mojo SDI peripheral.</i> Import and view Avid MXF or OMF files, or SD QuickTime files on an external monitor. ☐ <i>On systems with Pro Tools HDX, HD Native, or HD hardware only.</i> Digitize video directly to the Pro Tools video track.	“Working with Video in Pro Tools” - Pro Tools Help “Importing Video into Pro Tools” - Pro Tools Help “Importing Sequences from Avid Applications” - Avid Video Peripherals Guide “Digitizing Video to the Pro Tools Timeline” - Avid Video Peripherals Guide

Step	Further reference
☐ Perform the necessary audio editing. ☐ At this point in the workflow, the finished sequence with the new audio tracks can be sent on to the next stage of production. You have the following possible scenarios: ☐ <i>Review and approval via the video suite.</i> The sequence can be exported back to the video editing application for playback, or to a playout server for transmission.  <i>You can only export audio tracks as AAF/OMF. This excludes auxiliary, master fader and MIDI tracks.</i> ☐ <i>Layback to tape.</i> If you have a tape deck attached to your system, you can layback an audio mix to create a tape master of your project. ☐ <i>Bounce to file.</i> Output a BWF/WAV mixdown of your session, or an MP3 for streaming and downloading audio over the Internet. You can also bounce your mix to an iTunes library, or to the SoundCloud social audio sharing site.	“Checklist: Sending the Audio Mix to the Video Editing Application” on page 30. “Arming Tracks Remotely for Layback” - Pro Tools MachineControl Guide “Bounce to Disk” - Pro Tools Help
Import the Mix into the video editing application: ☐ Import the AAF and final media into the video editing system. If the media was embedded in the AAF, Media Composer will extract the media on import and place it in the media files folder. If the media was linked, then the files will be automatically located if they were placed in the appropriate storage location. ☐ Edit the final sequence in Media Composer.	
Output the final sequence: ☐ Output or export the final sequence. Here are your options: ☐ Create a digital cut to a tape master. ☐ Export the sequence as a digital movie for final distribution or for further processing in another application.	
	“Generating Output” - Media Composer Help “Exporting QuickTime Movies” or “Exporting as Windows Media” - Media Composer Help

Exporting Sequences from Avid Video Editing Applications

Projects created on an Avid video editing system (such as Avid Media Composer) can be exported as AAF or OMF 2.0 sequences, and imported into Pro Tools with an Avid video peripheral. This exchange of data between applications is significantly faster and easier than other methods, such as laying off to tape and re-digitizing.



When exporting sequences from an Avid application, AAF is the recommended format because it carries more data and is more recognized than OMF as a standard.

When an AAF or OMF sequence exported from Avid software is imported into Pro Tools, one video track will display each of the video files as clips in the Edit window. Generally, these reflect the same clips on the Avid timeline, unless an effect spans more than one video clip.

All video effects, including fades, titles and multi-stream effects, must be rendered before they can be exported in an AAF or OMF 2.0 sequence for import into Pro Tools. Rendering means that a media file called a “precompute” is created. This precompute is what is referenced by the exported sequence and what appears in the Pro Tools Edit window. For example, if there are three video clips in the Avid timeline and a title effect is laid across all three, the title would have to be rendered before export, creating a single precompute file. Then, instead of seeing the three original video files in the Pro Tools Edit window, only the one pre compute clip will be displayed.

Pro Tools with an Avid video peripheral can import and play sequences containing one or more single-stream clips, video editing metadata video tracks, or video mixdown tracks.

Exporting AAF Sequences with Special Options

You can make the export process much more efficient by choosing the right options for your workflow. You can even use Send To templates to create an export operation that uses up to two export templates without you having to export a sequence multiple times. (Avid applications can also export directly to Avid Interplay.)

When choosing your export settings for **audio**, consider the following:

- Editing systems connected to shared storage can export a sequence linking directly to the source audio files. If desired, the audio editor can also choose to consolidate the audio files to a dedicated workspace when importing them into Pro Tools.

When choosing your export settings for **video**, consider the following:

- QuickTime video is mandatory if you do not have an Avid video peripheral (e.g. Mojo SDI) or if you're not using Video Satellite. An alternative to creating a complete QuickTime movie file (when you're working on shared storage) is to export a QuickTime reference file that links directly to the source files. This makes for a much faster export.
- If you DO have an Avid video peripheral then you could potentially link directly to the video files on shared storage (no need to consolidate first), as long as (a) they are SD, (b) they are of a format that the peripheral supports in conjunction with Pro Tools, and (c) all video effects in the sequence are rendered. If the sequence is HD, or uses video of an unsupported format, then you need to either transcode or mixdown the video first.
- If you are using a Video Satellite system then no processing (rendering, consolidating, transcoding, mixdown etc) needs to take place as the Video Satellite can link directly to the source files regardless of SD/HD, format, unrendered effects etc.

To create a custom Send To template:

1. Right-click on a clip or sequence in a bin.
2. Select File > Send To > Make New.
3. (Option) Type a new file name in the Filename text box.
4. The following are some recommended settings based on whether you are linking to media (shared storage) or creating new media to send to Pro Tools:

Export Settings for Pro Tools

Export Setting	Options for linking to existing media
Consolidate - Link Audio and Video	Consolidates the audio and video media, and then exports AAF metadata only (no media is exported). Pro Tools will link to, or reference, the Avid audio or video files located on Avid shared storage.
Link To Audio only or Link To Audio and Video	Exports AAF metadata only (no media is exported). Pro Tools will link to, or reference, the Avid audio or video files located on Avid shared storage. This is the fastest method of export.
Link to Audio and Video Mixdown	First creates flattened audio and video mixdowns of the tracks. The AAF then links to the Avid audio and video mixdown (MXF) files located on Avid shared storage.

Export Setting	Options for linking to existing media
Pro Tools Quicktime (Ref)	Creates a QuickTime reference file that points to the source audio or video files. When the QuickTime Ref is imported into Pro Tools, it links to the associated source audio/video files.
Export Setting	Options for creating new media
Send to QT Movie	Creates a QuickTime movie, consolidates the audio, and embeds the audio into the AAF file. (You can also select the option to include video). When exporting a DV movie to Pro Tools, do not enable 'use Avid Codec'. If an Avid-codec DV movie is imported into Pro Tools, you cannot play it unless you have installed an Avid video peripheral.
Consolidate - Embed Audio only	Creates a video mixdown of the tracks (MXF), consolidates the audio, and embeds the audio into the AAF file. (Even on shared storage it's good practice to consolidate audio to a separate workspace specifically for Pro Tools.)



To export AAFs larger than 2 GB (which is usually the case when embedding video), the AAF Edit Protocol option must be checked in order for the editing application to perform the export.

5. (Option) Do the following if you want the third-party application to automatically launch after you export.
 - a. (Option) Click the Auto Launch button, and select Add Item.
 - b. (Option) Browse to find the third-party application.
 - c. Click Open.
 - d. Select Auto Load Exported File(s) if you want the files you export to automatically load in the third-party application.
 - e. Select Reveal file if you want the system to search available drives, open Windows Explorer or the folder (Macintosh), and highlight related media files.
6. Make any changes to the Export settings that you need by clicking the appropriate Options button, making the changes, and then clicking Save.
7. Click OK.

The Save As dialog opens.
8. Name the new Send To (.stt) template.
9. Click Save and the new template will now be available as a Send To menu command.

Opening a Sequence on a Video Satellite System

If you are using a Video Satellite System, certain steps must be taken to open a sequence for playback. This topic is designed to provide a quick start. For more details of all the other possible options, refer to the *Avid Video Satellite Guide*.

Open the sequence in Media Composer Video Satellite:

1. Open a new project.
2. Right-click in the bin, and choose Import.
3. Navigate to the folder where the files are located, select the video sequence, and click Import.
4. Drag and drop the sequence into the Record Monitor.

If you are not using shared storage (or Interplay), then do the following:

- Right-click on the sequence and choose the option to “Send To”. Make sure to link to the video and consolidate the audio.
- Export the AAF sequence and audio files to the proper storage location.

Open the session in Pro Tools:

1. Open a blank session and choose Import > Session Data.
2. Open the AAF sequence that was exported from the Video Satellite and select the following options:
 - Set V1 to New Satellite Track
 - Link to source media
3. Activate the satellite (Shift+Alt+L).

You can view the video in Full Screen Playback mode, or in an external monitor connected to the Video Satellite system.

4 Interoperability Support for Avid Audio & Video Editing Applications

There are many features that support input/output, file interchange and media sharing between audio and video editing applications. The products covered here include Avid Pro Tools 10, Media Composer 6, Symphony 6 and NewsCutter 10. New features in these releases have been highlighted in the support tables.

- [“Hardware Solutions for Avid Audio and Video Editing Applications” on page 40](#)
- [“Co-Editing with Avid Audio and Video Editing Applications” on page 43](#)
- [“Transferring Projects and Media between Audio and Video Editing Applications” on page 45](#)

For a listing of compatible software versions, as well as supported audio and video I/O interfaces for the audio and video editing applications, refer to the Co-Install Notes on the Avid Knowledge Base.

Hardware Solutions for Avid Audio and Video Editing Applications

Avid provides a number of hardware solutions for input/output, video monitoring, surface controllers, and shared storage for the Media Composer and Pro Tools family of products.

- [“Video I/O and Monitoring Options” on page 40](#)
- [“Control Surface Options” on page 42](#)

Video I/O and Monitoring Options

Avid supports various video input/output and monitoring devices for integrated picture solutions and direct interoperability with ICON workstations. Refer to the appropriate section below for your Avid editing application.

Supported Options for the Media Composer Family

Feature	Refer to
Integration with Pro Tools Hardware and Peripherals Install Media Composer with the new versions of Pro Tools hardware and peripherals, including the HD Native and Pro Tools HD cards. You can use the same audio hardware for both audio and video editing applications.	Avid HD Native and Pro Tools HD Hardware Configuration for Editing Systems - Media Composer Help
Use supported Pro Tools audio devices for input/output operations.	Co-installation Configurations and Audio Device Support - Media Composer Readme Using Mbox Family Audio Devices - Media Composer Help

Supported Options for the Pro Tools Family

Feature	Refer to
Near-Sample Accurate Lock for Pro Tools HDX, HD Native and HD Hardware Use SYNC peripherals to keep your audio-video productions in total sync. SYNC HD attains near sample-accurate lock to serial timecode (through RS-422), LTC, or bi-phase/tach signals, as well as standard pull-up/pull-down rates for film and video applications.	Avid SYNC HD Guide
Peripherals for SD Video Capture Use Avid video I/O peripherals such as Mojo SDI to capture or playback standard definition video in the Pro Tools timeline.	Avid Video Peripherals Guide

Feature	Refer to
Peripherals for HD Video Capture Use Media Composer Video Satellite for synchronized video playback, capture, and conversion of HD media in Pro Tools. Video Satellite is a software option that allows you to quickly and easily play Avid HD video sequences from a dedicated Mac or Windows-based computer, running Avid Media Composer software (with attached Mojo DX or Nitrix DX peripherals).	Avid Video Satellite Guide

Control Surface Options

There are various Avid control surfaces to give you tactile control of track volume, panning, plug-ins, transport and other vital recording, mixing/editing operations. Refer to the appropriate section below for your Avid editing application.

Supported Options for the Media Composer Family

Feature	Refer to
Integration with Audio Controllers • EUCON™ integration: Use Avid Artist Control, Avid Artist Transport, and Avid Artist Mix with your Avid editing application for audio navigation and transport functions, as well as some video and audio editing features such as recording volume automation.	Using Avid Artist Series Controllers - Media Composer Help

Shared Storage Options

Pro Tools and Avid video editing applications can use Avid ISIS 7000, ISIS 5000, and Unity MediaNetwork high-speed network storage systems to share the same media as follows:

Feature	Refer to
• Push/pull audio and video media • Share AAF, OMF, and MXF audio and video sequences	<i>Pro Tools ISIS Guide</i> and the <i>Pro Tools Avid MediaNetwork Guide</i>
• Stream audio and video media in real time.	
NEW • Increased track counts and Mac streaming support for Pro Tools on ISIS 7000 and Avid Unity MediaNetwork.	

	Feature	Refer to
NEW	Elastic Audio processing support in Pro Tools.	
NEW	In Pro Tools, new disk cache settings let you load audio files into RAM for cached playback.	

Co-Editing with Avid Audio and Video Editing Applications



Avid Pro Tools and Media Composer can be installed on the same computer. Refer to the Co-Install Notes on the Avid Knowledge Base.

- “Avid Media Composer Support for Pro Tools” on page 43
- “Avid Pro Tools Support for Media Composer” on page 44

Avid Media Composer Support for Pro Tools

The Avid Media Composer family of video editing applications provides the following features to support interoperability with the Avid Pro Tools audio editing application.

Editing

	Feature	Refer to
NEW	Common Nomenclature To ease the workflows between the Avid audio and video editing applications, nomenclature changes have been made to certain tools and options in the Media Composer and Pro Tools applications.	“Unified Nomenclature for Audio and Video Editing” on page 22.
	Basic Audio Assembly Perform basic mixing using controls like Clip Gain, Volume Automation (“rubber banding”), Clip Pan, Pan Automation, Avid EQ, and AudioSuite Plug-ins. These can all be transferred to Pro Tools for further sweetening.	Working with Audio - Media Composer Help
	Add markers to Media Composer tracks to indicate where the sound effects need to be added. Giving all the sound markers the same color makes them easy to filter for import in Pro Tools.	Suggested Uses for Markers - Media Composer Help

Sound Effects

Feature	Refer to
Audio Plug-ins A core collection of audio plug-ins are installed with your Avid editing application. Avid also supports other 3rd-party RTAS and AudioSuite plug-ins. If you are exchanging sequences/sessions where third-party effects have been applied, make sure that the receiving application also has these 3rd-party plug-ins installed.	Using Audio Plug-ins - Media Composer Help

Avid Pro Tools Support for Media Composer

The Avid Pro Tools audio editing application provides the following features to support interoperability with the Avid Media Composer family of video editing applications.

Editing & Playback

Feature	Refer to
Video Playback Pro Tools can import and play back QuickTime HD 720p and 1080i at all standard frame rates. Alternatively, use Avid video I/O peripherals such as Mojo SDI to capture or playback SD video in the Pro Tools timeline.	Pro Tools System Configurations - Avid Audio and Video Editing Workflow Guide
Basic Audio Assembly	
Using Avid video peripherals, there are many video functions available to you in Pro Tools:	Working with Video in Pro Tools - Pro Tools Reference Guide
Locate markers that were imported with Media Composer tracks to indicate where the sound effects need to be added.	Import Options when Importing OMF or AAF Sequences - Pro Tools Reference Guide

	Feature	Refer to
NEW	Trim AudioSuite effects with the clip handles.	Working with Video in Pro Tools - Pro Tools Reference Guide
	Make use of the various timecode and synchronization features for working with audio, film, video, or digital video.	Time Code and Synchronization Features - Pro Tools Reference Guide
	Keep the picture and audio editing in sync by using a guide audio track between Media Composer and Pro Tools.	Example Workflow: Working with a Guide Track - Pro Tools Reference Guide

Sound Effects

	Feature	Refer to
NEW	Imported clip-based gain data can be edited alongside (and used in lieu of) the normal volume automation used in Pro Tools. Dynamic clip gain, or clip gain exceeding +12 dB is rendered on export to Media Composer.	Pro Tools Reference Guide

Transferring Projects and Media between Audio and Video Editing Applications

- [“Media Import/Export” on page 46](#)
- [“AAF Support” on page 47](#)
- [“OMF Support” on page 49](#)

Media Import/Export

Feature	Further reference
Exchange of media between Media Composer and Pro Tools Media Composer can interchange media as follows: - Media Composer can export AAF/OMF sequences with both video and audio tracks (containing embedded or linked audio media) for import by Pro Tools. Video media can also be linked. - Media Composer can export MXF audio and video files. - Media Composer can import MXF, WAV, or AIFF audio files exported by Pro Tools, into an Avid bin.	Guidelines for Exporting OMFI and AAF Files - Media Composer Help Importing Media Files - Media Composer Help
Pro Tools can interchange media as follows: - Bounce to Disk and import the files into Media Composer - Export audio tracks with media to an AAF/OMF sequence . - Export MXF, WAV, or AIFF audio files.	Importing and Exporting Session Data - Pro Tools Reference Guide

Feature	Further reference
Export Media to Pro Tools The following options are available when exporting media to Pro Tools: • Create Export templates which transcode, copy, consolidate media. • Transcode media from Media Composer to various video formats during export. • Copy or consolidate media from Media Composer to any directory on shared or portable storage. Each time the sequence is updated and exported again to the same directory, only new media files are exported, making updates much faster. • Mixdown layers of video media and effects to a single MXF file that can be played by Pro Tools systems that have a video peripheral attached. Along with the media, export an AAF file of all the video metadata that includes the complex edit information (for example video clip names and scene markers) that can be displayed in Pro Tools. • Export high-definition QuickTime movies from Media Composer that are lightweight but retain good viewing quality for playback in Pro Tools.	Guidelines for Exporting OMFI and AAF Files - Media Composer Help

AAF Support

Feature	Refer to
Media Composer support for AAF Sequences	
Import and export AAF sequences with:	Importing Media Files - Media Composer Help
• <i>Linked and embedded audio</i> files (MXF, WAV, or AIFF) and/or <i>linked video</i> files (MXF or OMF). The exported audio and media files must be placed on a storage where the video editing application can access them. • Mono and stereo audio tracks.	
NEW	• Surround sound (5.1 and 7.1) audio tracks (with rendered/unrendered audio effects).

	Feature	Refer to
NEW	Volume automation (up to +12 dB) via AAF.	
	Pro Tools support for AAF Sequences	
	Import and export AAF sequences with:	
	<i>Linked and embedded audio</i> files (MXF, WAV, or AIFF) and/or <i>linked video</i> files (MXF or OMF). The exported audio and media files must be placed on a storage where Pro Tools can access them.	
	Mono and stereo audio tracks.	Pro Tools Reference Guide
NEW	Multichannel (stereo, 5.1, or 7.1) audio tracks. These can also be exported as split mono audio files.	Pro Tools Reference Guide
NEW	Clip gain settings and automation (+12 dB). Media Composer does not support dynamic clip gain, or clip gain exceeding +12 dB, therefore, these are rendered on export.	Pro Tools Reference Guide
	Import volume automation.	Pro Tools Reference Guide
NEW	Pro Tools now uses real-time fades, rather than rendered fades. On AAF export, all fades will be rendered for compatibility with Media Composer and other 3rd-party applications.	Pro Tools Reference Guide
	Import markers that were added on Media Composer tracks to indicate where the sound effects need to be added. (These sound markers can be filtered by color during import, and are translated as "Memory Markers" in Pro Tools.)	Import Options when Importing OMF or AAF Sequences - Pro Tools Reference Guide
	Import rendered audio effects from Media Composer.	Pro Tools Reference Guide
NEW	Automatically set the start time of the current Pro Tools session to match the start time of the AAF sequence that you are importing.	Importing and Exporting Session Data - Pro Tools Reference Guide
	For high definition sequences, Pro Tools can import the audio tracks, and the Avid video track will appear as offline. (Pro Tools supports Avid HD video playback with Video Satellite using a linked Media Composer system.)	Video Satellite Guide

OMF Support

Feature	Refer to
Exchange OMF Files between Media Composer and Pro Tools - Media Composer can export OMF sequences with both video and audio tracks (containing embedded or linked audio media) for import by Pro Tools. Video media can also be linked. - Pro Tools can export audio tracks to an OMF sequence for import by Media Composer.	Guidelines for Exporting OMFI and AAF Files - Media Composer Help Interop guide
Media Composer support for OMF Sequences Media Composer supports the following actions when working with OMF media and sequences: - Import and export of OMF sequences with <i>embedded</i> OMF video files and WAV or AIFF audio files. - Import and export of OMF sequences that refer to <i>linked</i> OMF video files and WAV or AIFF audio files. - OMF files only support mono audio tracks.	Import Settings: OMFI/AAF Tab - Media Composer Help
Pro Tools support for OMF Sequences The following actions are supported when working with OMF media and sequences: - Export of OMF sequences with WAV or AIFF audio files. - Import and export of OMF sequences that refer to <i>linked</i> OMF video files and WAV or AIFF audio files. - OMF files only support mono audio tracks.	Importing and Exporting Session Data - Pro Tools Reference Guide
NEW Automatically set the start time of the current Pro Tools session to match the start time of the OMF sequence that you are importing.	Importing and Exporting Session Data - Pro Tools Reference Guide
NEW Export of real-time fades (rendered on export).	

