

#### **GITHUB - PART-1**


1) Create a GitHub account using <a href="https://github.com/">https://github.com/</a>. Use your personal email address and official emails come with restrictions.




2) Create a new repository (it's a container where all stuff goes) using the + sign as shown below:




3) Provide the necessary details like repository name. Select repository as Public and initialize the READMD. Click 'Create'




4) Now, your repository is created, and it looks as:



5) To download the repository, we have option 'Clone and download'. Also, there are two options to copy repository locally using 'SSH' and 'HTTPS'





- 6) Copy the SSHRepositoryLink on to your clipboard.
- 7) These instructions presume that you have SSH key generated. However, if you don't have one please follow the step-by-step procedure in this <u>link</u> before you proceed further.
- 8) Open the command prompt or terminal to use the GitHub commands: To change the directory simply use:

cd <name of the directory you want to change to>

To go to the folder "Downloads" use: cd Downloads

Create a empty folder in Downloads using SSH repository link that we have created in GitHub Repository as:

git clone pastesshrepositorylinkhere

Command Prompt

```
Microsoft Windows [Version 10.0.17763.1217]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Users\Skill07>cd
C:\Users\Skill07>cd Downloads

C:\Users\Skill07\Downloads>git clone git@github.com:mskill/demo.git
Cloning into 'demo'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

C:\Users\Skill07\Downloads>

C:\Users\Skill07\Downloads>
```

Now, the folder is copied to my 'Downloads'. Just check the 'Downloads' have you got the folder demo?

- 9) To check my folder, enter the folder using cd command again as: cd demo
- 10) Get the list of the files in the folder demo, use:

For Windows: dir

For Mac: Ls

11) To view the content of the file:

For Windows: type README.md
For Mac: cat README.md

C:\Users\Skill07\Downloads\demo>type README.md
# demo

12) To open a README.md file:

For Windows: notepad README.md

For Mac: open README.md

13) To create a new file:

For Windows: notepad test.txt

For Mac: vi test.txt

14) Add to the repository:

For Windows/Mac: git add test.txt

Check the status of the file using:

```
C:\Users\Skill07\Downloads\demo>notepad test.txt

C:\Users\Skill07\Downloads\demo>git add test.txt

C:\Users\Skill07\Downloads\demo>git status

On branch master

Your branch is up to date with 'origin/master'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: test.txt
```

Similarly, add the new file as shown below:

```
C:\Users\Skill07\Downloads\demo>notepad test2.txt

C:\Users\Skill07\Downloads\demo>git add test2.txt

C:\Users\Skill07\Downloads\demo>git status

On branch master

Your branch is up to date with 'origin/master'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: test.txt

new file: test2.txt
```

## Commit the changes in the repository using:


git commit -m "write message here"

```
arC:\Users\Skill07\Downloads\demo>git commit -m "Initial Commit"
[master dc2e94d] Initial Commit
2 files changed, 2 insertions(+)
ar create mode 100644 test.txt
create mode 100644 test2.txt
```


# Push the file to remote repository using: git push

```
C:\Users\Skill07\Downloads\demo>git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 366 bytes | 122.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0)
To github.com:mskill/demo.git
    d3b011e..dc2e94d master -> master
```

### Now, this make the changes in my GitHub repository



# Create a repository now without README.md file



Copy the SSHRepositoryLink on to your clipboard just as in Step 6.

To come out from the demo folder first use cd ..

```
To make a directory in download folder: mkdir demo1 cd demo1
```

C:\Users\Skill07\Downloads\demo>cd..

C:\Users\Skill07\Downloads>cd..

C:\Users\Skill07>cd Downloads

C:\Users\Skill07\Downloads>mkdir demo1

C:\Users\Skill07\Downloads>cd demo1

C:\Users\Skill07\Downloads\demo1>

To create a readmd file use

echo "# demo1" >> README.md

Initialize the directory

git init

Create and add a README.md file. You can use a normal text editor depending on which OS you are using.

git add README.md

Check the status of the file

git status

Commit the changes

git commit -m "first commit"

Add the origin where we have to push the file. This is the SSHRepositoryLink you copied when you created the repository.

git remote add origin git@github.com:mskill/demo1.git

Push the file

git push -u origin master

```
C:\Users\Skill07\Downloads\demo1>echo "# demo1" >> README.md
C:\Users\Skill07\Downloads\demo1>git init
Initialized empty Git repository in C:/Users/Skill07/Downloads/demo1/.git/
C:\Users\Skill07\Downloads\demo1>git add README.md
C:\Users\Skill07\Downloads\demo1>git status
On branch master
No commits yet
Changes to be committed:
 (use "git rm --cached <file>..." to unstage)
C:\Users\Skill07\Downloads\demo1>git commit -m "first commit"
[master (root-commit) a74d8ad] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
C:\Users\Skill07\Downloads\demo1>git remote add origin git@github.com:mskill/demo1.git
C:\Users\Skill07\Downloads\demo1>git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 218 bytes | 72.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To github.com:mskill/demo1.git
  [new branch]
                    master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

#### Now, the README.md file is created in our repository

